

The UK [Gay Men's Sex Survey](#) (part of EMIS - the European MSM Internet Sex survey)

[South Central](#) region of residence data report (March 2011)

This report contains data from the UK *Gay Men's Sex Survey* 2010, which was part of the European MSM Internet Sex Survey (EMIS), a pan-European survey about behaviours, prevention needs and interventions related to HIV and sexual health. The survey ran simultaneously in twenty-five European languages, and was promoted by over 200 websites across Europe. The survey was developed by academic researchers, public health officials and community-based organisations in these countries. More information on the survey can be found at www.emis-project.eu

EMIS has already released two documents reporting key variables for men resident in 38 countries across Europe, the *EMIS Community Report #1* and the *EMIS UNGASS Indicators Report*. Both can be found in the [Publications](#) section at www.emis-project.eu. The indicators provided in this report are the same as those provided in these two reports.

This current report is prepared for health promotion planners with information about their local population of gay men and bisexual men. This report supplements the main UK survey report which will be published in September 2011. Survey methods and interpretation of the variables will be outlined in that report.

There are data reports for each of the ten Strategic Health Authorities (SHA) in England, with men grouped according to their Primary Care Trust (PCT) of residence, and separate reports for England, Scotland, Northern Ireland and Wales, with men grouped according to their region of residence. These 2010 reports, and similar reports for previous years, are available at www.gmss.org.uk

The data

The survey used a single data collection method via a specific website promoted via links on gay and HIV-related websites. The EMIS survey was available from 4th June to 31st August 2010, in 25 languages. Overall, 184,470 gay men and bisexual men took part.

To be included in this report respondents had to: be male; be aged between 16 and 89; be living in South Central England; have had sex with a man in the last year or have a gay, bisexual or other 'queer' identity.

Respondents with two or more inconsistent answers in six key areas were removed to improve data validity. Differences between the number of surveys returned and the number of men who appear in the sample are due to these exclusions.

The tables

Groups of men living in the same PCT area for which there are 20 or more respondents appear as a row (horizontal line) in the tables. Those PCT areas with fewer than 20 responses are joined together into "All other South Central SHA men". The bottom row of each table gives the result for all men living in the South Central region. The first table shows the number of men recruited to the survey living in PCTs within the South Central region and the size of the sub-samples in the rest of the tables. The tables show the proportions (%) of each sub-sample for that variable (less missing data). Rows add up to 100%. The only exceptions to this layout are table 3, 'Age averages' and table 16, 'Knowledge on HIV testing'.

Questionnaires

The contents page identifies the survey question number (Q) each table is derived from. The questionnaire used in the survey is available to download in the [Publications](#) section at www.emis-project.eu

Funding

EMIS was 60% funded by the Executive Agency for Health and Consumers of the European Commission and 40% funded by the five EMIS Associate Partners for their respective work-packages. In the UK the survey was part-funded by the Terrence Higgins Trust on behalf of CHAPS, the national HIV prevention programme funded by the English Department of Health.



David Reid <david.reid@sigmaresearch.org.uk>
Research Fellow, Sigma Research
Department of Social and Environmental Health Research
London School of Hygiene and Tropical Medicine
15-17 Tavistock Place
London. WC1H 9SH
T: +44 (0)20 7927 2792
www.sigmaresearch.org.uk
www.lshtm.ac.uk

Table Contents

SAMPLE DESCRIPTION

1. Sample size by PCT area of residence.
2. Language survey completed in.
3. Age groups; Q2 grouped into ten year age bands.
4. Age averages; from Q2; the median age (line them up by size and pick the one in the middle), the minimum (youngest) and maximum (oldest) ages, the mean age (add them up and divide by how many there are), and the standard deviation (a measure of how spread out along the range they are). (EMIS Community Report 1)
5. Born in country of residence; Q6.
6. Sexual identity; Q10.
7. 'Being Out'; Proportion of family, friends and work or study colleagues who know about same sex attraction; Q11. (EMIS Community Report 1)

SATISFACTION WITH SEX LIFE

8. 'Happy with their sex life'; Q15. (EMIS Community Report 1)

HIV and STI TESTING

9. HIV testing history and recency of HIV testing; Q71 & Q72 & Q72a & Q104. (EMIS Community Report 1)
10. Percentage of MSM that have received an HIV test in the last 12 months and who know the results amongst men of all ages. (UNGASS indicator 8); Q71 & Q72 & Q72a & Q104. (EMIS UNGASS indicators Report)
11. Percentage of men diagnosed positive among those who have ever been tested for HIV. (UNGASS indicator 23); Q71. (EMIS UNGASS indicators Report)
12. STI testing history and recency of STI testing; Q122 & Q123.

HEALTH NEEDS

13. Confidence in accessing HIV testing (amongst men not diagnosed HIV positive); Q112 & Q113.
14. Perception of availability of free HIV testing (amongst men not diagnosed HIV positive); Q114.
15. Perception of availability of free STI testing (amongst men who had worn condoms); Q117.
16. 'Knowledge on HIV-testing' the average score of respondents knowledge of five statements on HIV transmission testing and treatment; Q61 & Q63 & Q65 & Q66 & Q67. (EMIS Community Report 1)

HEALTH NEEDS continued

17. Percentage of MSM who both correctly identify ways of preventing the sexual transmission of HIV and who reject major misconceptions (UNGASS indicator 14); Q62 & Q68 & Q241 & Q242 & Q243. (EMIS UNGASS indicators Report)
18. Recency of not having a condom when desired; Q206.
19. Concern about alcohol consumption; Q222.
20. Concern about recreational drug use; Q223.

SEXUAL BEHAVIOUR

21. Recency of any sex with male partners; Q148.
22. Condom failure (tearing or slipping) in the previous 12 months; Q219.
23. Communication of HIV status prior to or during sex with last non-steady male sexual partner; Q184.
24. Percentage of MSM aged 15-49 who have had anal or vaginal intercourse with more than one partner in the last 12 months. (UNGASS indicator 16); Q2 & 148 & Q155 & Q163 & Q157 & Q165 & Q208 & Q209.
25. Percentage of MSM reporting the use of a condom: the last time they had anal sex with a male partner within the last 6 months amongst men of all ages. (UNGASS indicator 19); Q148 & Q150 & Q152 & Q153. (EMIS UNGASS indicators Report)

HATE CRIME

26. Experience of homophobic stares and intimidation; Q264.
27. Experience of homophobic verbal abuse; Q265.
28. Experience of homophobic physical abuse; Q266.

INTERVENTION PERFORMANCE

29. Recency of hearing any information about HIV or STIs specifically for men who have sex with men; Q144.
30. Percentage of MSM reached with HIV prevention programmes amongst men of all ages. (UNGASS indicator 9); Q71 & Q82 & Q112 & Q113 & Q144 & Q147 & Q207. (EMIS UNGASS indicators Report)

SAMPLE DESCRIPTION

1. Sample size by Strategic Health Authority area of residence.

	Frequency	Percent
NHS Hampshire	266	29.7
NHS Oxfordshire	167	18.6
NHS Buckinghamshire	140	15.6
NHS Berkshire West	110	12.3
NHS Berkshire East	54	6.0
NHS Southampton City	50	5.6
NHS Portsmouth	50	5.6
NHS Milton Keynes	36	4.0
NHS Isle of Wight	24	2.7
Total	897	100.0

2.Language survey completed in.

% within PCT area of residence

	Survey language									
	Czech	Danish	Dutch	English	French	German	Greek	Hungarian	Italian	Latvian
NHS Oxfordshire	1.8%			86.2%	1.8%		.6%	.6%	1.8%	
NHS Buckinghamshire				93.6%	.7%	.7%	.7%	.7%	.7%	
NHS Milton Keynes			2.8%	88.9%			2.8%			
NHS Berkshire West		.9%		90.9%	.9%	2.7%				
NHS Berkshire East				98.1%	1.9%					
NHS Hampshire				96.6%						.8%
NHS Southampton City			2.0%	90.0%		2.0%				
NHS Portsmouth				100.0%						
NHS Isle of Wight				100.0%						
Total	.3%	.1%	.2%	93.2%	.7%	.6%	.3%	.2%	.4%	.2%

2.Language survey completed in.

% within PCT area of residence

	Survey language							Total
	Lithuanian	Norwegian	Polish	Portugeuse	Romanian	Russian	Spanish	
NHS Oxfordshire	.6%		3.6%	2.4%			.6%	100.0%
NHS Buckinghamshire			2.1%				.7%	100.0%
NHS Milton Keynes				2.8%			2.8%	100.0%
NHS Berkshire West			1.8%	1.8%			.9%	100.0%
NHS Berkshire East								100.0%
NHS Hampshire		.4%	.4%	.4%	.4%	.4%	.8%	100.0%
NHS Southampton City			2.0%		2.0%		2.0%	100.0%
NHS Portsmouth								100.0%
NHS Isle of Wight								100.0%
Total	.1%	.1%	1.4%	.9%	.2%	.1%	.8%	100.0%

3.Age groups; Q2 grouped into ten year age bands.

% within PCT area of residence

	Age Groups					Total
	<20	20s	30s	40s	50+	
NHS Oxfordshire	3.0%	44.3%	23.4%	21.6%	7.8%	100.0%
NHS Buckinghamshire	5.7%	25.0%	25.7%	30.0%	13.6%	100.0%
NHS Milton Keynes		36.1%	22.2%	13.9%	27.8%	100.0%
NHS Berkshire West	5.5%	26.4%	30.0%	23.6%	14.5%	100.0%
NHS Berkshire East		16.7%	25.9%	37.0%	20.4%	100.0%
NHS Hampshire	9.4%	25.6%	20.7%	21.8%	22.6%	100.0%
NHS Southampton City	6.0%	36.0%	28.0%	16.0%	14.0%	100.0%
NHS Portsmouth	2.0%	42.0%	26.0%	18.0%	12.0%	100.0%
NHS Isle of Wight	8.3%	29.2%	20.8%	16.7%	25.0%	100.0%
Total	5.6%	30.5%	24.2%	23.2%	16.5%	100.0%

4.Age averages

How old are you?

PCT area of residence	Median	Mean	Minimum	Maximum	Std. Deviation
NHS Oxfordshire	30.00	33.46	16	75	11.330
NHS Buckinghamshire	36.50	37.04	16	69	11.887
NHS Milton Keynes	36.50	38.69	21	67	14.481
NHS Berkshire West	38.00	36.45	18	68	11.296
NHS Berkshire East	41.50	40.33	21	59	9.972
NHS Hampshire	36.00	37.66	16	83	14.396
NHS Southampton City	31.50	34.24	17	64	11.219
NHS Portsmouth	32.50	34.50	19	60	10.811
NHS Isle of Wight	35.00	38.00	19	77	15.836
Total	35.00	36.48	16	83	12.654

5. Born in country of residence.

% within PCT area of residence

	Were you born in your country of residence?		Total
	No	Yes	
NHS Oxfordshire	38.9%	61.1%	100.0%
NHS Buckinghamshire	25.4%	74.6%	100.0%
NHS Milton Keynes	25.0%	75.0%	100.0%
NHS Berkshire West	23.9%	76.1%	100.0%
NHS Berkshire East	29.6%	70.4%	100.0%
NHS Hampshire	16.7%	83.3%	100.0%
NHS Southampton City	16.0%	84.0%	100.0%
NHS Portsmouth	16.3%	83.7%	100.0%
NHS Isle of Wight		100.0%	100.0%
Total	23.7%	76.3%	100.0%

6. Sexual identity

% within PCT area of residence

	Which of the following options best describes how you think of yourself?					Total
	Gay or homosexual	Bisexual	Straight or heterosexual	Any other term	I don't usually use a term	
NHS Oxfordshire	80.8%	12.6%	.6%	.6%	5.4%	100.0%
NHS Buckinghamshire	85.6%	6.5%	1.4%		6.5%	100.0%
NHS Milton Keynes	88.9%	8.3%			2.8%	100.0%
NHS Berkshire West	81.7%	13.8%	.9%		3.7%	100.0%
NHS Berkshire East	79.2%	13.2%	1.9%	1.9%	3.8%	100.0%
NHS Hampshire	80.8%	15.0%		.8%	3.4%	100.0%
NHS Southampton City	82.0%	16.0%			2.0%	100.0%
NHS Portsmouth	88.0%	10.0%			2.0%	100.0%
NHS Isle of Wight	75.0%	25.0%				100.0%
Total	82.2%	12.8%	.6%	.4%	4.0%	100.0%

7. 'Being Out'; Proportion of family, friends and work or study colleagues who know about same sex attraction.

% within PCT area of residence

	Proportion of respondents who are out to most of those who know the person		Total
	All other answers	Out to most people I know	
NHS Oxfordshire	40.4%	59.6%	100.0%
NHS Buckinghamshire	32.1%	67.9%	100.0%
NHS Milton Keynes	36.1%	63.9%	100.0%
NHS Berkshire West	31.8%	68.2%	100.0%
NHS Berkshire East	33.3%	66.7%	100.0%
NHS Hampshire	37.6%	62.4%	100.0%
NHS Southampton City	24.0%	76.0%	100.0%
NHS Portsmouth	26.0%	74.0%	100.0%
NHS Isle of Wight	50.0%	50.0%	100.0%
Total	35.2%	64.8%	100.0%

SATISFACTION WITH SEX LIFE

8. 'Happy with their sex life'

% within PCT area of residence

	Are you happy with your sex life?		Total
	No	Yes	
NHS Oxfordshire	36.5%	63.5%	100.0%
NHS Buckinghamshire	45.5%	54.5%	100.0%
NHS Milton Keynes	50.0%	50.0%	100.0%
NHS Berkshire West	48.0%	52.0%	100.0%
NHS Berkshire East	38.5%	61.5%	100.0%
NHS Hampshire	43.9%	56.1%	100.0%
NHS Southampton City	41.3%	58.7%	100.0%
NHS Portsmouth	37.0%	63.0%	100.0%
NHS Isle of Wight	61.9%	38.1%	100.0%
Total	43.1%	56.9%	100.0%

HIV and STI TESTING

9.HIV testing history and recency of HIV testing.

% within PCT area of residence

	HIV testing history				Total
	Never tested	Tested negative in the last year	Tested negative over a year ago	Tested positive	
NHS Oxfordshire	32.9%	44.5%	18.5%	4.1%	100.0%
NHS Buckinghamshire	32.8%	36.8%	20.8%	9.6%	100.0%
NHS Milton Keynes	43.3%	36.7%	16.7%	3.3%	100.0%
NHS Berkshire West	32.0%	37.1%	24.7%	6.2%	100.0%
NHS Berkshire East	26.7%	35.6%	31.1%	6.7%	100.0%
NHS Hampshire	43.0%	32.1%	16.0%	8.9%	100.0%
NHS Southampton City	29.5%	36.4%	25.0%	9.1%	100.0%
NHS Portsmouth	32.7%	42.9%	20.4%	4.1%	100.0%
NHS Isle of Wight	56.5%	26.1%	17.4%		100.0%
Total	36.3%	36.8%	20.0%	6.9%	100.0%

10. Percentage of MSM that have received an HIV test in the last 12 months and who know the results amongst men of all ages.

% within PCT area of residence

	Percent of respondents who have been tested for HIV and received results in last 12 months (excluding those who have been already diagnosed positive)		Total
	Did not receive HIV test result (last 12m)	Received HIV test result (last 12m)	
NHS Oxfordshire	58.5%	41.5%	100.0%
NHS Buckinghamshire	62.6%	37.4%	100.0%
NHS Milton Keynes	68.6%	31.4%	100.0%
NHS Berkshire West	64.4%	35.6%	100.0%
NHS Berkshire East	68.6%	31.4%	100.0%
NHS Hampshire	68.7%	31.3%	100.0%
NHS Southampton City	64.6%	35.4%	100.0%
NHS Portsmouth	57.1%	42.9%	100.0%
NHS Isle of Wight	75.0%	25.0%	100.0%
Total	64.6%	35.4%	100.0%

11. Percentage of men diagnosed positive among those who have ever been tested for HIV.

% within PCT area of residence

	Proportion of respondents who tested positive for HIV among those with known HIV test result		Total
	Last test negative	Diagnosed positive	
NHS Oxfordshire	95.0%	5.0%	100.0%
NHS Buckinghamshire	87.6%	12.4%	100.0%
NHS Milton Keynes	95.7%	4.3%	100.0%
NHS Berkshire West	92.2%	7.8%	100.0%
NHS Berkshire East	92.9%	7.1%	100.0%
NHS Hampshire	87.0%	13.0%	100.0%
NHS Southampton City	89.2%	10.8%	100.0%
NHS Portsmouth	94.1%	5.9%	100.0%
NHS Isle of Wight	100.0%		100.0%
Total	90.9%	9.1%	100.0%

12.STI testing history and recency of STI testing.

% within PCT area of residence

	STI testing history			Total
	Never tested or don't know if tested	STI test in the last year	STI test over a year ago	
NHS Oxfordshire	35.5%	44.0%	20.5%	100.0%
NHS Buckinghamshire	30.9%	43.9%	25.2%	100.0%
NHS Milton Keynes	41.2%	38.2%	20.6%	100.0%
NHS Berkshire West	28.7%	45.4%	25.9%	100.0%
NHS Berkshire East	22.2%	42.6%	35.2%	100.0%
NHS Hampshire	35.6%	41.7%	22.7%	100.0%
NHS Southampton City	24.0%	42.0%	34.0%	100.0%
NHS Portsmouth	24.0%	52.0%	24.0%	100.0%
NHS Isle of Wight	54.2%	29.2%	16.7%	100.0%
Total	32.6%	43.1%	24.3%	100.0%

HEALTH NEEDS

13. Confidence in accessing HIV testing (amongst men not diagnosed HIV positive).

% within PCT area of residence

	How confident are you that you could get an/another test for HIV if you wanted one?					Total
	Very confident	Quite confident	A little confident	Not at all confident	I don't know	
NHS Oxfordshire	80.7%	14.9%	1.2%	1.9%	1.2%	100.0%
NHS Buckinghamshire	74.4%	19.2%	4.8%	.8%	.8%	100.0%
NHS Milton Keynes	79.4%	11.8%	5.9%	2.9%		100.0%
NHS Berkshire West	77.5%	14.7%	2.9%	1.0%	3.9%	100.0%
NHS Berkshire East	84.3%	9.8%	5.9%			100.0%
NHS Hampshire	72.3%	16.9%	6.2%	2.5%	2.1%	100.0%
NHS Southampton City	77.8%	13.3%	8.9%			100.0%
NHS Portsmouth	79.2%	12.5%	4.2%	4.2%		100.0%
NHS Isle of Wight	70.8%	16.7%	4.2%	8.3%		100.0%
Total	76.6%	15.5%	4.6%	1.9%	1.4%	100.0%

14.Perception of availability of free HIV testing (amongst men not diagnosed HIV positive).

% within PCT area of residence

	Can you personally get free HIV testing in the country you live in?		Total
	No / don't know	Yes	
NHS Oxfordshire	13.0%	87.0%	100.0%
NHS Buckinghamshire	17.5%	82.5%	100.0%
NHS Milton Keynes	8.8%	91.2%	100.0%
NHS Berkshire West	15.7%	84.3%	100.0%
NHS Berkshire East	15.7%	84.3%	100.0%
NHS Hampshire	17.8%	82.2%	100.0%
NHS Southampton City	15.2%	84.8%	100.0%
NHS Portsmouth	16.7%	83.3%	100.0%
NHS Isle of Wight	20.8%	79.2%	100.0%
Total	15.9%	84.1%	100.0%

15.Perception of availability of free STI testing (amongst men who had worn condoms).

% within PCT area of residence

	Can you personally get free STI testing in the country you live in?		Total
	No / don't know	Yes	
NHS Oxfordshire	15.1%	84.9%	100.0%
NHS Buckinghamshire	11.5%	88.5%	100.0%
NHS Milton Keynes	2.8%	97.2%	100.0%
NHS Berkshire West	5.6%	94.4%	100.0%
NHS Berkshire East	9.6%	90.4%	100.0%
NHS Hampshire	15.2%	84.8%	100.0%
NHS Southampton City	14.0%	86.0%	100.0%
NHS Portsmouth	12.0%	88.0%	100.0%
NHS Isle of Wight	12.5%	87.5%	100.0%
Total	12.3%	87.7%	100.0%

16. 'Knowledge on HIV-testing' the average score of respondents knowledge of five statements on HIV transmission testing and treatment.

Mean

PCT area of residence	The mean of respondents' scores on basic knowledge about HIV and testing
NHS Oxfordshire	95.3293
NHS Buckinghamshire	96.4029
NHS Milton Keynes	95.0000
NHS Berkshire West	96.1818
NHS Berkshire East	98.1481
NHS Hampshire	94.7368
NHS Southampton City	96.0000
NHS Portsmouth	96.4000
NHS Isle of Wight	87.5000
Total	95.4687

17. Percentage of MSM who both correctly identify ways of preventing the sexual transmission of HIV and who reject major misconceptions amongst men of all ages.

% within PCT area of residence

	UNGASS 14: Percentage correctly identifying ways of HIV transmission		Total
	Correctly identifies 0-4 respective items	Correctly identifies 5 respective items	
NHS Oxfordshire	44.3%	55.7%	100.0%
NHS Buckinghamshire	60.4%	39.6%	100.0%
NHS Milton Keynes	58.3%	41.7%	100.0%
NHS Berkshire West	51.8%	48.2%	100.0%
NHS Berkshire East	57.4%	42.6%	100.0%
NHS Hampshire	59.8%	40.2%	100.0%
NHS Southampton City	56.0%	44.0%	100.0%
NHS Portsmouth	48.0%	52.0%	100.0%
NHS Isle of Wight	79.2%	20.8%	100.0%
Total	55.5%	44.5%	100.0%

18.Recency of not having a condom when desired.

% within PCT area of residence

	When was the last time you wanted a condom but did not have one?						Total
	Within the last 7 days	Within the last 4 weeks	Within the last 6 months	Within the last 12 months	Within the last 5 years	More than 5 years ago or Never	
NHS Oxfordshire	.6%	2.4%	4.2%	6.6%	6.6%	79.5%	100.0%
NHS Buckinghamshire	2.9%	4.3%	5.8%	5.8%	8.0%	73.2%	100.0%
NHS Milton Keynes		11.1%	8.3%	2.8%		77.8%	100.0%
NHS Berkshire West	6.4%	1.8%	5.5%	3.7%	4.6%	78.0%	100.0%
NHS Berkshire East	5.7%	1.9%	11.3%	1.9%	7.5%	71.7%	100.0%
NHS Hampshire	4.2%	1.5%	6.5%	4.2%	5.7%	77.9%	100.0%
NHS Southampton City	2.1%	8.3%	10.4%	4.2%	14.6%	60.4%	100.0%
NHS Portsmouth	6.0%	4.0%	10.0%	4.0%	12.0%	64.0%	100.0%
NHS Isle of Wight	4.2%	4.2%	8.3%	8.3%	8.3%	66.7%	100.0%
Total	3.5%	3.2%	6.7%	4.7%	6.9%	75.1%	100.0%

19.Concern about alcohol consumption.

% within PCT area of residence

	Any concern about alcohol use		Total
	No	Yes	
NHS Oxfordshire	83.2%	16.8%	100.0%
NHS Buckinghamshire	82.7%	17.3%	100.0%
NHS Milton Keynes	80.6%	19.4%	100.0%
NHS Berkshire West	80.0%	20.0%	100.0%
NHS Berkshire East	79.6%	20.4%	100.0%
NHS Hampshire	79.2%	20.8%	100.0%
NHS Southampton City	84.0%	16.0%	100.0%
NHS Portsmouth	82.0%	18.0%	100.0%
NHS Isle of Wight	75.0%	25.0%	100.0%
Total	81.0%	19.0%	100.0%

20.Concern about recreational drug use.

% within PCT area of residence

	Any concern about drug use		Total
	No	Yes	
NHS Oxfordshire	96.3%	3.7%	100.0%
NHS Buckinghamshire	92.8%	7.2%	100.0%
NHS Milton Keynes	97.2%	2.8%	100.0%
NHS Berkshire West	94.5%	5.5%	100.0%
NHS Berkshire East	100.0%		100.0%
NHS Hampshire	96.6%	3.4%	100.0%
NHS Southampton City	96.0%	4.0%	100.0%
NHS Portsmouth	92.0%	8.0%	100.0%
NHS Isle of Wight	95.8%	4.2%	100.0%
Total	95.6%	4.4%	100.0%

SEXUALBEHAVIOUR

21.Recency of any sex with male partners.

% within PCT area of residence

	When did you last have any kind of sex with a man (please include any sexual contact, not just anal intercourse)?						Total
	Within the last 7 days	Within the last 4 weeks	Within the last 6 months	Within the last 12 months	Within the last 5 years	More than 5 years ago	
NHS Oxfordshire	55.7%	22.2%	11.4%	4.2%	4.2%	2.4%	100.0%
NHS Buckinghamshire	49.6%	28.1%	12.2%	2.9%	4.3%	2.9%	100.0%
NHS Milton Keynes	38.9%	38.9%	13.9%	2.8%	5.6%		100.0%
NHS Berkshire West	58.2%	15.5%	16.4%	2.7%	5.5%	1.8%	100.0%
NHS Berkshire East	57.4%	20.4%	7.4%	9.3%	1.9%	3.7%	100.0%
NHS Hampshire	53.6%	20.4%	10.9%	5.7%	4.2%	5.3%	100.0%
NHS Southampton City	56.0%	16.0%	22.0%	2.0%	4.0%		100.0%
NHS Portsmouth	68.0%	12.0%	12.0%	4.0%	2.0%	2.0%	100.0%
NHS Isle of Wight	41.7%	29.2%	16.7%	12.5%			100.0%
Total	54.2%	21.6%	12.6%	4.6%	4.0%	3.0%	100.0%

22. Condom failure (tearing or slipping) in the previous 12 months.

% within PCT area of residence

	In the last 12 months has a condom you were wearing torn or slipped off during intercourse?				Total
	No	Yes, one time	Yes, more than one time	I don't know	
NHS Oxfordshire	85.3%	9.8%	3.9%	1.0%	100.0%
NHS Buckinghamshire	86.2%	9.2%	4.6%		100.0%
NHS Milton Keynes	85.7%	14.3%			100.0%
NHS Berkshire West	84.8%	12.1%	1.5%	1.5%	100.0%
NHS Berkshire East	89.7%	10.3%			100.0%
NHS Hampshire	76.6%	17.5%	3.6%	2.2%	100.0%
NHS Southampton City	80.8%	15.4%	3.8%		100.0%
NHS Portsmouth	83.3%	8.3%	8.3%		100.0%
NHS Isle of Wight	100.0%				100.0%
Total	83.4%	12.2%	3.5%	1.0%	100.0%

23.Communication of HIV status prior to or during sex with last non-steady male sexual partner.

% within PCT area of residence

	What did you tell him about your HIV status before or during sex?					Total
	I told him I didn't know my HIV status	I told him I was HIV negative	I told him I was HIV positive	I said nothing about my HIV status	I don't remember	
NHS Oxfordshire	.8%	20.9%	1.6%	72.1%	4.7%	100.0%
NHS Buckinghamshire	6.2%	20.6%	1.0%	69.1%	3.1%	100.0%
NHS Milton Keynes		27.6%	3.4%	69.0%		100.0%
NHS Berkshire West	5.1%	25.6%	2.6%	65.4%	1.3%	100.0%
NHS Berkshire East		33.3%		61.5%	5.1%	100.0%
NHS Hampshire	3.1%	21.5%	4.1%	69.2%	2.1%	100.0%
NHS Southampton City		23.7%	5.3%	71.1%		100.0%
NHS Portsmouth	2.5%	20.0%		77.5%		100.0%
NHS Isle of Wight		31.8%		54.5%	13.6%	100.0%
Total	2.7%	23.1%	2.4%	69.0%	2.8%	100.0%

24. Percentage of MSM aged 15-49 who have had anal or vaginal intercourse with more than one partner in the last 12 months.

% within PCT area of residence

	UNGASS 16: Percentage of adults aged 15-49 who have had anal or vaginal intercourse with more than one partner in the last 12 months		Total
	none or one anal/vaginal intercourse partner in the last 12 months	more than one anal/vaginal intercourse partner in the last 12 months	
NHS Oxfordshire	35.0%	65.0%	100.0%
NHS Buckinghamshire	30.6%	69.4%	100.0%
NHS Milton Keynes	35.0%	65.0%	100.0%
NHS Berkshire West	37.0%	63.0%	100.0%
NHS Berkshire East	50.0%	50.0%	100.0%
NHS Hampshire	34.5%	65.5%	100.0%
NHS Southampton City	47.1%	52.9%	100.0%
NHS Portsmouth	33.3%	66.7%	100.0%
NHS Isle of Wight	50.0%	50.0%	100.0%
Total	36.3%	63.7%	100.0%

25. Percentage of MSM reporting the use of a condom: the last time they had anal sex with a male partner within the last 6 months amongst men of all ages.

% within PCT area of residence

	UNGASS 19: Percentage of MSM reporting condom use the last time they had anal sex with a male partner (within last 6 months)		Total
	Last anal sex without a condom	Used condom during last anal sex	
NHS Oxfordshire	44.8%	55.2%	100.0%
NHS Buckinghamshire	46.5%	53.5%	100.0%
NHS Milton Keynes	53.8%	46.2%	100.0%
NHS Berkshire West	50.6%	49.4%	100.0%
NHS Berkshire East	56.8%	43.2%	100.0%
NHS Hampshire	48.2%	51.8%	100.0%
NHS Southampton City	70.3%	29.7%	100.0%
NHS Portsmouth	47.4%	52.6%	100.0%
NHS Isle of Wight	52.9%	47.1%	100.0%
Total	49.6%	50.4%	100.0%

HATE CRIME

26.Experience of homophobic stares and intimidation.

% within PCT area of residence

	When was the last time you were stared at or intimidated because someone knew or presumed you are attracted to men?						Total
	Within the last 7 days	Within the last 4 weeks	Within the last 6 months	Within the last 12 months	Within the last 5 years	More than 5 years ago or Never	
NHS Oxfordshire	12.7%	5.4%	6.0%	12.7%	14.5%	48.8%	100.0%
NHS Buckinghamshire	9.4%	7.9%	10.1%	9.4%	12.2%	51.1%	100.0%
NHS Milton Keynes	8.3%	8.3%	13.9%	8.3%	19.4%	41.7%	100.0%
NHS Berkshire West	11.8%	7.3%	7.3%	14.5%	13.6%	45.5%	100.0%
NHS Berkshire East	9.4%	5.7%	11.3%	3.8%	13.2%	56.6%	100.0%
NHS Hampshire	13.6%	8.3%	7.5%	9.4%	14.3%	46.8%	100.0%
NHS Southampton City	6.1%	2.0%	8.2%	14.3%	20.4%	49.0%	100.0%
NHS Portsmouth	16.0%	2.0%	16.0%	6.0%	22.0%	38.0%	100.0%
NHS Isle of Wight	12.5%	12.5%	4.2%	8.3%	4.2%	58.3%	100.0%
Total	11.8%	6.8%	8.5%	10.3%	14.6%	48.0%	100.0%

27.Experience of homophobic verbal abuse.

% within PCT area of residence

	When was the last time you had verbal insults directed at you, because someone knew or presumed you are attracted to men?						Total
	Within the last 7 days	Within the last 4 weeks	Within the last 6 months	Within the last 12 months	Within the last 5 years	More than 5 years ago or Never	
NHS Oxfordshire	5.4%	2.4%	6.0%	9.0%	21.1%	56.0%	100.0%
NHS Buckinghamshire	7.9%	4.3%	10.8%	10.1%	14.4%	52.5%	100.0%
NHS Milton Keynes	2.8%	2.8%	13.9%	13.9%	19.4%	47.2%	100.0%
NHS Berkshire West	5.5%	6.4%	13.6%	9.1%	15.5%	50.0%	100.0%
NHS Berkshire East	7.5%	5.7%	3.8%	1.9%	15.1%	66.0%	100.0%
NHS Hampshire	7.6%	6.1%	11.0%	7.6%	19.7%	48.1%	100.0%
NHS Southampton City	2.0%	4.1%	6.1%	16.3%	16.3%	55.1%	100.0%
NHS Portsmouth	6.0%	4.0%	16.0%	12.0%	24.0%	38.0%	100.0%
NHS Isle of Wight	12.5%	4.2%	12.5%	4.2%	4.2%	62.5%	100.0%
Total	6.5%	4.7%	10.1%	9.0%	18.0%	51.7%	100.0%

28.Experience of homophobic physical abuse.

% within PCT area of residence

	When was the last time you were punched, hit, kicked, or beaten because someone knew or presumed you are attracted to men?						Total
	Within the last 7 days	Within the last 4 weeks	Within the last 6 months	Within the last 12 months	Within the last 5 years	More than 5 years ago or Never	
NHS Oxfordshire	1.2%		.6%		5.4%	92.8%	100.0%
NHS Buckinghamshire	.7%		3.6%	.7%	5.0%	89.9%	100.0%
NHS Milton Keynes					11.1%	88.9%	100.0%
NHS Berkshire West				.9%	7.3%	91.8%	100.0%
NHS Berkshire East				1.9%	5.7%	92.5%	100.0%
NHS Hampshire	.4%	.8%	2.6%	2.3%	7.2%	86.8%	100.0%
NHS Southampton City				2.0%	12.2%	85.7%	100.0%
NHS Portsmouth				4.0%	10.0%	86.0%	100.0%
NHS Isle of Wight					8.3%	91.7%	100.0%
Total	.4%	.2%	1.5%	1.3%	7.1%	89.5%	100.0%

INTERVENTION PERFORMANCE

29.Recency of hearing any information about HIV or STIs specifically for men who have sex with men.

% within PCT area of residence

	When was the last time you saw or heard any information about HIV or STIs specifically for men who have sex with men?						Total
	Within the last 7 days	Within the last 4 weeks	Within the last 6 months	Within the last 12 months	Within the last 5 years	More than 5 years ago or Never	
NHS Oxfordshire	25.7%	24.6%	26.9%	13.2%	1.8%	7.8%	100.0%
NHS Buckinghamshire	26.6%	21.6%	20.1%	13.7%	12.2%	5.8%	100.0%
NHS Milton Keynes	22.2%	8.3%	25.0%	27.8%	11.1%	5.6%	100.0%
NHS Berkshire West	20.2%	25.7%	17.4%	16.5%	9.2%	11.0%	100.0%
NHS Berkshire East	18.5%	22.2%	29.6%	7.4%	16.7%	5.6%	100.0%
NHS Hampshire	26.0%	20.8%	22.3%	9.8%	9.4%	11.7%	100.0%
NHS Southampton City	30.6%	14.3%	32.7%	12.2%	4.1%	6.1%	100.0%
NHS Portsmouth	34.0%	24.0%	18.0%	14.0%	6.0%	4.0%	100.0%
NHS Isle of Wight	16.7%	33.3%	20.8%	8.3%	4.2%	16.7%	100.0%
Total	25.2%	21.9%	23.1%	12.8%	8.3%	8.7%	100.0%

30. Percentage of MSM reached with HIV prevention programmes amongst men of all ages.

% within PCT area of residence

	UNGASS 9: Reached with (targeted) HIV prevention programmes		Total
	EMIS-criteria for UNGASS 9 not met	EMIS-criteria for UNGASS 9 met	
NHS Oxfordshire	19.8%	80.2%	100.0%
NHS Buckinghamshire	34.3%	65.7%	100.0%
NHS Milton Keynes	36.1%	63.9%	100.0%
NHS Berkshire West	36.4%	63.6%	100.0%
NHS Berkshire East	35.2%	64.8%	100.0%
NHS Hampshire	34.0%	66.0%	100.0%
NHS Southampton City	34.0%	66.0%	100.0%
NHS Portsmouth	26.0%	74.0%	100.0%
NHS Isle of Wight	37.5%	62.5%	100.0%
Total	31.5%	68.5%	100.0%

END