

Vital Statistics 2005 The UK Gay Men's Sex Survey

England Strategic Health Authorities Data Report (February 2008)

This report uses data from the UK Gay Men's Sex Survey 2005, conducted by Sigma Research in collaboration with health promoters throughout the UK. This report supplements the annual report, *Consuming passions: findings from the United Kingdom Gay Men's Sex Survey 2005* (down-loadable from <http://www.sigmaresearch.org.uk/downloads/report2007c.pdf>). Survey methods and interpretation of the variables are outlined in that report. This data is intended to provide HIV health promotion planners with information about their local gay population. This report contains data from men who live in England and for whom Strategic Health Authority (SHA) data is known. Respondents are grouped according to the SHA in which they live.

The data

The survey used two data collection methods over the summer of 2005:

- (1) A self-sealing, Freepost addressed booklet distributed by 83 health promotion agencies;
- (2) On a specific web-site <<http://www.sigmasurvey.org.uk>>, promoted via links on 55 gay and HIV related web-sites. Two sites, gay.com and gaydar.co.uk, conducted substantial paid for promotion of the survey.

This report contains data from all the men recruited through **both methods**.

The respondents are grouped according to the agency which recruited them.

To be included in the sample respondents must:

- be male;
- be aged 14 or over;
- be living in the UK;
- have had sex with a man in the last year or have an expectation of having sex with a man in the future;
- have completed at least one demographic question and one other question.

Differences between the number of surveys returned and the number of men who appear in the sample are due to these exclusions.

The tables

Groups of men living in the same SHA area appear as a line in the tables. The bottom line of each table gives the result for the entire England sample. The first table shows the number of men recruited to the survey living in each SHA and the size of the Sub-samples in the rest of the tables. The tables show the proportions (%) of each sub-sample for that variable (less missing data). Rows (lines across add up to 100%. The only exception to this layout is table 3, Age averages.

Questionnaires

The contents page identifies the Booklet question number (Q) each table is derived from.

The questionnaire used in the survey is available to download at:

<http://www.sigmaresearch.org.uk/files/VS2005booklet.pdf>.

Funding

The survey was funded by Terrence Higgins Trust as part of CHAPS, a national HIV prevention initiative funded by the English Department of Health and the National Assembly for Wales. Web recruitment occurred in England, Wales, Scotland and Northern Ireland. Booklet recruitment occurred in England and Wales.



Table Contents

SAMPLE DESCRIPTION

1. Web and booklet sample sizes by Strategic Health Authority area of residence.
2. Age groups; Q8 grouped into ten year age bands.
3. Age averages; from Q8; the median age (line them up by size and pick the one in the middle), the minimum (youngest) and maximum (oldest) ages, the mean age (add them up and divide by how many there are), and the standard deviation (a measure of how spread out along the range they are).
4. Years of formal education after the age of 16 years of age; Q5.
5. Annual Income; Q6.
6. Current religious practice; Q7.
7. Ethnicity in six groups; from Q9.

HIV TESTING

8. HIV testing history; Q14 + Q15.

SEXUAL BEHAVIOUR

9. Gender of sexual partner in the last year; Q3.
10. HIV concordancy of regular male relationship - whether men have a regular partner and if so, whether they have the same (sero-concordant) or different (sero-discordant) HIV statuses, or don't know; Q11 + Q12.
11. Number of male sexual partners in the last year; Q19 (those who had sex with men)
12. Insertive (active) anal intercourse (IAI) and frequency of condom use in the last year; Q22 + Q23.
13. Condom failure in the last year; Q22 + Q23 + Q24 (all men).
14. Receptive (passive) anal intercourse (RAI) and frequency of condom use in the last year; Q28 + Q29.
15. Unprotected anal intercourse (UAI) in the last year; Q26 + Q30 (direct questions).

OTHER HEALTH BEHAVIOUR

16. Cigarette smoking; Q16.
17. Use of recreational drugs in the last year (Ecstasy, LSD, amphetamine, crystal methamphetamine; cocaine, crack cocaine, ketamine, GHB or heroin); Q17.
18. Use of crystal methamphetamine in the last year; Q17.

OTHER HEALTH NEEDS

19. *I would like to stop smoking tobacco* (of tobacco smokers); Q18 + Q16.
20. *I sometimes worry about how much I drink* (of drinkers); Q18 + Q17.
21. *I sometimes worry about my recreational drug use* (of those using cannabis, ecstasy, LSD, speed, crystal methamphetamine, cocaine, crack, ketamine, GHB, heroin, poppers, viagra, tranquilisers and magic mushrooms) ; Q18 + Q17.

INTERVENTIONS - CLINIC USE

22. Recency of Clinic use; Q37.
23. Offered an HIV test on last clinic visit (those not already diagnosed with HIV); Q37 + Q39.

INTERVENTIONS - PEP

24. Heard of PEP; Q32.
25. Ever tried to get PEP; Q33 (whole sample).
26. Ever taken PEP; Q34 (whole sample).
27. Know anyone who has received PEP; Q35 (whole sample).
28. If you thought you had been exposed to HIV would you consider trying to get PEP; Q36 + Q15 (of those not tested HIV positive).

HATE CRIME

29. Homophobic physical assault in the last year; Q42.
30. Homophobic physical assault reported to the police; Q42 + Q43 (of those physically assaulted).
31. Homophobic verbal abuse in the last year; Q46.
32. Homophobic verbal abuse reported to the police; Q46 + Q47 (of those verbally abused).

INTERNET PROFILE

33. Active (currently in use) internet profile on www.gay.com or www.gaydar.co.uk; Q51 + Q52.

Sigma Research address:
77a Tradescant Road
London SW8 1XJ
Ph 020 7820 8022
Fax 020 7793 8009
David.Reid@sigmaresearch.org.uk
www.sigmaresearch.org.uk

Vital Statistics 2005
The UK Gay Men's Sex Survey
England: Strategic Health Authorities Data Report (February 2008)

Sample Description

1. Web and booklet sample sizes

Count

	method - distribution		Total
	Web	Booklet	
London	3151	1205	4356
South West	693	284	977
South Central	599	116	715
South East Coast	774	270	1044
East of England	864	330	1194
East Midlands	542	308	850
West Midlands	694	276	970
Yorkshire and The Humber	682	358	1040
North West	1217	387	1604
North East	350	67	417
All other English men	869	441	1310
Total	10435	4042	14477

2. Age groups.

% within Demog - Strategic Health Authority of residence boundaries 2007

	Age in 10s				
	<20	20s	30s	40s	50+
London	3.7%	29.7%	36.8%	21.1%	8.6%
South West	10.7%	29.7%	24.0%	19.0%	16.6%
South Central	10.9%	31.2%	28.5%	18.3%	11.0%
South East Coast	9.4%	29.6%	27.7%	20.4%	12.9%
East of England	11.2%	32.5%	25.0%	19.2%	12.0%
East Midlands	10.7%	34.6%	25.9%	18.6%	10.2%
West Midlands	10.8%	35.6%	25.3%	17.2%	11.2%
Yorkshire and The Humber	12.3%	35.6%	25.3%	18.1%	8.8%
North West	10.0%	34.4%	26.7%	18.2%	10.7%
North East	13.0%	37.3%	22.4%	15.7%	11.6%
All other English men	12.3%	33.0%	24.9%	17.5%	12.4%
Total	8.8%	32.1%	29.1%	19.2%	10.8%

3. Age averages.

Demog Age (original)

Demog - Strategic Health Authority of residence	Median	Minimum	Maximum	Mean	Std. Deviation
London	34.00	14	85	34.91	10.370
South West	34.00	14	80	35.25	13.485
South Central	32.00	14	73	33.63	12.099
South East Coast	34.00	15	78	34.95	12.476
East of England	32.00	15	77	33.78	12.561
East Midlands	32.00	15	82	33.20	12.018
West Midlands	31.00	15	71	32.89	11.631
Yorkshire and The Humber	30.00	15	89	32.44	11.944
North West	32.00	14	76	33.35	12.185
North East	29.00	15	75	32.53	12.584
All other English men	31.00	14	79	33.37	12.864
Total	33.00	14	89	33.99	11.859

4. Years of formal education after the age of 16 years of age.

% within Demog - Strategic Health Authority of residence boundaries 2007

	Years in full-time education post - 16				
	None	1 year	2 years	3 to 5 years	6 or more years
London	9.7%	4.4%	10.7%	34.4%	40.8%
South West	19.3%	9.1%	18.7%	32.2%	20.6%
South Central	16.7%	7.0%	15.3%	33.3%	27.7%
South East Coast	17.6%	9.7%	15.7%	34.5%	22.4%
East of England	23.3%	7.0%	20.3%	29.1%	20.3%
East Midlands	22.5%	8.5%	19.3%	30.9%	18.9%
West Midlands	18.1%	9.1%	17.6%	35.0%	20.2%
Yorkshire and The Humber	18.4%	8.3%	18.5%	32.8%	22.0%
North West	19.3%	6.8%	16.6%	35.3%	22.0%
North East	13.9%	9.6%	20.9%	36.9%	18.7%
All other English men	18.5%	9.0%	20.6%	28.5%	23.3%
Total	16.3%	7.1%	16.0%	33.2%	27.5%

5. Annual income.

% within Demog - Strategic Health Authority of residence boundaries 2007

	£ Annual Income								
	< 5000	5000 - 9999	10000 - 14999	15000 - 19999	20000 - 24999	25000 - 29999	30000 - 34999	35000 - 39999	40 000 +
London	6.5%	5.0%	7.3%	10.3%	13.0%	12.9%	11.7%	7.4%	25.9%
South West	12.0%	10.6%	18.3%	15.7%	13.0%	10.8%	6.5%	4.6%	8.7%
South Central	9.5%	7.8%	12.9%	12.5%	13.5%	9.7%	8.2%	6.5%	19.3%
South East Coast	10.4%	8.6%	12.1%	14.4%	13.7%	9.7%	8.9%	6.4%	15.8%
East of England	11.7%	8.9%	15.5%	14.8%	14.7%	9.8%	7.3%	5.2%	12.1%
East Midlands	11.1%	9.5%	15.9%	18.1%	15.2%	10.7%	6.8%	4.5%	8.1%
West Midlands	11.0%	10.3%	17.0%	16.9%	14.1%	12.5%	5.9%	4.7%	7.7%
Yorkshire and The Humber	12.6%	9.5%	18.4%	18.5%	13.7%	9.1%	6.8%	4.0%	7.4%
North West	12.2%	10.5%	18.3%	16.7%	13.2%	8.8%	5.8%	4.0%	10.5%
North East	11.9%	13.6%	18.9%	15.3%	12.1%	9.5%	7.5%	2.7%	8.5%
All other English men	14.8%	9.7%	14.8%	16.2%	11.6%	9.8%	7.4%	4.3%	11.4%
Total	10.3%	8.3%	13.5%	14.3%	13.3%	10.8%	8.4%	5.5%	15.5%

6. Current religious practice.

% within Demog - Strategic Health Authority of residence boundaries 2007

	Current religious practice						
	No religious practice	Judaism	Christianity	Islam	Buddhism	Paganism	Other
London	67.5%	1.8%	23.6%	1.7%	2.1%	.9%	2.4%
South West	70.4%		23.6%	.3%	1.8%	2.4%	1.7%
South Central	72.9%	.4%	20.3%	.4%	2.0%	1.7%	2.2%
South East Coast	64.9%	.4%	28.9%	.4%	1.6%	2.0%	1.8%
East of England	70.6%	.8%	22.7%	.3%	1.7%	2.1%	1.8%
East Midlands	70.5%	.4%	22.4%	1.7%	1.1%	1.2%	2.7%
West Midlands	66.5%	.2%	24.9%	2.2%	1.0%	2.2%	3.0%
Yorkshire and The Humber	72.2%	.5%	23.0%	1.1%	.9%	.9%	1.5%
North West	66.4%	.8%	27.5%	.8%	1.1%	1.8%	1.6%
North East	66.9%		27.8%	1.0%	.7%	2.2%	1.4%
All other English men	61.3%	.9%	28.8%	2.1%	1.8%	1.4%	3.6%
Total	67.8%	.9%	24.7%	1.2%	1.6%	1.5%	2.2%

7. Ethnicity in six groups.

% within Demog - Strategic Health Authority of residence boundaries 2007

	Ethnic Group					
	White British	White other	Black	Asian	Mixed	Other
London	61.9%	24.6%	3.8%	3.5%	3.2%	3.0%
South West	93.2%	4.6%	.2%	.4%	.4%	1.1%
South Central	86.8%	8.6%	.1%	1.8%	1.5%	1.1%
South East Coast	86.6%	8.8%	.6%	1.2%	1.5%	1.3%
East of England	87.7%	7.3%	.5%	1.3%	2.4%	.8%
East Midlands	89.7%	4.5%	.2%	3.9%	1.2%	.5%
West Midlands	85.9%	4.6%	1.0%	5.3%	2.5%	.7%
Yorkshire and The Humber	91.2%	3.5%	.8%	1.6%	1.7%	1.2%
North West	91.8%	4.8%	.6%	1.0%	1.0%	.8%
North East	91.8%	4.6%	.5%	1.2%	1.0%	1.0%
All other English men	82.5%	8.0%	2.2%	2.8%	2.8%	1.8%
Total	80.6%	11.6%	1.7%	2.4%	2.1%	1.6%

HIV testing

8. HIV testing history.

% within Demog - Strategic Health Authority of residence boundaries 2007

	HIV test history			
	Never tested	-ve test > 1 year ago	-ve test in last year	Tested HIV positive
London	28.2%	26.2%	33.5%	12.2%
South West	49.4%	22.5%	23.5%	4.6%
South Central	44.9%	24.3%	27.7%	3.1%
South East Coast	40.2%	24.3%	28.8%	6.7%
East of England	48.8%	23.9%	24.9%	2.4%
East Midlands	47.9%	24.9%	25.3%	1.9%
West Midlands	49.4%	21.7%	23.1%	5.7%
Yorkshire and The Humber	47.7%	23.7%	24.3%	4.3%
North West	45.8%	21.6%	24.4%	8.3%
North East	50.5%	20.0%	25.2%	4.3%
All other English men	52.4%	18.8%	24.4%	4.4%
Total	41.8%	23.6%	27.6%	7.0%

Sexual behaviour

9. Gender of sexual partners in the last year.

% within Demog - Strategic Health Authority of residence boundaries 2007

	Gender of sexual partners			
	No one	Women only	Both men and women	Men only
London	2.5%	.5%	9.1%	87.9%
South West	5.3%	1.1%	12.7%	80.9%
South Central	4.2%	1.4%	10.6%	83.8%
South East Coast	4.7%	1.1%	10.5%	83.7%
East of England	5.9%	1.9%	10.1%	82.0%
East Midlands	4.8%	1.8%	11.2%	82.2%
West Midlands	5.4%	1.5%	12.5%	80.6%
Yorkshire and The Humber	6.1%	1.3%	12.3%	80.3%
North West	6.0%	1.6%	11.2%	81.2%
North East	5.8%	1.7%	12.2%	80.3%
All other English men	6.3%	2.4%	17.9%	73.4%
Total	4.6%	1.3%	11.3%	82.8%

10. HIV concordancy of regular male relationship.

% within Demog - Strategic Health Authority of residence boundaries 2007

	HIV concordancy of regular male relationship			
	No male partner	HIV concordant	HIV discordant	Concordancy unknown
London	42.9%	38.9%	8.0%	10.2%
South West	44.3%	44.1%	4.4%	7.3%
South Central	46.5%	43.9%	2.1%	7.5%
South East Coast	46.1%	39.7%	5.5%	8.7%
East of England	46.6%	42.9%	2.6%	7.8%
East Midlands	45.0%	41.3%	3.5%	10.2%
West Midlands	46.8%	40.3%	4.1%	8.9%
Yorkshire and The Humber	46.8%	43.0%	3.6%	6.6%
North West	47.6%	39.8%	5.2%	7.3%
North East	45.1%	44.2%	4.1%	6.6%
All other English men	50.7%	38.5%	3.8%	7.0%
Total	45.7%	40.6%	5.2%	8.5%

11. Number of male sexual partners in the last year (those who had sex with men).

% within Demog - Strategic Health Authority of residence boundaries 2007

	Number of male sexual partners (had male partner)				
	One	2, 3 or 4	5 to 12	13 to 29	30 +
London	15.8%	22.6%	26.8%	17.2%	17.6%
South West	22.0%	33.7%	23.2%	11.6%	9.5%
South Central	19.9%	36.0%	24.2%	10.4%	9.5%
South East Coast	19.2%	30.5%	24.8%	13.8%	11.7%
East of England	23.9%	29.4%	23.5%	13.3%	9.9%
East Midlands	24.0%	31.5%	23.9%	10.5%	10.1%
West Midlands	22.4%	31.7%	24.7%	10.1%	11.0%
Yorkshire and The Humber	24.9%	33.2%	24.7%	9.4%	7.8%
North West	23.5%	28.9%	25.0%	13.2%	9.5%
North East	22.8%	35.3%	20.2%	12.3%	9.4%
All other English men	21.3%	32.1%	22.5%	13.9%	10.2%
Total	20.4%	28.9%	24.8%	13.6%	12.3%

12. Insertive AI and frequency of condom use in the last year.

% within Demog - Strategic Health Authority of residence boundaries 2007

	IAI and frequency of condom use			
	No IAI	IAI never used a condom	IAI sometimes used a condom	IAI always used a condom
London	25.3%	8.3%	27.6%	38.8%
South West	30.0%	10.5%	27.2%	32.4%
South Central	30.3%	8.8%	25.3%	35.5%
South East Coast	31.1%	9.2%	30.1%	29.6%
East of England	30.6%	9.2%	26.1%	34.0%
East Midlands	33.9%	10.8%	25.0%	30.2%
West Midlands	31.4%	8.5%	27.6%	32.5%
Yorkshire and The Humber	33.2%	10.6%	27.0%	29.2%
North West	32.6%	8.8%	27.1%	31.6%
North East	32.5%	10.1%	27.9%	29.6%
All other English men	33.7%	7.3%	24.5%	34.5%
Total	30.0%	9.0%	27.0%	34.1%

13. Condom Failure in the last year.

% within Demog - Strategic Health Authority of residence boundaries 2007

	Condom failure in the last year		
	No IAI with a condom	No failure	Failure
London	33.7%	58.8%	7.6%
South West	40.7%	51.4%	7.9%
South Central	39.2%	53.7%	7.0%
South East Coast	40.3%	53.1%	6.6%
East of England	40.0%	54.2%	5.8%
East Midlands	44.8%	48.0%	7.2%
West Midlands	40.0%	52.3%	7.7%
Yorkshire and The Humber	43.8%	48.4%	7.8%
North West	41.5%	49.7%	8.8%
North East	42.5%	50.5%	7.0%
All other English men	41.2%	49.3%	9.5%
Total	39.0%	53.3%	7.6%

14. Receptive AI and frequency of condom use in the last year.

% within Demog - Strategic Health Authority of residence boundaries 2007

	RAI and frequency of condom use			
	No RAI	RAI never used a condom	RAI sometimes used a condom	RAI always used a condom
London	30.8%	8.3%	25.8%	35.1%
South West	33.6%	10.5%	26.9%	29.0%
South Central	33.0%	9.4%	25.0%	32.6%
South East Coast	36.4%	9.9%	26.8%	27.0%
East of England	35.7%	9.4%	24.3%	30.7%
East Midlands	35.8%	9.9%	26.5%	27.9%
West Midlands	35.2%	9.5%	26.0%	29.3%
Yorkshire and The Humber	35.7%	10.6%	26.6%	27.1%
North West	37.2%	9.2%	25.4%	28.2%
North East	32.1%	11.8%	27.3%	28.7%
All other English men	41.0%	6.9%	22.4%	29.8%
Total	34.5%	9.1%	25.6%	30.8%

15. Unprotected anal intercourse (UAI) in the last year.

% within Demog - Strategic Health Authority of residence boundaries 2007

	Unprotected Anal intercourse			
	No UAI	RUAI only	IUAI only	Both RUAI & IUAI
London	50.0%	10.3%	13.3%	26.3%
South West	49.9%	9.4%	10.8%	29.9%
South Central	53.9%	9.5%	10.2%	26.4%
South East Coast	49.3%	8.6%	12.6%	29.5%
East of England	53.6%	9.2%	11.6%	25.6%
East Midlands	50.2%	11.6%	11.9%	26.4%
West Midlands	51.3%	11.3%	10.9%	26.6%
Yorkshire and The Humber	50.3%	9.2%	11.1%	29.4%
North West	53.0%	9.4%	11.8%	25.7%
North East	49.6%	10.8%	11.8%	27.7%
All other English men	57.6%	7.6%	11.1%	23.7%
Total	51.5%	9.7%	12.0%	26.7%

Other health behaviour

16. Cigarette smoking.

% within Demog - Strategic Health Authority of residence boundaries 2007

	Cigarette Smoker		
	No cigarettes	<10 per day	10 or more per day
London	64.7%	14.1%	21.3%
South West	65.5%	11.0%	23.6%
South Central	69.0%	9.7%	21.3%
South East Coast	63.2%	11.6%	25.1%
East of England	65.0%	12.5%	22.5%
East Midlands	66.2%	11.7%	22.1%
West Midlands	64.2%	12.4%	23.4%
Yorkshire and The Humber	64.3%	11.3%	24.4%
North West	63.1%	11.1%	25.8%
North East	66.0%	10.4%	23.6%
All other English men	64.8%	13.8%	21.4%
Total	64.8%	12.4%	22.8%

17. Use of recreational drugs in the last year (Ecstasy, LSD, amphetamine, crystal methamphetamine, cocaine, crack cocaine, ketamine, GHB or heroin).

% within Demog - Strategic Health Authority of residence boundaries 2007

	Recreational drug use (Ecstasy, LSD, Cocaine, Crack, Heroin + Speed, Crystal, K & GHB)	
	Did not use	Used recreational drugs listed
London	62.8%	37.2%
South West	80.4%	19.6%
South Central	86.4%	13.6%
South East Coast	73.4%	26.6%
East of England	83.1%	16.9%
East Midlands	83.2%	16.8%
West Midlands	80.9%	19.1%
Yorkshire and The Humber	78.5%	21.5%
North West	73.8%	26.2%
North East	81.5%	18.5%
All other English men	79.0%	21.0%
Total	74.3%	25.7%

18. Use of crystal methamphetamine in the last year.

% within Demog - Strategic Health Authority of residence boundaries 2007

	Drug Use Frequency - Crystal methamphetamine/Tina			
	Once a week or more	Once or twice a month	Less than once a month	Not at all
London	.6%	1.2%	4.5%	93.7%
South West	.3%	.3%	1.3%	98.0%
South Central		.3%	.8%	98.9%
South East Coast	.3%	.1%	2.2%	97.4%
East of England		.3%	1.0%	98.7%
East Midlands			.6%	99.4%
West Midlands	.1%	.3%	1.4%	98.2%
Yorkshire and The Humber	.1%	.2%	.9%	98.8%
North West	.4%		1.3%	98.4%
North East		.2%	.7%	99.0%
All other English men	.6%	.5%	1.4%	97.6%
Total	.3%	.5%	2.2%	97.0%

Other health needs

19. I would like to stop smoking tobacco (of tobacco smokers).

% within Demog - Strategic Health Authority of residence boundaries 2007

	Like to stop smoking tobacco (of smokers)				
	Strongly agree	Agree	Not sure	Disagree	Strongly Disagree
London	37.9%	29.4%	16.8%	11.4%	4.5%
South West	32.5%	32.7%	20.3%	9.6%	4.9%
South Central	27.6%	38.4%	18.4%	10.4%	5.2%
South East Coast	32.2%	31.7%	19.3%	13.1%	3.7%
East of England	31.4%	32.3%	15.8%	13.4%	7.1%
East Midlands	29.9%	33.8%	18.2%	11.1%	7.0%
West Midlands	36.7%	29.0%	18.7%	10.3%	5.3%
Yorkshire and The Humber	33.1%	31.4%	19.0%	11.6%	4.9%
North West	35.6%	32.8%	17.6%	9.6%	4.3%
North East	34.1%	21.0%	19.2%	19.2%	6.6%
All other English men	31.4%	31.4%	19.2%	12.0%	6.1%
Total	34.3%	31.1%	18.0%	11.5%	5.1%

20. I sometimes worry about how much I drink (of drinkers).

% within Demog - Strategic Health Authority of residence boundaries 2007

	Worry about alcohol use (of drinkers)				
	Strongly agree	Agree	Not sure	Disagree	Strongly Disagree
London	7.7%	24.0%	9.8%	31.7%	26.8%
South West	6.4%	20.6%	10.6%	37.3%	25.1%
South Central	5.6%	20.6%	7.3%	37.4%	29.1%
South East Coast	7.1%	24.4%	9.0%	36.2%	23.3%
East of England	6.3%	21.3%	9.7%	33.3%	29.3%
East Midlands	5.8%	19.6%	9.5%	35.4%	29.8%
West Midlands	8.4%	20.1%	9.3%	36.4%	25.8%
Yorkshire and The Humber	7.9%	21.7%	11.7%	34.0%	24.7%
North West	7.5%	23.7%	11.1%	34.8%	22.9%
North East	5.2%	19.5%	9.1%	37.8%	28.4%
All other English men	7.4%	22.4%	13.2%	32.8%	24.2%
Total	7.2%	22.4%	10.2%	34.1%	26.1%

21. I sometimes worry about my recreational drug use (of recreational drug users).

% within Demog - Strategic Health Authority of residence boundaries 2007

	Worry about recreational drug use (of rec drug users)				
	Strongly agree	Agree	Not sure	Disagree	Strongly Disagree
London	5.4%	15.5%	10.4%	33.0%	35.7%
South West	5.0%	15.3%	12.7%	31.9%	35.1%
South Central	4.0%	8.6%	11.1%	30.2%	46.0%
South East Coast	3.2%	11.6%	11.8%	36.5%	37.0%
East of England	4.9%	10.4%	10.4%	31.1%	43.2%
East Midlands	3.7%	12.7%	7.8%	30.5%	45.4%
West Midlands	6.3%	10.4%	11.6%	30.9%	40.7%
Yorkshire and The Humber	6.1%	11.3%	12.3%	31.1%	39.3%
North West	5.5%	15.1%	12.3%	28.1%	39.0%
North East	3.3%	7.7%	10.0%	36.8%	42.1%
All other English men	9.2%	13.1%	14.2%	27.3%	36.2%
Total	5.4%	13.3%	11.3%	31.7%	38.4%

Interventions - Clinic use

22. Recency of clinic use.

% within Demog - Strategic Health Authority of residence boundaries 2007

	Recency of clinic use				
	I've never been to a clinic	More than 5 years ago	More than 1 year ago	Within last year but not in last month	Within the last month
London	23.3%	7.8%	20.5%	32.7%	15.6%
South West	42.8%	11.0%	16.5%	19.8%	9.9%
South Central	39.8%	8.3%	19.1%	24.5%	8.3%
South East Coast	35.1%	10.4%	18.0%	26.3%	10.1%
East of England	46.6%	8.4%	16.5%	21.2%	7.3%
East Midlands	41.6%	9.9%	18.7%	22.1%	7.7%
West Midlands	42.1%	8.4%	17.2%	22.1%	10.1%
Yorkshire and The Humber	40.0%	12.1%	17.7%	21.7%	8.5%
North West	40.3%	7.9%	18.4%	22.1%	11.4%
North East	44.7%	9.7%	16.7%	21.5%	7.5%
All other English men	45.1%	8.1%	16.2%	21.3%	9.3%
Total	36.2%	8.8%	18.4%	25.4%	11.2%

23. Offered an HIV test on last clinic visit (of those not already diagnosed with HIV).

% within Demog - Strategic Health Authority of residence boundaries 2007

	Offered HIV test on last visit (not already diagnosed with HIV)		
	Never visited a clinic	Not offered test	Offered test
London	26.5%	14.3%	59.2%
South West	45.2%	13.5%	41.3%
South Central	41.2%	11.5%	47.3%
South East Coast	37.5%	13.0%	49.5%
East of England	48.3%	10.5%	41.2%
East Midlands	42.7%	12.4%	44.9%
West Midlands	44.5%	10.6%	44.9%
Yorkshire and The Humber	41.9%	13.2%	44.9%
North West	43.8%	12.8%	43.4%
North East	46.5%	11.3%	42.2%
All other English men	47.5%	13.0%	39.5%
Total	39.0%	12.9%	48.2%

Interventions - PEP

24. Heard of PEP.

% within Demog - Strategic Health Authority of residence boundaries 2007

	Heard of PEP	
	No	Yes
London	44.8%	55.2%
South West	63.5%	36.5%
South Central	67.2%	32.8%
South East Coast	55.3%	44.7%
East of England	67.7%	32.3%
East Midlands	68.4%	31.6%
West Midlands	68.5%	31.5%
Yorkshire and The Humber	68.2%	31.8%
North West	66.7%	33.3%
North East	69.1%	30.9%
All other English men	73.1%	26.9%
Total	60.1%	39.9%

25. Tried to get PEP.

% within Demog - Strategic Health Authority of residence boundaries 2007

	Tried to get PEP (all)	
	No	Yes
London	97.4%	2.6%
South West	98.9%	1.1%
South Central	99.3%	.7%
South East Coast	98.6%	1.4%
East of England	99.2%	.8%
East Midlands	99.3%	.7%
West Midlands	99.3%	.7%
Yorkshire and The Humber	99.3%	.7%
North West	98.8%	1.2%
North East	99.8%	.2%
All other English men	98.2%	1.8%
Total	98.5%	1.5%

26. Ever taken PEP.

% within Demog - Strategic Health Authority of residence boundaries 2007

	Ever taken PEP (all)	
	No	Yes
London	97.7%	2.3%
South West	98.9%	1.1%
South Central	99.4%	.6%
South East Coast	99.0%	1.0%
East of England	99.4%	.6%
East Midlands	99.4%	.6%
West Midlands	99.8%	.2%
Yorkshire and The Humber	99.4%	.6%
North West	99.3%	.7%
North East	99.5%	.5%
All other English men	98.6%	1.4%
Total	98.8%	1.2%

27. Know anyone who received PEP.

% within Demog - Strategic Health Authority of residence boundaries 2007

	Know anyone who has got PEP (all)	
	No	Yes
London	88.2%	11.8%
South West	95.6%	4.4%
South Central	96.6%	3.4%
South East Coast	92.9%	7.1%
East of England	97.4%	2.6%
East Midlands	96.7%	3.3%
West Midlands	96.2%	3.8%
Yorkshire and The Humber	96.8%	3.2%
North West	95.4%	4.6%
North East	95.9%	4.1%
All other English men	95.8%	4.2%
Total	93.6%	6.4%

28. Consideration of getting PEP if exposed to HIV (those not tested positive).

% within Demog - Strategic Health Authority of residence boundaries 2007

	Would you try to get PEP (men not diagnosed with HIV)		
	No	Yes	Maybe
London	3.6%	72.8%	23.6%
South West	3.5%	69.6%	26.9%
South Central	2.7%	74.4%	22.9%
South East Coast	3.8%	70.8%	25.4%
East of England	4.1%	69.5%	26.4%
East Midlands	5.0%	64.5%	30.4%
West Midlands	4.0%	67.7%	28.3%
Yorkshire and The Humber	4.9%	69.7%	25.4%
North West	3.8%	69.1%	27.2%
North East	3.8%	69.2%	27.0%
All other English men	9.1%	62.5%	28.4%
Total	4.3%	69.7%	26.0%

Hate crime

29. Homophobic physical assault in the last year.

% within Demog - Strategic Health Authority of residence boundaries 2007

	Physical assault	
	No	Yes
London	93.2%	6.8%
South West	91.4%	8.6%
South Central	93.7%	6.3%
South East Coast	92.4%	7.6%
East of England	92.1%	7.9%
East Midlands	91.9%	8.1%
West Midlands	90.5%	9.5%
Yorkshire and The Humber	90.6%	9.4%
North West	89.6%	10.4%
North East	90.1%	9.9%
All other English men	90.3%	9.7%
Total	91.8%	8.2%

30. Homophobic physical assault reported to the police (of those physically assaulted).

% within Demog - Strategic Health Authority of residence boundaries 2007

	Physical assault reported to police	
	No	Yes
London	63.3%	36.7%
South West	71.1%	28.9%
South Central	66.7%	33.3%
South East Coast	60.8%	39.2%
East of England	69.1%	30.9%
East Midlands	65.7%	34.3%
West Midlands	63.7%	36.3%
Yorkshire and The Humber	63.2%	36.8%
North West	60.4%	39.6%
North East	58.5%	41.5%
All other English men	62.5%	37.5%
Total	63.8%	36.2%

31. Homophobic verbal abuse in the last year.

% within Demog - Strategic Health Authority of residence boundaries 2007

	Verbal abuse	
	No	Yes
London	71.0%	29.0%
South West	68.4%	31.6%
South Central	72.5%	27.5%
South East Coast	68.7%	31.3%
East of England	69.3%	30.7%
East Midlands	70.1%	29.9%
West Midlands	65.1%	34.9%
Yorkshire and The Humber	62.8%	37.2%
North West	60.8%	39.2%
North East	68.4%	31.6%
All other English men	72.1%	27.9%
Total	68.4%	31.6%

32. Homophobic verbal abuse reported to the police (of those verbally abused).

% within Demog - Strategic Health Authority of residence boundaries 2007

	Verbal abuse reported to police	
	No	Yes
London	92.3%	7.7%
South West	91.1%	8.9%
South Central	93.8%	6.2%
South East Coast	91.8%	8.2%
East of England	93.6%	6.4%
East Midlands	90.3%	9.7%
West Midlands	90.0%	10.0%
Yorkshire and The Humber	93.4%	6.6%
North West	92.2%	7.8%
North East	89.2%	10.8%
All other English men	89.9%	10.1%
Total	91.9%	8.1%

Internet profile

32. Active (currently in use) internet profile on www.gay.com or www.gaydar.co.uk.

% within Demog - Strategic Health Authority of residence boundaries 2007

	Has active gay.com and/or gaydar profile			
	gay.com	gaydar.co.uk	Both	Neither
London	4.1%	44.1%	9.5%	42.3%
South West	2.8%	49.7%	8.3%	39.2%
South Central	3.1%	52.3%	9.9%	34.7%
South East Coast	3.5%	52.1%	8.9%	35.5%
East of England	2.1%	52.6%	8.9%	36.4%
East Midlands	1.9%	49.5%	9.0%	39.6%
West Midlands	3.6%	53.2%	9.1%	34.1%
Yorkshire and The Humber	2.5%	49.1%	9.2%	39.2%
North West	1.8%	54.4%	7.6%	36.1%
North East	3.9%	55.3%	9.3%	31.5%
All other English men	3.2%	41.0%	8.7%	47.1%
Total	3.1%	48.7%	9.0%	39.2%

End