

Bass Line 2008-09: The African Health and Sex Survey

East Midlands Strategic Health Authority data report (n=217, June 2009)

This document reports data from Bass Line 2008-09, an assessment of the sexual HIV prevention needs of African people, conducted by Sigma Research in collaboration with health promoters throughout England. This data supplements the main report which describes the survey methods and sets the questions in context. That report will be available from late July 2009 at:

www.sigmaresearch.org.uk/go.php/reports/african

The survey

Bass Line 2008-09 used two data collection methods, a self-sealing, Freepost addressed booklet distributed by health promotion agencies and online via a dedicated website. The survey was available in English and French. This report contains data from both methods and both languages. To be included here respondents had to: consider themselves African or African-Caribbean; be aged 16 or over; be in England; and have completed sufficient questions.

Data reports

Data reports provide HIV health promotion planners with information about their local population in as much detail as is possible given the number of people who took part in the survey. This report contains data from African people who live in East Midlands Strategic Health Authority. Respondents are grouped according to the Primary Care Trust in which they live. To access other SHA reports, and an all England report showing data by SHA of residence, go to: www.sigmaresearch.org.uk/go.php/local/african

The tables

Groups of respondents living in the same Primary Care Trust appear as a line in the tables. The bottom line of each table gives the result for the entire East Midlands sample. Tables 1 and 2 show the number of Africans recruited to the survey living in each PCT and the size of the sub-samples in the rest of the tables. The tables show the proportions (%) of each PCT sub-sample in each category of the variable (less missing data). Rows (lines across) add up to 100%.

The contents page identifies the question number (Q) each table is derived from. The questionnaire is available at:

www.sigmaresearch.org.uk/go.php/quests/african

Funding

The survey was funded by African HIV Policy Network as a part of the National African HIV Prevention Programme, which is funded by the Department of Health.

Table

SAMPLE DESCRIPTIONS

1. Primary Care Trust of residence.
2. PCT areas with 20+ respondents (for the rest of the report).
3. Method of recruitment.
4. Gender (Q7).
5. Ethnicity (Q2).
6. Age groups (Q3).
7. Ten most common countries of birth (Q10).
8. Length of time living in the UK (Q13).
9. Educational level (Q14).
10. Religion (Q9).
11. Gender of sexual intercourse partners in the last year (males) (Q7+Q29+Q30).
12. Gender of sexual intercourse partners in the last year (females) (Q7+Q29+Q30).
13. Circumcision (males) (Q7+Q26).
14. Circumcision (females) (Q7+Q26).

HIV AND STI TESTING AND DIAGNOSIS

15. Perceived HIV status (Q17).
16. HIV testing history (Q18+Q19+Q20).
17. Desirability of, and access to, HIV testing (Q22+Q23).
18. Most recent STI test (other than HIV or cervical smears) (Q24).

SEXUAL HEALTH AND HIV RISK BEHAVIOURS

19. Current regular sexual relationships (Q31+Q32).
20. Total number of sexual intercourse partners in the last year (Q28+Q29+Q30).
21. Regularity of condom use in the last year (Q33).
22. Experienced condom failure in the last year (Q34+Q35).
23. Likelihood of sero-discordant unprotected intercourse in the last year (males) (Q38).
24. Likelihood of sero-discordant unprotected intercourse in the last year (females) (Q38).

HIV AWARENESS AND KNOWLEDGE NEEDS

25. AIDS caused by virus called HIV (Q16a).
26. You can not be sure that someone is NOT infected by HIV by looking at them (Q16b).
27. People can have HIV without knowing it (Q16c).

28. There is a medical test that can show whether or not you have HIV (Q16d).
29. Africans are NOT deported from the UK solely because they have HIV (Q16e).
30. There is no cure for HIV infection once someone has it (Q37a).
31. At least 1-in-20 of all Africans living in England have HIV infection (Q37b).
32. There are HIV medicines that can help people with HIV infection (Q37c).
33. HIV medicines work better if people with HIV take them before they become ill (Q37d).
34. HIV is never passed on through shaking hands or touching people (Q37e).
35. A person with HIV can pass it to a partner during sexual intercourse (Q37f).
36. Condoms are free from sexual health clinics, family planning clinics and some community organisations (Q37g).
37. Some people with HIV have been imprisoned in the UK for passing their infection to a sexual partner (Q37h).

OTHER HIV PREVENTION NEEDS

38. I can use condoms with a sexual partner if I want to (Q36b).
39. I sometimes have a problem getting hold of condoms (Q36d).
40. If I carried a condom I would worry about what people thought on me (Q36a).
41. I would find it easy to talk about safer sex and HIV with new sexual partners (Q36c).
42. [Among those who had NOT tested HIV positive] I do not want to get HIV (if I haven't already got it) (Q42a).
43. [Among those who had NOT tested HIV positive] I think I am at risk of getting HIV (Q42b).
44. [Among those who had NOT tested HIV positive] I have the power to reduce my risk of getting HIV (Q42c).
45. Desire for more sexual health and HIV knowledge (Q46).
46. Desire to learn about sexual health and HIV through reading (Q48).
47. Desire to learn more about sexual health and HIV through talking to an individual (Q48).
48. Desire to learn more about sexual health and HIV through taking part in a group (Q48).
49. Heard of PEP (Q 39).
50. Willingness to use PEP [Among those who had NOT tested HIV positive] (Q39+Q41).



Sigma Research, University of Portsmouth
 77a Tradescant Road, London, SW8 1XJ
 020-7820 8022

www.sigmaresearch.org.uk

SAMPLE DESCRIPTION

1. Primary Care Trust of residence

	Frequency	Percent
NHS Nottingham City	123	56.7
NHS Leicester City	35	16.1
NHS Northamptonshire	29	13.4
NHS Derby City	24	11.1
NHS Leicestershire County and Rutland	2	.9
Derbyshire County PCT	1	.5
Bassetlaw PCT	1	.5
NHS Nottinghamshire County / Bassetlaw (Notts)	1	.5
NHS Lincolnshire Teaching	1	.5
Total	217	100.0

2. PCT areas with 20+ respondents (for the rest of the report)

	Frequency	Percent
NHS Nottingham City	123	56.7
NHS Leicester City	35	16.1
NHS Northamptonshire	29	13.4
NHS Derby City	24	11.1
All other East Midlands	6	2.8
Total	217	100.0

3. Method of recruitment

% within PCT area of residence

	Method - recruitment type			Total
	On-line English	Booklet English	Booklet French	
NHS Derby City	8.3%	91.7%		100.0%
NHS Nottingham City	6.5%	82.9%	10.6%	100.0%
NHS Leicester City	11.4%	82.9%	5.7%	100.0%
NHS Northamptonshire	37.9%	62.1%		100.0%
All other East Midlands	33.3%	66.7%		100.0%
Total	12.4%	80.6%	6.9%	100.0%

4. Gender

% within PCT area of residence

	Gender		Total
	Male	Female	
NHS Derby City	58.3%	41.7%	100.0%
NHS Nottingham City	62.3%	37.7%	100.0%
NHS Leicester City	58.8%	41.2%	100.0%
NHS Northamptonshire	46.4%	53.6%	100.0%
All other East Midlands	50.0%	50.0%	100.0%
Total	58.9%	41.1%	100.0%

5. Ethnicity

% within PCT area of residence

	Ethnicity								Total
	Black African	Black African British	African Asian	African Arab	White African	African Caribbean	Mixed race African	Other	
NHS Derby City	87.5%	12.5%							100.0%
NHS Nottingham City	81.7%	10.0%	.8%	2.5%		4.2%		.8%	100.0%
NHS Leicester City	74.3%	11.4%	2.9%		2.9%		5.7%	2.9%	100.0%
NHS Northamptonshire	51.7%	20.7%			3.4%	13.8%	10.3%		100.0%
All other East Midlands	83.3%	16.7%							100.0%
Total	77.1%	12.1%	.9%	1.4%	.9%	4.2%	2.3%	.9%	100.0%

6. Age groups

% within PCT area of residence

	Age groups					Total
	under 20 years	20-29 years	30-39 years	40-49 years	50 years and older	
NHS Derby City		20.8%	50.0%	16.7%	12.5%	100.0%
NHS Nottingham City	13.8%	30.1%	39.8%	12.2%	4.1%	100.0%
NHS Leicester City	5.9%	44.1%	32.4%	14.7%	2.9%	100.0%
NHS Northamptonshire	7.1%	32.1%	39.3%	17.9%	3.6%	100.0%
All other East Midlands	16.7%	16.7%	33.3%	33.3%		100.0%
Total	10.2%	31.2%	39.5%	14.4%	4.7%	100.0%

7. Top ten countries of birth

% within PCT area of residence

	Top ten countries of birth												Total	
	Burundi	Cameroon	Republic of Congo	DR Congo (Zaire)	Ghana	Kenya	Malawi	Nigeria	Sudan	UK	Zimbabwe	Elsewhere in Africa		rest of world
NHS Derby City	4.2%		37.5%	37.5%		4.2%				4.2%	4.2%	8.3%		100.0%
NHS Nottingham City	4.9%	13.0%	5.7%	12.2%	2.4%	6.5%	4.1%	3.3%	16.3%	5.7%	10.6%	14.6%	.8%	100.0%
NHS Leicester City		2.9%		8.6%	5.7%		14.3%	11.4%		8.6%	22.9%	22.9%	2.9%	100.0%
NHS Northamptonshire					17.9%	10.7%	3.6%			17.9%	17.9%	21.4%	10.7%	100.0%
All other East Midlands	16.7%			16.7%		50.0%						16.7%		100.0%
Total	3.7%	7.9%	7.4%	13.0%	4.6%	6.9%	5.1%	3.7%	9.3%	7.4%	12.5%	16.2%	2.3%	100.0%

8. Length of time living in the UK

% within PCT area of residence

	Length of time in the UK					Total
	less than 1 year	over 1 year, less than 3 years	over 3 years, less than 6 years	over 6 years, less than 10 years	10 years or more	
NHS Derby City	4.2%	16.7%	29.2%	37.5%	12.5%	100.0%
NHS Nottingham City	1.6%	19.7%	38.5%	29.5%	10.7%	100.0%
NHS Leicester City		17.1%	22.9%	40.0%	20.0%	100.0%
NHS Northamptonshire		3.6%	32.1%	25.0%	39.3%	100.0%
All other East Midlands			33.3%	50.0%	16.7%	100.0%
Total	1.4%	16.3%	34.0%	32.1%	16.3%	100.0%

9. Educational level

% within PCT area of residence

	Educational level			Total
	LOW (None / Primary / Elementary School)	MEDIUM (Secondary / High School)	HIGH (University / College)	
NHS Derby City	13.6%	22.7%	63.6%	100.0%
NHS Nottingham City	4.1%	33.6%	62.3%	100.0%
NHS Leicester City	2.9%	22.9%	74.3%	100.0%
NHS Northamptonshire	6.9%	20.7%	72.4%	100.0%
All other East Midlands		66.7%	33.3%	100.0%
Total	5.1%	29.9%	65.0%	100.0%

10. Religion

% within PCT area of residence

	Religion category					Total
	Christian	African traditional	Islam	other	none	
NHS Derby City	87.5%	4.2%	8.3%			100.0%
NHS Nottingham City	63.1%	3.3%	25.4%	.8%	7.4%	100.0%
NHS Leicester City	68.6%	2.9%	25.7%		2.9%	100.0%
NHS Northamptonshire	89.7%		6.9%		3.4%	100.0%
All other East Midlands	83.3%		16.7%			100.0%
Total	70.8%	2.8%	20.8%	.5%	5.1%	100.0%

11. Gender of sexual intercourse partners in the last year (males)

% within PCT area of residence

	Gender of sexual intercourse partners in the last year (males)				Total
	NO SEX	Exclusively heterosexual	Behaviourally bisexual	Exclusively homosexual	
NHS Derby City	25.0%	66.7%		8.3%	100.0%
NHS Nottingham City	29.0%	62.3%	8.7%		100.0%
NHS Leicester City	33.3%	50.0%	16.7%		100.0%
NHS Northamptonshire	7.7%	53.8%	30.8%	7.7%	100.0%
All other East Midlands		100.0%			100.0%
Total	26.1%	60.9%	11.3%	1.7%	100.0%

12. Gender of sexual intercourse partners in the last year (females)

% within PCT area of residence

	Gender of sexual intercourse partners in the last year (females)				Total
	NO SEX	Exclusively heterosexual	Behaviourally bisexual	Exclusively homosexual	
NHS Derby City	50.0%	25.0%		25.0%	100.0%
NHS Nottingham City	45.2%	47.6%	4.8%	2.4%	100.0%
NHS Leicester City	42.9%	50.0%	7.1%		100.0%
NHS Northamptonshire	20.0%	53.3%	26.7%		100.0%
All other East Midlands		100.0%			100.0%
Total	39.0%	48.8%	8.5%	3.7%	100.0%

13. Circumcision (males)

% within PCT area of residence

	Circumcision (males)			Total
	Circumcised	Uncircumcised	Don't know	
NHS Derby City	92.3%	7.7%		100.0%
NHS Nottingham City	76.7%	19.2%	4.1%	100.0%
NHS Leicester City	65.0%	30.0%	5.0%	100.0%
NHS Northamptonshire	50.0%	50.0%		100.0%
All other East Midlands	66.7%	33.3%		100.0%
Total	73.6%	23.1%	3.3%	100.0%

14. Circumcision (females)

% within PCT area of residence

	Circumcision (females)			Total
	Circumcised	Uncircumcised	Don't know	
NHS Derby City	22.2%	77.8%		100.0%
NHS Nottingham City	9.8%	82.9%	7.3%	100.0%
NHS Leicester City	23.1%	61.5%	15.4%	100.0%
NHS Northamptonshire	13.3%	86.7%		100.0%
All other East Midlands		100.0%		100.0%
Total	13.6%	80.2%	6.2%	100.0%

HIV AND STI TESTING AND DIAGNOSIS

15. Perceived HIV status

% within PCT area of residence

	HIV status belief					Total
	Definitely negative	Probably negative	Not sure / I don't know	Probably positive	Definitely positive	
NHS Derby City	75.0%	8.3%	8.3%	4.2%	4.2%	100.0%
NHS Nottingham City	74.2%	12.5%	11.7%		1.7%	100.0%
NHS Leicester City	71.4%	8.6%	8.6%	2.9%	8.6%	100.0%
NHS Northamptonshire	44.8%	13.8%	24.1%		17.2%	100.0%
All other East Midlands	100.0%					100.0%
Total	70.6%	11.2%	12.1%	.9%	5.1%	100.0%

16. HIV testing history

% within PCT area of residence

	HIV testing history			Total
	Never tested	Last test negative	Tested positive	
NHS Derby City	20.8%	70.8%	8.3%	100.0%
NHS Nottingham City	45.8%	46.7%	7.5%	100.0%
NHS Leicester City	28.6%	51.4%	20.0%	100.0%
NHS Northamptonshire	48.3%	31.0%	20.7%	100.0%
All other East Midlands	66.7%	33.3%		100.0%
Total	41.1%	47.7%	11.2%	100.0%

17. Desirability of and access to HIV testing

% within PCT area of residence

	Desirability of and access to HIV testing						Total
	Don't want a test but know where to get one	Not sure if want a test but know where to get one	Want a test and know where to get one	Don't want a test and don't know where to get one	Not sure if want a test and don't know where to get one	Want a test and don't know where to get one	
NHS Derby City	23.5%	11.8%	41.2%	5.9%		17.6%	100.0%
NHS Nottingham City	18.8%	9.9%	34.7%	15.8%	16.8%	4.0%	100.0%
NHS Leicester City	25.0%	6.3%	50.0%	6.3%	3.1%	9.4%	100.0%
NHS Northamptonshire	40.7%	11.1%	44.4%	3.7%			100.0%
All other East Midlands	66.7%	33.3%					100.0%
Total	25.1%	10.4%	38.3%	10.9%	9.8%	5.5%	100.0%

18. Most recent STI test (other than HIV or cervical smears)

% within PCT area of residence

	Most recent STI test other than HIV or cervical smears						Total
	In the last month	In the last 12 months	1 to 5 years ago	More than 5 years ago	Never	Don't know	
NHS Derby City	4.5%	22.7%	18.2%	9.1%	40.9%	4.5%	100.0%
NHS Nottingham City	9.3%	22.0%	12.7%	8.5%	44.1%	3.4%	100.0%
NHS Leicester City	14.3%	22.9%	14.3%	5.7%	34.3%	8.6%	100.0%
NHS Northamptonshire	11.1%	25.9%	7.4%	3.7%	48.1%	3.7%	100.0%
All other East Midlands	16.7%		33.3%	16.7%	33.3%		100.0%
Total	10.1%	22.1%	13.5%	7.7%	42.3%	4.3%	100.0%

SEXUAL HEALTH AND HIV RISK BEHAVIOURS

19. Current regular sexual relationships

% within PCT area of residence

	Current regular sexual relationships				Total
	NO regular partner at present	One regular partner (mongamous)	One regular partner (but NOT monogamous)	More than one regular partner	
NHS Derby City	47.4%	42.1%	5.3%	5.3%	100.0%
NHS Nottingham City	50.9%	36.6%	6.3%	6.3%	100.0%
NHS Leicester City	39.4%	42.4%	15.2%	3.0%	100.0%
NHS Northamptonshire	23.1%	46.2%	26.9%	3.8%	100.0%
All other East Midlands		83.3%	16.7%		100.0%
Total	43.4%	40.8%	10.7%	5.1%	100.0%

20. Total number of sexual intercourse partners in the last year

% within PCT area of residence

	Total number of sexual intercourse partners in the last year								Total
	None	One	Two	Three	Four	Five	6 to 12	13 or more	
NHS Derby City	35.0%	40.0%	5.0%	5.0%			5.0%	10.0%	100.0%
NHS Nottingham City	34.8%	24.1%	17.9%	7.1%	5.4%	3.6%	1.8%	5.4%	100.0%
NHS Leicester City	36.4%	33.3%	15.2%	9.1%			6.1%		100.0%
NHS Northamptonshire	13.8%	44.8%	34.5%					6.9%	100.0%
All other East Midlands		66.7%	16.7%			16.7%			100.0%
Total	31.0%	31.5%	18.5%	6.0%	3.0%	2.5%	2.5%	5.0%	100.0%

21. Regularity of condom use in the last year

% within PCT area of residence

	Regularity of condom use in the last year						Total
	Always	More than half the time	About half the time	Less than half the time	Never	Not had intercourse in last 12 months	
NHS Derby City	22.7%	9.1%		27.3%	18.2%	22.7%	100.0%
NHS Nottingham City	24.1%	16.1%	7.1%	1.8%	19.6%	31.3%	100.0%
NHS Leicester City	28.1%	12.5%		15.6%	9.4%	34.4%	100.0%
NHS Northamptonshire	42.3%	11.5%	3.8%	7.7%	19.2%	15.4%	100.0%
All other East Midlands	33.3%				66.7%		100.0%
Total	27.3%	13.6%	4.5%	7.6%	19.2%	27.8%	100.0%

22. Experienced condom failure in the last year

% within PCT area of residence

	Experienced condom breakage or slippage in the last year		Total
	No	Yes	
NHS Derby City	77.3%	22.7%	100.0%
NHS Nottingham City	76.5%	23.5%	100.0%
NHS Leicester City	84.4%	15.6%	100.0%
NHS Northamptonshire	79.3%	20.7%	100.0%
All other East Midlands	83.3%	16.7%	100.0%
Total	78.4%	21.6%	100.0%

23. Likelihood of sero-discordant unprotected intercourse in the last year (males)

% within PCT area of residence

	Sex - likelihood of unprotected SDUI (males)					Total
	I definitely have	I probably have	I don't know	I probably have not	I definitely have not	
NHS Derby City	7.7%	15.4%	23.1%	23.1%	30.8%	100.0%
NHS Nottingham City	6.8%	5.4%	13.5%	12.2%	62.2%	100.0%
NHS Leicester City	5.6%	11.1%	5.6%	5.6%	72.2%	100.0%
NHS Northamptonshire		8.3%	41.7%		50.0%	100.0%
All other East Midlands				33.3%	66.7%	100.0%
Total	5.8%	7.5%	15.8%	11.7%	59.2%	100.0%

24. Likelihood of sero-discordant unprotected intercourse in the last year (females)

% within PCT area of residence

	Sex - likelihood of unprotected SDUI (females)					Total
	I definitely have	I probably have	I don't know	I probably have not	I definitely have not	
NHS Derby City			20.0%		80.0%	100.0%
NHS Nottingham City	13.2%	2.6%	10.5%	2.6%	71.1%	100.0%
NHS Leicester City		7.1%	14.3%	14.3%	64.3%	100.0%
NHS Northamptonshire	7.1%	7.1%	14.3%		71.4%	100.0%
All other East Midlands					100.0%	100.0%
Total	7.6%	3.8%	12.7%	3.8%	72.2%	100.0%

HIV AWARENESS AND KNOWLEDGE NEEDS

25. AIDS caused by virus called HIV

% within PCT area of residence

	AIDS is caused by a virus called HIV				Total
	I knew this before today	I wasn't sure if this was true or not	I didn't know this	I don't understand this	
NHS Derby City	83.3%	8.3%	4.2%	4.2%	100.0%
NHS Nottingham City	91.0%	3.3%	4.9%	.8%	100.0%
NHS Leicester City	97.1%	2.9%			100.0%
NHS Northamptonshire	96.6%	3.4%			100.0%
All other East Midlands	100.0%				100.0%
Total	92.1%	3.7%	3.2%	.9%	100.0%

26. You can not be sure that someone is NOT infected by HIV by looking at them

% within PCT area of residence

	You can not be sure that someone is NOT infected by HIV by looking at them				Total
	I knew this before today	I wasn't sure if this was true or not	I didn't know this	I don't understand this	
NHS Derby City	75.0%	20.8%	4.2%		100.0%
NHS Nottingham City	75.2%	9.1%	12.4%	3.3%	100.0%
NHS Leicester City	91.4%	8.6%			100.0%
NHS Northamptonshire	89.3%	7.1%	3.6%		100.0%
All other East Midlands	83.3%	16.7%			100.0%
Total	79.9%	10.3%	7.9%	1.9%	100.0%

27. People can have HIV without knowing it

% within PCT area of residence

	People can have HIV without knowing it				Total
	I knew this before today	I wasn't sure if this was true or not	I didn't know this	I don't understand this	
NHS Derby City	68.2%	27.3%	4.5%		100.0%
NHS Nottingham City	78.5%	2.5%	16.5%	2.5%	100.0%
NHS Leicester City	94.1%	2.9%	2.9%		100.0%
NHS Northamptonshire	82.8%	13.8%		3.4%	100.0%
All other East Midlands	83.3%	16.7%			100.0%
Total	80.7%	7.1%	10.4%	1.9%	100.0%

28. There is a medical test that can show whether or not you have HIV

% within PCT area of residence

	There is a medical test that can show whether or not you have HIV				Total
	I knew this before today	I wasn't sure if this was true or not	I didn't know this	I don't understand this	
NHS Derby City	95.8%		4.2%		100.0%
NHS Nottingham City	90.8%	1.7%	5.8%	1.7%	100.0%
NHS Leicester City	100.0%				100.0%
NHS Northamptonshire	100.0%				100.0%
All other East Midlands	100.0%				100.0%
Total	94.4%	.9%	3.7%	.9%	100.0%

29. Africans are NOT deported from the UK solely because they have HIV

% within PCT area of residence

	African are NOT deported from the UK just because they have HIV				Total
	I knew this before today	I wasn't sure if this was true or not	I didn't know this	I don't understand this	
NHS Derby City	50.0%	41.7%	8.3%		100.0%
NHS Nottingham City	48.7%	10.9%	37.8%	2.5%	100.0%
NHS Leicester City	68.6%	17.1%	14.3%		100.0%
NHS Northamptonshire	59.3%	29.6%	11.1%		100.0%
All other East Midlands	50.0%	33.3%	16.7%		100.0%
Total	53.6%	18.5%	26.5%	1.4%	100.0%

30. There is no cure for HIV infection once someone has it

% within PCT area of residence

	There is no cure for HIV infection once someone has it				Total
	I knew this before today	I didn't know this before today	I wasn't sure if this was true or not	I don't understand this	
NHS Derby City	75.0%	12.5%	12.5%		100.0%
NHS Nottingham City	89.9%	5.0%	4.2%	.8%	100.0%
NHS Leicester City	94.1%	2.9%	2.9%		100.0%
NHS Northamptonshire	85.7%	3.6%	3.6%	7.1%	100.0%
All other East Midlands	100.0%				100.0%
Total	88.6%	5.2%	4.7%	1.4%	100.0%

31. At least 1-in-20 of all Africans living in England have HIV infection

% within PCT area of residence

	At least 1-in-20 of all Africans living in England have HIV infection				Total
	I knew this before today	I didn't know this before today	I wasn't sure if this was true or not	I don't understand this	
NHS Derby City	13.0%	52.2%	34.8%		100.0%
NHS Nottingham City	19.3%	56.3%	15.1%	9.2%	100.0%
NHS Leicester City	32.4%	55.9%	8.8%	2.9%	100.0%
NHS Northamptonshire	35.7%	35.7%	21.4%	7.1%	100.0%
All other East Midlands	16.7%	50.0%	33.3%		100.0%
Total	22.9%	52.9%	17.6%	6.7%	100.0%

32. There are HIV medicines that can help people with HIV infection

% within PCT area of residence

	There are HIV medicines that can help people with HIV to stay healthy				Total
	I knew this before today	I didn't know this before today	I wasn't sure if this was true or not	I don't understand this	
NHS Derby City	58.3%	25.0%	16.7%		100.0%
NHS Nottingham City	70.9%	21.4%	6.8%	.9%	100.0%
NHS Leicester City	82.4%	11.8%	5.9%		100.0%
NHS Northamptonshire	92.9%	3.6%		3.6%	100.0%
All other East Midlands	66.7%	16.7%	16.7%		100.0%
Total	74.2%	17.7%	7.2%	1.0%	100.0%

33. HIV medicines work better if people with HIV take them before they become ill

% within PCT area of residence

	HIV medicines work better if people with HIV take them before they become ill				Total
	I knew this before today	I didn't know this before today	I wasn't sure if this was true or not	I don't understand this	
NHS Derby City	45.8%	41.7%	12.5%		100.0%
NHS Nottingham City	44.1%	43.2%	7.6%	5.1%	100.0%
NHS Leicester City	58.8%	29.4%	5.9%	5.9%	100.0%
NHS Northamptonshire	60.7%	17.9%	14.3%	7.1%	100.0%
All other East Midlands	33.3%	50.0%	16.7%		100.0%
Total	48.6%	37.6%	9.0%	4.8%	100.0%

34. HIV is never passed on through shaking hands or touching people

% within PCT area of residence

	HIV is never passed on through shaking hands or touching people				Total
	I knew this before today	I didn't know this before today	I wasn't sure if this was true or not	I don't understand this	
NHS Derby City	91.7%	8.3%			100.0%
NHS Nottingham City	93.3%	2.5%	1.7%	2.5%	100.0%
NHS Leicester City	97.1%		2.9%		100.0%
NHS Northamptonshire	96.4%		3.6%		100.0%
All other East Midlands	100.0%				100.0%
Total	94.3%	2.4%	1.9%	1.4%	100.0%

35. A person with HIV can pass it to a partner during sexual intercourse

% within PCT area of residence

	A person with HIV can pass it to a partner during sexual intercourse				Total
	I knew this before today	I didn't know this before today	I wasn't sure if this was true or not	I don't understand this	
NHS Derby City	100.0%				100.0%
NHS Nottingham City	95.8%	1.7%		2.5%	100.0%
NHS Leicester City	97.1%	2.9%			100.0%
NHS Northamptonshire	96.4%		3.6%		100.0%
All other East Midlands	100.0%				100.0%
Total	96.7%	1.4%	.5%	1.4%	100.0%

36. Condoms are free from sexual health clinics, family planning clinics and some community organisations

% within PCT area of residence

	Condoms are free from sexual health clinics, family planning clinics and some community organisations				Total
	I knew this before today	I didn't know this before today	I wasn't sure if this was true or not	I don't understand this	
NHS Derby City	70.8%	25.0%	4.2%		100.0%
NHS Nottingham City	65.3%	28.0%	5.9%	.8%	100.0%
NHS Leicester City	79.4%	14.7%	5.9%		100.0%
NHS Northamptonshire	85.7%		14.3%		100.0%
All other East Midlands	100.0%				100.0%
Total	71.9%	21.0%	6.7%	.5%	100.0%

37. Some people with HIV have been imprisoned in the UK for passing their infection to a sexual partner

% within PCT area of residence

	Some people with HIV have been imprisoned in the UK for passing their infection to a sexual partner				Total
	I knew this before today	I didn't know this before today	I wasn't sure if this was true or not	I don't understand this	
NHS Derby City	58.3%	37.5%	4.2%		100.0%
NHS Nottingham City	41.5%	46.6%	6.8%	5.1%	100.0%
NHS Leicester City	66.7%	30.3%	3.0%		100.0%
NHS Northamptonshire	46.4%	28.6%	21.4%	3.6%	100.0%
All other East Midlands	50.0%	50.0%			100.0%
Total	48.3%	40.7%	7.7%	3.3%	100.0%

OTHER HIV PREVENTION NEEDS

38. I can use condoms with a sexual partner if I want to

% within PCT area of residence

	I can use condoms with a sexual partner if I want to					Total
	strongly agree	agree	don't know / does not apply	disagree	strongly disagree	
NHS Derby City	37.5%	37.5%	12.5%	8.3%	4.2%	100.0%
NHS Nottingham City	54.3%	23.3%	16.4%	5.2%	.9%	100.0%
NHS Leicester City	48.5%	30.3%	12.1%		9.1%	100.0%
NHS Northamptonshire	48.0%	32.0%	12.0%		8.0%	100.0%
All other East Midlands	16.7%	66.7%		16.7%		100.0%
Total	49.5%	28.4%	14.2%	4.4%	3.4%	100.0%

39. I sometimes have a problem getting hold of condoms

% within PCT area of residence

	I sometimes have a problem getting hold of condoms					Total
	strongly agree	agree	don't know / does not apply	disagree	strongly disagree	
NHS Derby City	9.1%	18.2%	27.3%	22.7%	22.7%	100.0%
NHS Nottingham City	6.3%	17.9%	25.9%	27.7%	22.3%	100.0%
NHS Leicester City	6.1%	21.2%	12.1%	33.3%	27.3%	100.0%
NHS Northamptonshire	7.7%	19.2%	30.8%	11.5%	30.8%	100.0%
All other East Midlands		16.7%	50.0%	16.7%	16.7%	100.0%
Total	6.5%	18.6%	25.1%	25.6%	24.1%	100.0%

40. If I carried a condom I would worry about what people thought of me

% within PCT area of residence

	If I carried a condom I would worry about what people thought of me					Total
	strongly agree	agree	don't know / does not apply	disagree	strongly disagree	
NHS Derby City	8.7%	39.1%	13.0%	17.4%	21.7%	100.0%
NHS Nottingham City	22.2%	19.7%	18.8%	19.7%	19.7%	100.0%
NHS Leicester City	23.5%	5.9%	20.6%	29.4%	20.6%	100.0%
NHS Northamptonshire	11.5%	26.9%	19.2%	15.4%	26.9%	100.0%
All other East Midlands		33.3%	50.0%		16.7%	100.0%
Total	18.9%	20.9%	19.4%	19.9%	20.9%	100.0%

41. I would find it easy to talk about safer sex and HIV with new sexual partners

% within PCT area of residence

	I would find it easy to talk about safer sex and HIV with new sexual partners					Total
	strongly agree	agree	don't know / does not apply	disagree	strongly disagree	
NHS Derby City	45.8%	29.2%	20.8%	4.2%		100.0%
NHS Nottingham City	44.2%	28.3%	20.4%	6.2%	.9%	100.0%
NHS Leicester City	42.4%	42.4%	9.1%	6.1%		100.0%
NHS Northamptonshire	50.0%	21.4%	28.6%			100.0%
All other East Midlands	16.7%	33.3%	33.3%	16.7%		100.0%
Total	44.1%	29.9%	20.1%	5.4%	.5%	100.0%

42. I do not want to get HIV (if I haven't already got it) [Among those who had NOT tested HIV positive]

% within PCT area of residence

	I do not want to get or pass on HIV (not tested HIV positive)					Total
	strongly agree	agree	not sure	disagree	strongly disagree	
NHS Derby City	57.1%	9.5%	4.8%	14.3%	14.3%	100.0%
NHS Nottingham City	74.8%	17.8%	4.7%	1.9%	.9%	100.0%
NHS Leicester City	92.6%	7.4%				100.0%
NHS Northamptonshire	95.5%	4.5%				100.0%
All other East Midlands	83.3%	16.7%				100.0%
Total	78.1%	13.7%	3.3%	2.7%	2.2%	100.0%

43. I think I am at risk of getting HIV [Among those who had NOT tested HIV positive]

% within PCT area of residence

	Think I am at risk of getting or passing on HIV (not tested HIV positive)					Total
	strongly agree	agree	not sure	disagree	strongly disagree	
NHS Derby City	20.0%		25.0%	20.0%	35.0%	100.0%
NHS Nottingham City	21.7%	13.2%	22.6%	17.0%	25.5%	100.0%
NHS Leicester City	7.4%	7.4%	22.2%	7.4%	55.6%	100.0%
NHS Northamptonshire	14.3%	14.3%	23.8%	14.3%	33.3%	100.0%
All other East Midlands		16.7%		66.7%	16.7%	100.0%
Total	17.8%	11.1%	22.2%	17.2%	31.7%	100.0%

44. I have the power to reduce my risk of getting HIV [Among those who had NOT tested HIV positive]

% within PCT area of residence

	I have power to reduce risk of getting or passing on HIV (not tested HIV positive)					Total
	strongly agree	agree	not sure	disagree	strongly disagree	
NHS Derby City	61.9%	33.3%	4.8%			100.0%
NHS Nottingham City	61.1%	18.5%	14.8%	1.9%	3.7%	100.0%
NHS Leicester City	57.7%	26.9%			15.4%	100.0%
NHS Northamptonshire	66.7%	23.8%	4.8%		4.8%	100.0%
All other East Midlands	33.3%	66.7%				100.0%
Total	60.4%	23.6%	9.9%	1.1%	4.9%	100.0%

45. Desire for more sexual health and HIV knowledge

% within PCT area of residence

	Desire for more sexual health and HIV knowledge		Total
	No	Yes	
NHS Derby City		100.0%	100.0%
NHS Nottingham City	13.4%	86.6%	100.0%
NHS Leicester City	8.8%	91.2%	100.0%
NHS Northamptonshire	7.1%	92.9%	100.0%
All other East Midlands		100.0%	100.0%
Total	10.0%	90.0%	100.0%

46. Desire to learn about sexual health and HIV through reading

% within PCT area of residence

	Desire to learn about sexual health and HIV through reading		Total
	No	Yes	
NHS Derby City	26.1%	73.9%	100.0%
NHS Nottingham City	27.4%	72.6%	100.0%
NHS Leicester City	21.2%	78.8%	100.0%
NHS Northamptonshire	7.4%	92.6%	100.0%
All other East Midlands	20.0%	80.0%	100.0%
Total	23.4%	76.6%	100.0%

47. Desire to learn more about sexual health and HIV through talking to an individual

% within PCT area of residence

	Desire to learn about sexual health and HIV through talking to an individual		Total
	No	Yes	
NHS Derby City	17.4%	82.6%	100.0%
NHS Nottingham City	41.0%	59.0%	100.0%
NHS Leicester City	45.5%	54.5%	100.0%
NHS Northamptonshire	44.4%	55.6%	100.0%
All other East Midlands	20.0%	80.0%	100.0%
Total	39.0%	61.0%	100.0%

48. Desire to learn more about sexual health and HIV through taking part in a group

% within PCT area of residence

	Desire to learn about sexual health and HIV through taking part in group/workshop		Total
	No	Yes	
NHS Derby City	52.2%	47.8%	100.0%
NHS Nottingham City	83.8%	16.2%	100.0%
NHS Leicester City	78.8%	21.2%	100.0%
NHS Northamptonshire	74.1%	25.9%	100.0%
All other East Midlands	60.0%	40.0%	100.0%
Total	77.6%	22.4%	100.0%

49. Heard of PEP

% within PCT area of residence

	Heard of PEP		Total
	No	Yes	
NHS Derby City	83.3%	16.7%	100.0%
NHS Nottingham City	88.1%	11.9%	100.0%
NHS Leicester City	66.7%	33.3%	100.0%
NHS Northamptonshire	59.3%	40.7%	100.0%
All other East Midlands	83.3%	16.7%	100.0%
Total	80.3%	19.7%	100.0%

50. Willingness to use PEP [Among those who had NOT tested HIV positive]

% within PCT area of residence

	Willingness to use PEP (among those who have not tested HIV positive)			Total
	No	Yes	Maybe	
NHS Derby City	9.5%	47.6%	42.9%	100.0%
NHS Nottingham City	17.8%	60.4%	21.8%	100.0%
NHS Leicester City	3.8%	76.9%	19.2%	100.0%
NHS Northamptonshire		80.0%	20.0%	100.0%
All other East Midlands		33.3%	66.7%	100.0%
Total	12.1%	62.6%	25.3%	100.0%

<ENDS>