

Bass Line 2008-09: The African Health and Sex Survey

South Central Strategic Health Authority data report (n=112, June 2009)

This document reports data from Bass Line 2008-09, an assessment of the sexual HIV prevention needs of African people, conducted by Sigma Research in collaboration with health promoters throughout England. This data supplements the main report which describes the survey methods and sets the questions in context. That report will be available from late July 2009 at:

www.sigmaresearch.org.uk/go.php/reports/african

The survey

Bass Line 2008-09 used two data collection methods, a self-sealing, Freepost addressed booklet distributed by health promotion agencies and online via a dedicated website. The survey was available in English and French. This report contains data from both methods and both languages. To be included here respondents had to: consider themselves African or African-Caribbean; be aged 16 or over; be in England; and have completed sufficient questions.

Data reports

Data reports provide HIV health promotion planners with information about their local population in as much detail as is possible given the number of people who took part in the survey. This report contains data from African people who live in the South Central Strategic Health Authority (SHA). Respondents are grouped according to the Primary Care Trust in which they live. To access other SHA reports, and an all England report showing data by SHA, go to: www.sigmaresearch.org.uk/go.php/local/african

The tables

Groups of respondents living in the same Primary Care Trust appear as a line in the tables. The bottom line of each table gives the result for the entire South Central SHA sample. Tables 1 and 2 show the number of Africans recruited to the survey living in each PCT and the size of the sub-samples in the rest of the tables. The tables show the proportions (%) of each PCT sub-sample in each category of the variable (less missing data). Rows (lines across) add up to 100%.

The contents page identifies the question number (Q) each table is derived from. The questionnaire is available at:

www.sigmaresearch.org.uk/go.php/quests/african

Funding

The survey was funded by African HIV Policy Network as a part of the National African HIV Prevention Programme, which is funded by the Department of Health.

Table

SAMPLE DESCRIPTIONS

1. Primary Care Trust of residence.
2. PCT areas with 20+ respondents (for the rest of the report).
3. Method of recruitment.
4. Gender (Q7).
5. Ethnicity (Q2).
6. Age groups (Q3).
7. Ten most common countries of birth (Q10).
8. Length of time living in the UK (Q13).
9. Educational level (Q14).
10. Religion (Q9).
11. Gender of sexual intercourse partners in the last year (males) (Q7+Q29+Q30).
12. Gender of sexual intercourse partners in the last year (females) (Q7+Q29+Q30).
13. Circumcision (males) (Q7+Q26).
14. Circumcision (females) (Q7+Q26).

HIV AND STI TESTING AND DIAGNOSIS

15. Perceived HIV status (Q17).
16. HIV testing history (Q18+Q19+Q20).
17. Desirability of, and access to, HIV testing (Q22+Q23).
18. Most recent STI test (other than HIV or cervical smears) (Q24).

SEXUAL HEALTH AND HIV RISK BEHAVIOURS

19. Current regular sexual relationships (Q31+Q32).
20. Total number of sexual intercourse partners in the last year (Q28+Q29+Q30).
21. Regularity of condom use in the last year (Q33).
22. Experienced condom failure in the last year (Q34+Q35).
23. Likelihood of sero-discordant unprotected intercourse in the last year (males) (Q38).
24. Likelihood of sero-discordant unprotected intercourse in the last year (females) (Q38).

HIV AWARENESS AND KNOWLEDGE NEEDS

25. AIDS caused by virus called HIV (Q16a).
26. You can not be sure that someone is NOT infected by HIV by looking at them (Q16b).
27. People can have HIV without knowing it (Q16c).

28. There is a medical test that can show whether or not you have HIV (Q16d).
29. Africans are NOT deported from the UK solely because they have HIV (Q16e).
30. There is no cure for HIV infection once someone has it (Q37a).
31. At least 1-in-20 of all Africans living in England have HIV infection (Q37b).
32. There are HIV medicines that can help people with HIV infection (Q37c).
33. HIV medicines work better if people with HIV take them before they become ill (Q37d).
34. HIV is never passed on through shaking hands or touching people (Q37e).
35. A person with HIV can pass it to a partner during sexual intercourse (Q37f).
36. Condoms are free from sexual health clinics, family planning clinics and some community organisations (Q37g).
37. Some people with HIV have been imprisoned in the UK for passing their infection to a sexual partner (Q37h).

OTHER HIV PREVENTION NEEDS

38. I can use condoms with a sexual partner if I want to (Q36b).
39. I sometimes have a problem getting hold of condoms (Q36d).
40. If I carried a condom I would worry about what people thought on me (Q36a).
41. I would find it easy to talk about safer sex and HIV with new sexual partners (Q36c).
42. [Among those who had NOT tested HIV positive] I do not want to get HIV (if I haven't already got it) (Q42a).
43. [Among those who had NOT tested HIV positive] I think I am at risk of getting HIV (Q42b).
44. [Among those who had NOT tested HIV positive] I have the power to reduce my risk of getting HIV (Q42c).
45. Desire for more sexual health and HIV knowledge (Q46).
46. Desire to learn about sexual health and HIV through reading (Q48).
47. Desire to learn more about sexual health and HIV through talking to an individual (Q48).
48. Desire to learn more about sexual health and HIV through taking part in a group (Q48).
49. Heard of PEP (Q 39).
50. Willingness to use PEP [Among those who had NOT tested HIV positive] (Q39+Q41).



Sigma Research, University of Portsmouth
 77a Tradescant Road, London, SW8 1XJ
 020-7820 8022

www.sigmaresearch.org.uk

SAMPLE DESCRIPTION

1. PCT area of residence

	Frequency	Percent
NHS Oxfordshire	48	42.9
NHS Berkshire East	27	24.1
NHS Milton Keynes	10	8.9
NHS Hampshire & NHS Hampshire Community Health Care	10	8.9
NHS Berkshire West	7	6.3
Portsmouth City Teaching PCT	4	3.6
Buckinghamshire PCT	3	2.7
Southampton City PCT	3	2.7
Total	112	100.0

2. PCT area with 20+ respondents (for the rest of the report)

	Frequency	Percent
NHS Oxfordshire	48	42.9
All other South Central	37	33.0
NHS Berkshire East	27	24.1
Total	112	100.0

3. Method of recruitment

% within PCT area of residence

	Method - recruitment type		Total
	On-line English	Booklet English	
NHS Oxfordshire	18.8%	81.3%	100.0%
NHS Berkshire East	25.9%	74.1%	100.0%
All other South Central	45.9%	54.1%	100.0%
Total	29.5%	70.5%	100.0%

4. Gender

% within PCT area of residence

	Demog - Gender		Total
	Male	Female	
NHS Oxfordshire	42.6%	57.4%	100.0%
NHS Berkshire East	40.7%	59.3%	100.0%
All other South Central	41.7%	58.3%	100.0%
Total	41.8%	58.2%	100.0%

5. Ethnicity

% within PCT area of residence

	Ethnicity							Total
	Black African	Black African British	African Asian	African Arab	White African	African Caribbean	Mixed race African	
NHS Oxfordshire	64.6%	20.8%	2.1%	2.1%	2.1%	6.3%	2.1%	100.0%
NHS Berkshire East	63.0%			7.4%	7.4%	11.1%	11.1%	100.0%
All other South Central	81.1%	16.2%				2.7%		100.0%
Total	69.6%	14.3%	.9%	2.7%	2.7%	6.3%	3.6%	100.0%

6. Age groups

% within PCT area of residence

	Age groups					Total
	under 20 years	20-29 years	30-39 years	40-49 years	50 years and older	
NHS Oxfordshire	27.1%	39.6%	20.8%	6.3%	6.3%	100.0%
NHS Berkshire East	3.8%	50.0%	23.1%	19.2%	3.8%	100.0%
All other South Central		18.9%	51.4%	29.7%		100.0%
Total	12.6%	35.1%	31.5%	17.1%	3.6%	100.0%

7. Ten most common countries of birth

% within PCT area of residence

	Demog - country of birth (modified)												Total
	Botswana	Kenya	Nigeria	Republic of South Africa	Somalia	Tanzania	Uganda	United Kingdom	Zambia	Zimbabwe	Elsewhere in Africa	Elsewhere in the world	
NHS Oxfordshire	2.1%	18.8%	10.4%	2.1%	4.2%	2.1%	10.4%	16.7%	8.3%	12.5%	6.3%	6.3%	100.0%
NHS Berkshire East		3.8%	3.8%	3.8%			15.4%	3.8%	19.2%	38.5%	3.8%	7.7%	100.0%
All other South Central	2.7%	27.0%				2.7%		5.4%	5.4%	43.2%	10.8%	2.7%	100.0%
Total	1.8%	18.0%	5.4%	1.8%	1.8%	5.4%	5.4%	13.5%	5.4%	28.8%	7.2%	5.4%	100.0%

8. Length of time living in the UK

% within PCT area of residence

	Length of time in the UK						Total
	less than 1 year	over 1 year, less than 3 years	over 3 years, less than 6 years	over 6 years, less than 10 years	10 years or more		
NHS Oxfordshire	12.5%	6.3%	16.7%	27.1%	37.5%	100.0%	
NHS Berkshire East		3.7%	22.2%	14.8%	59.3%	100.0%	
All other South Central		5.7%	20.0%	40.0%	34.3%	100.0%	
Total	5.5%	5.5%	19.1%	28.2%	41.8%	100.0%	

9. Educational level

% within PCT area of residence

	Educational level			Total
	LOW (None / Primary / Elementary School)	MEDIUM (Secondary / High School)	HIGH (University / College)	
NHS Oxfordshire		34.0%	66.0%	100.0%
NHS Berkshire East	3.7%	18.5%	77.8%	100.0%
All other South Central	5.4%	10.8%	83.8%	100.0%
Total	2.7%	22.5%	74.8%	100.0%

10. Religion

% within PCT area of residence

	Religion category						Total
	Christian	African traditional	Islam	Buddhism	other	none	
NHS Oxfordshire	81.3%	2.1%	6.3%		2.1%	8.3%	100.0%
NHS Berkshire East	59.3%		18.5%	3.7%		18.5%	100.0%
All other South Central	83.8%		5.4%		2.7%	8.1%	100.0%
Total	76.8%	.9%	8.9%	.9%	1.8%	10.7%	100.0%

11. Gender of sexual intercourse partners in the last year (males)

% within PCT area of residence

	Gender of sexual intercourse partners in the last year (male)			Total
	NO SEX	Exclusively heterosexual	Exclusively homosexual	
NHS Oxfordshire	20.0%	75.0%	5.0%	100.0%
NHS Berkshire East	9.1%	72.7%	18.2%	100.0%
All other South Central	7.7%	92.3%		100.0%
Total	13.6%	79.5%	6.8%	100.0%

12. Gender of sexual intercourse partners in the last year (females)

% within PCT area of residence

	Gender of sexual intercourse partners in the last year (female)			Total
	NO SEX	Exclusively heterosexual	Behaviourally bisexual	
NHS Oxfordshire	33.3%	59.3%	7.4%	100.0%
NHS Berkshire East	28.6%	71.4%		100.0%
All other South Central	5.0%	85.0%	10.0%	100.0%
Total	23.0%	70.5%	6.6%	100.0%

13. Circumcision (males)

% within PCT area of residence

	Circumcision (males)			Total
	Circumcised	Uncircumcised	Don't know	
NHS Oxfordshire	50.0%	44.4%	5.6%	100.0%
NHS Berkshire East	60.0%	40.0%		100.0%
All other South Central	53.3%	46.7%		100.0%
Total	53.5%	44.2%	2.3%	100.0%

14. Circumcision (females)

% within PCT area of residence

	Circumcision (females)			Total
	Circumcised	Uncircumcised	Don't know	
NHS Oxfordshire	7.7%	88.5%	3.8%	100.0%
NHS Berkshire East	6.7%	93.3%		100.0%
All other South Central	5.0%	90.0%	5.0%	100.0%
Total	6.6%	90.2%	3.3%	100.0%

HIV AND STI TESTING AND DIAGNOSIS

15. Perceived HIV status

% within PCT area of residence

	HIV - Status belief				Total
	Definitely negative	Probably negative	Not sure / I don't know	Definitely positive	
NHS Oxfordshire	51.1%	23.4%	14.9%	10.6%	100.0%
NHS Berkshire East	29.6%	14.8%	37.0%	18.5%	100.0%
All other South Central	48.6%	18.9%	5.4%	27.0%	100.0%
Total	45.0%	19.8%	17.1%	18.0%	100.0%

16. HIV testing history

% within PCT area of residence

	HIV Testing History			Total
	Never tested	Last test negative	Tested positive	
NHS Oxfordshire	43.8%	41.7%	14.6%	100.0%
NHS Berkshire East	40.7%	40.7%	18.5%	100.0%
All other South Central	18.9%	56.8%	24.3%	100.0%
Total	34.8%	46.4%	18.8%	100.0%

17. Desirability of and access to HIV testing

% within PCT area of residence

	Desirability of and access to HIV testing					Total
	Don't want a test but know where to get one	Not sure if want a test but know where to get one	Want a test and know where to get one	Not sure if want a test and don't know where to get one	Want a test and don't know where to get one	
NHS Oxfordshire	31.7%	22.0%	34.1%	4.9%	7.3%	100.0%
NHS Berkshire East	28.6%	14.3%	57.1%			100.0%
All other South Central	45.2%	12.9%	38.7%		3.2%	100.0%
Total	35.5%	17.2%	40.9%	2.2%	4.3%	100.0%

18. Most recent STI test (other than HIV or cervical smears)

% within PCT area of residence

	Most recent STI test other than HIV or cervical smears						Total
	In the last month	In the last 12 months	1 to 5 years ago	More than 5 years ago	Never	Don't know	
NHS Oxfordshire	6.3%	16.7%	20.8%	8.3%	41.7%	6.3%	100.0%
NHS Berkshire East	15.4%	26.9%	26.9%	3.8%	23.1%	3.8%	100.0%
All other South Central	14.3%	22.9%	22.9%	5.7%	31.4%	2.9%	100.0%
Total	11.0%	21.1%	22.9%	6.4%	33.9%	4.6%	100.0%

SEXUAL HEALTH AND HIV RISK BEHAVIOURS

19. Current regular sexual relationships

% within PCT area of residence

	Current regular sexual relationships				Total
	NO regular partner at present	One regular partner (mongamous)	One regular partner (but NOT monogamous)	More than one regular partner	
NHS Oxfordshire	50.0%	27.1%	20.8%	2.1%	100.0%
NHS Berkshire East	26.9%	53.8%	15.4%	3.8%	100.0%
All other South Central	24.3%	48.6%	27.0%		100.0%
Total	36.0%	40.5%	21.6%	1.8%	100.0%

20. Total number of sexual intercourse partners in the last year

% within PCT area of residence

	Total number of sexual intercourse partners in the last year								Total
	None	One	Two	Three	Four	Five	6 to 12	13 or more	
NHS Oxfordshire	29.2%	25.0%	20.8%	10.4%	2.1%	6.3%	4.2%	2.1%	100.0%
NHS Berkshire East	20.0%	48.0%	24.0%		8.0%				100.0%
All other South Central	5.9%	70.6%	8.8%	5.9%	8.8%				100.0%
Total	19.6%	44.9%	17.8%	6.5%	5.6%	2.8%	1.9%	.9%	100.0%

21. Regularity of condom use in the last year

% within PCT area of residence

	Regularity of condom use in the last year						Total
	Always	More than half the time	About half the time	Less than half the time	Never	Not had intercourse in last 12 months	
NHS Oxfordshire	42.6%	10.6%	6.4%	2.1%	12.8%	25.5%	100.0%
NHS Berkshire East	33.3%	14.8%	7.4%	7.4%	18.5%	18.5%	100.0%
All other South Central	45.9%	8.1%	5.4%	8.1%	27.0%	5.4%	100.0%
Total	41.4%	10.8%	6.3%	5.4%	18.9%	17.1%	100.0%

22. Experienced condom failure in the last year

% within PCT area of residence

	Experienced condom breakage or slippage in the last year (all)		Total
	No	Yes	
NHS Oxfordshire	78.7%	21.3%	100.0%
NHS Berkshire East	61.5%	38.5%	100.0%
All other South Central	83.3%	16.7%	100.0%
Total	76.1%	23.9%	100.0%

23. Likelihood of sero-discordant unprotected intercourse in the last year (males)

% within PCT area of residence

	Sex - likelihood of unprotected SDUI (males)				Total
	I probably have	I don't know	I probably have not	I definitely have not	
NHS Oxfordshire		26.3%	5.3%	68.4%	100.0%
NHS Berkshire East	20.0%	40.0%	10.0%	30.0%	100.0%
All other South Central	6.7%	26.7%	13.3%	53.3%	100.0%
Total	6.8%	29.5%	9.1%	54.5%	100.0%

24. Likelihood of sero-discordant unprotected intercourse in the last year (females)

% within PCT area of residence

	Sex - likelihood of unprotected SDUI (females)					Total
	I definitely have	I probably have	I don't know	I probably have not	I definitely have not	
NHS Oxfordshire		7.7%	19.2%	11.5%	61.5%	100.0%
NHS Berkshire East	20.0%	13.3%	26.7%	6.7%	33.3%	100.0%
All other South Central	4.8%	9.5%	14.3%		71.4%	100.0%
Total	6.5%	9.7%	19.4%	6.5%	58.1%	100.0%

HIV AWARENESS AND KNOWLEDGE NEEDS

25. AIDS caused by virus called HIV

% within PCT area of residence

	AIDS is caused by a virus called HIV			Total
	I knew this before today	I wasn't sure if this was true or not	I didn't know this	
NHS Oxfordshire	89.6%	2.1%	8.3%	100.0%
NHS Berkshire East	92.6%	3.7%	3.7%	100.0%
All other South Central	100.0%			100.0%
Total	93.8%	1.8%	4.5%	100.0%

26. You can not be sure that someone is NOT infected by HIV by looking at them

% within PCT area of residence

	You can not be sure that someone is NOT infected by HIV by looking at them				Total
	I knew this before today	I wasn't sure if this was true or not	I didn't know this	I don't understand this	
NHS Oxfordshire	80.9%	8.5%	8.5%	2.1%	100%
NHS Berkshire East	84.6%	15.4%			100%
All other South Central	94.6%	5.4%			100%
Total	86.4%	9.1%	3.6%	.9%	100%

27. People can have HIV without knowing it

% within PCT area of residence

	People can have HIV without knowing it				Total
	I knew this before today	I wasn't sure if this was true or not	I didn't know this	I don't understand this	
NHS Oxfordshire	91.7%	2.1%	6.3%		100.0%
NHS Berkshire East	84.6%	3.8%	7.7%	3.8%	100.0%
All other South Central	100.0%				100.0%
Total	92.8%	1.8%	4.5%	.9%	100.0%

28. There is a medical test that can show whether or not you have HIV

% within PCT area of residence

	There is a medical test that can show whether or not you have HIV				Total
	I knew this before today	I wasn't sure if this was true or not	I didn't know this	I don't understand this	
NHS Oxfordshire	87.5%	4.2%	6.3%	2.1%	100.0%
NHS Berkshire East	100.0%				100.0%
All other South Central	97.3%		2.7%		100.0%
Total	93.8%	1.8%	3.6%	.9%	100.0%

29. Africans are NOT deported from the UK solely because they have HIV

% within PCT area of residence

	African are NOT deported from the UK just because they have HIV				Total
	I knew this before today	I wasn't sure if this was true or not	I didn't know this	I don't understand this	
NHS Oxfordshire	61.7%	12.8%	23.4%	2.1%	100.0%
NHS Berkshire East	46.2%	23.1%	7.7%	23.1%	100.0%
All other South Central	75.0%	13.9%	8.3%	2.8%	100.0%
Total	62.4%	15.6%	14.7%	7.3%	100.0%

30. There is no cure for HIV infection once someone has it

% within PCT area of residence

	There is no cure for HIV infection once someone has it			Total
	I knew this before today	I didn't know this before today	I wasn't sure if this was true or not	
NHS Oxfordshire	91.7%	8.3%		100.0%
NHS Berkshire East	88.9%		11.1%	100.0%
All other South Central	100.0%			100.0%
Total	93.7%	3.6%	2.7%	100.0%

31. At least 1-in-20 of all Africans living in England have HIV infection

% within PCT area of residence

	At least 1-in-20 of all Africans living in England have HIV infection				Total
	I knew this before today	I didn't know this before today	I wasn't sure if this was true or not	I don't understand this	
NHS Oxfordshire	47.9%	37.5%	14.6%		100.0%
NHS Berkshire East	34.6%	42.3%	11.5%	11.5%	100.0%
All other South Central	44.4%	41.7%	11.1%	2.8%	100.0%
Total	43.6%	40.0%	12.7%	3.6%	100.0%

32. There are HIV medicines that can help people with HIV infection

% within PCT area of residence

	There are HIV medicines that can help people with HIV to stay healthy				Total
	I knew this before today	I didn't know this before today	I wasn't sure if this was true or not	I don't understand this	
NHS Oxfordshire	85.4%	8.3%	4.2%	2.1%	100.0%
NHS Berkshire East	88.9%	3.7%	7.4%		100.0%
All other South Central	97.2%		2.8%		100.0%
Total	90.1%	4.5%	4.5%	.9%	100.0%

33. HIV medicines work better if people with HIV take them before they become ill

% within PCT area of residence

	HIV medicines work better if people with HIV take them before they become ill				Total
	I knew this before today	I didn't know this before today	I wasn't sure if this was true or not	I don't understand this	
NHS Oxfordshire	60.4%	29.2%	6.3%	4.2%	100.0%
NHS Berkshire East	46.2%	30.8%	19.2%	3.8%	100.0%
All other South Central	83.8%	8.1%	5.4%	2.7%	100.0%
Total	64.9%	22.5%	9.0%	3.6%	100.0%

34. HIV is never passed on through shaking hands or touching people

% within PCT area of residence

	HIV is never passed on through shaking hands or touching people			Total
	I knew this before today	I didn't know this before today	I wasn't sure if this was true or not	
NHS Oxfordshire	93.8%	4.2%	2.1%	100.0%
NHS Berkshire East	100.0%			100.0%
All other South Central	100.0%			100.0%
Total	97.3%	1.8%	.9%	100.0%

35. A person with HIV can pass it to a partner during sexual intercourse

% within PCT area of residence

	A person with HIV can pass it to a partner during sexual intercourse			Total
	I knew this before today	I didn't know this before today	I wasn't sure if this was true or not	
NHS Oxfordshire	95.7%	2.1%	2.1%	100.0%
NHS Berkshire East	100.0%			100.0%
All other South Central	100.0%			100.0%
Total	98.2%	.9%	.9%	100.0%

36. Condoms are free from sexual health clinics, family planning clinics and some community organisations

% within PCT area of residence

	Condoms are free from sexual health clinics, family planning clinics and some community organisations			Total
	I knew this before today	I didn't know this before today	I wasn't sure if this was true or not	
NHS Oxfordshire	89.6%	6.3%	4.2%	100.0%
NHS Berkshire East	88.5%	7.7%	3.8%	100.0%
All other South Central	100.0%			100.0%
Total	92.7%	4.6%	2.8%	100.0%

37. Some people with HIV have been imprisoned in the UK for passing their infection to a sexual partner

% within PCT area of residence

	Some people with HIV have been imprisoned in the UK for passing their infection to a sexual partner				Total
	I knew this before today	I didn't know this before today	I wasn't sure if this was true or not	I don't understand this	
NHS Oxfordshire	54.2%	35.4%	10.4%		100.0%
NHS Berkshire East	53.8%	3.8%	19.2%	23.1%	100.0%
All other South Central	89.2%	5.4%	5.4%		100.0%
Total	65.8%	18.0%	10.8%	5.4%	100.0%

OTHER HIV PREVENTION NEEDS

38. I can use condoms with a sexual partner if I want to

% within PCT area of residence

	I can use condoms with a sexual partner if I want to					Total
	strongly agree	agree	don't know / does not apply	disagree	strongly disagree	
NHS Oxfordshire	50.0%	25.0%	12.5%	8.3%	4.2%	100.0%
NHS Berkshire East	74.1%	11.1%	7.4%	7.4%		100.0%
All other South Central	57.1%	28.6%	5.7%	2.9%	5.7%	100.0%
Total	58.2%	22.7%	9.1%	6.4%	3.6%	100.0%

39. I sometimes have a problem getting hold of condoms

% within PCT area of residence

	I sometimes have a problem getting hold of condoms					Total
	strongly agree	agree	don't know / does not apply	disagree	strongly disagree	
NHS Oxfordshire	6.5%	10.9%	21.7%	32.6%	28.3%	100.0%
NHS Berkshire East	3.7%	14.8%	14.8%	51.9%	14.8%	100.0%
All other South Central	2.8%	5.6%	8.3%	30.6%	52.8%	100.0%
Total	4.6%	10.1%	15.6%	36.7%	33.0%	100.0%

40. If I carried a condom I would worry about what people thought of me

% within PCT area of residence

	If I carried a condom I would worry about what people thought of me					Total
	strongly agree	agree	don't know / does not apply	disagree	strongly disagree	
NHS Oxfordshire	18.8%	12.5%	12.5%	25.0%	31.3%	100.0%
NHS Berkshire East	11.1%	11.1%	14.8%	29.6%	33.3%	100.0%
All other South Central	14.3%	17.1%	5.7%	34.3%	28.6%	100.0%
Total	15.5%	13.6%	10.9%	29.1%	30.9%	100.0%

41. I would find it easy to talk about safer sex and HIV with new sexual partners

% within PCT area of residence

	I would find it easy to talk about safer sex and HIV with new sexual partners					Total
	strongly agree	agree	don't know / does not apply	disagree	strongly disagree	
NHS Oxfordshire	34.0%	29.8%	21.3%	14.9%		100.0%
NHS Berkshire East	37.0%	29.6%	22.2%	11.1%		100.0%
All other South Central	52.9%	26.5%	8.8%	5.9%	5.9%	100.0%
Total	40.7%	28.7%	17.6%	11.1%	1.9%	100.0%

42. I do not want to get HIV (if I haven't already got it) [Among those who had NOT tested HIV positive]

% within PCT area of residence

	ION - I do not want to get or pass on HIV (not tested HIV positive)				Total
	strongly agree	agree	disagree	strongly disagree	
NHS Oxfordshire	95.1%	2.4%		2.4%	100.0%
NHS Berkshire East	76.2%	19.0%	4.8%		100.0%
All other South Central	92.9%	7.1%			100.0%
Total	90.0%	7.8%	1.1%	1.1%	100.0%

43. I think I am at risk of getting HIV [Among those who had NOT tested HIV positive]

% within PCT area of residence

	ION - Think I am at risk of getting or passing on HIV (not tested HIV positive)					Total
	strongly agree	agree	not sure	disagree	strongly disagree	
NHS Oxfordshire	2.4%		29.3%	24.4%	43.9%	100.0%
NHS Berkshire East	19.0%	28.6%	33.3%	9.5%	9.5%	100.0%
All other South Central	7.1%	25.0%	14.3%	17.9%	35.7%	100.0%
Total	7.8%	14.4%	25.6%	18.9%	33.3%	100.0%

44. I have the power to reduce my risk of getting HIV [Among those who had NOT tested HIV positive]

% within PCT area of residence

	ION - I have power to reduce risk of getting or passing on HIV (not tested HIV positive)				Total
	strongly agree	agree	not sure	strongly disagree	
NHS Oxfordshire	53.7%	19.5%	14.6%	12.2%	100.0%
NHS Berkshire East	65.0%	25.0%	10.0%		100.0%
All other South Central	78.6%	17.9%	3.6%		100.0%
Total	64.0%	20.2%	10.1%	5.6%	100.0%

45. Desire for more sexual health and HIV knowledge

% within PCT area of residence

	Desire for more sexual health and HIV knowledge		Total
	No	Yes	
NHS Oxfordshire	4.3%	95.7%	100.0%
NHS Berkshire East	8.3%	91.7%	100.0%
All other South Central	13.5%	86.5%	100.0%
Total	8.3%	91.7%	100.0%

46. Desire to learn about sexual health and HIV through reading

% within PCT area of residence

	Desire to learn about sexual health and HIV through reading		Total
	No	Yes	
NHS Oxfordshire	19.1%	80.9%	100.0%
NHS Berkshire East	4.3%	95.7%	100.0%
All other South Central	11.4%	88.6%	100.0%
Total	13.3%	86.7%	100.0%

47. Desire to learn more about sexual health and HIV through talking to an individual

% within PCT area of residence

	Desire to learn about sexual health and HIV through talking to an individual		Total
	No	Yes	
NHS Oxfordshire	36.2%	63.8%	100.0%
NHS Berkshire East	39.1%	60.9%	100.0%
All other South Central	34.3%	65.7%	100.0%
Total	36.2%	63.8%	100.0%

48. Desire to learn more about sexual health and HIV through taking part in a group

% within PCT area of residence

	Desire to learn about sexual health and HIV through taking part in group/workshop		Total
	No	Yes	
NHS Oxfordshire	85.1%	14.9%	100.0%
NHS Berkshire East	78.3%	21.7%	100.0%
All other South Central	71.4%	28.6%	100.0%
Total	79.0%	21.0%	100.0%

49. Heard of PEP

% within PCT area of residence

	Heard of PEP		Total
	No	Yes	
NHS Oxfordshire	72.9%	27.1%	100.0%
NHS Berkshire East	61.5%	38.5%	100.0%
All other South Central	55.6%	44.4%	100.0%
Total	64.5%	35.5%	100.0%

50. Willingness to use PEP [Among those who had NOT tested HIV positive]

% within PCT area of residence

	Willingness to use PEP (amongst those who have not tested HIV positive)			Total
	No	Yes	Maybe	
NHS Oxfordshire	10.3%	61.5%	28.2%	100.0%
NHS Berkshire East	4.8%	57.1%	38.1%	100.0%
All other South Central	3.7%	81.5%	14.8%	100.0%
Total	6.9%	66.7%	26.4%	100.0%

<ENDS>