

# Vital Statistics 2008 The UK Gay Men's Sex Survey

## Area sub-samples data report (December 2009)

### South East Coast Strategic Health Authority (n=637)

This report uses data from the UK *Gay Men's Sex Survey* 2008, conducted by Sigma Research in collaboration with health promoters throughout the UK. It supplements the main survey report which will be published in early 2010. Survey methods and interpretation of the variables will be outlined in that report.

This data is intended to provide HIV health promotion planners with information about their local population of gay men and bisexual men. There is a data report for each of the ten Strategic Health Authorities (SHA) in England, with men grouped according to their Primary Care Trust (PCT) of residence. These 2008 reports, and similar reports for previous years, are available at: [www.sigmaresearch.org.uk/gmss/go.php/region](http://www.sigmaresearch.org.uk/gmss/go.php/region)

There are also whole country reports for England, Wales, Scotland, Northern Ireland and the Republic of Ireland, with men grouped according to their region of residence. These reports, and similar reports for previous years, are available at: [www.sigmaresearch.org.uk/gmss/go.php/country](http://www.sigmaresearch.org.uk/gmss/go.php/country)

#### *The data*

The survey used two data collection methods over the summer of 2008: a self-sealing, Freepost addressed booklet distributed by health promotion agencies; and via a specific website promoted via links on gay and HIV-related websites.

This report contains data from all the men recruited through both methods. To be included in the sample respondents had to: be male; be aged 14 or over; be living in the UK; have had sex with a man in the last year or have a gay, bisexual or other "queer" identity; have completed at least one demographic question and one other question. Differences between the number of surveys returned and the number of men who appear in the sample are due to these exclusions.

#### *The tables*

Groups of men living in the same PCT appear as a row (horizontal line) in the tables. The bottom row of each table gives the result for the entire Strategic Health Authority. The first table shows the number of men recruited to the survey living in each PCT and the size of the sub-samples in the rest of the tables. PCT areas with fewer than 20 men in the sample are reported as "all other South East Coast men". Some adjoining PCT areas are amalgamated where respondents cannot be allocated to an individual PCT. The tables show the proportions (%) of each sub-sample for that variable (less missing data). Rows add up to 100%. The only exception to this layout is table 3, Age averages.

#### *Questionnaires*

The contents page identifies the Booklet question number (Q) each table is derived from. The questionnaire used in the survey is available to download at: [www.sigmaresearch.org.uk/files/VS2008booklet.pdf](http://www.sigmaresearch.org.uk/files/VS2008booklet.pdf)

#### *Funding*

The survey was funded by Terrence Higgins Trust as part of CHAPS, a national HIV prevention initiative funded by the English Department of Health. Online recruitment occurred in England, Wales, Scotland, Northern Ireland and the Republic of Ireland. Booklet recruitment occurred only in England and Wales.



**Sigma**  
RESEARCH

## Table Contents

### **SAMPLE DESCRIPTION**

- 1a. Primary Care Trust (PCT) of residence
- 1b. Web and booklet sample sizes by PCT of residence
2. Age, in 5 groups (Q6)
3. Age averages (Q6)
4. Ethnicity, in 6 groups (Q7)
5. Highest education qualification (Q8)
6. Sexual identity(Q9)
7. Trans male status (Q1)
8. Gender of sexual partners in the last year (Q23)
9. Marriage / Civil partnership status (Q16)
10. Sero-discordancy with male regular partner (Q11 & Q13)
11. Sexuality disclosure (outness to family, friends & workmates) score average (range 0 = out to none - 12 = out to all, or almost all) (Q10)
12. Living arrangements (Q14)

### **HIV INFECTION (AND TESTING INTERVENTION PERFORMANCE)**

13. HIV testing history (Q17 & Q18)
14. Self-rating of HIV transmission probability among homosexually active men in the last year (Q17 & Q42)

### **RISK BEHAVIOURS**

15. Number of male sexual partners in the last year (Q24)
16. Number of male unprotected anal intercourse partners among homosexually active men in the last year (Q26 & Q23)
17. Use of Nitrite inhalants (poppers) (Q44 & Q45 & Q46 & Q47)
18. Use of anabolic steroids (Q49)

### **PREVENTION NEEDS**

19. Sexual behavioural intention on partner's positive disclosure (Q43 & Q17) (among men not tested positive)
20. Knowledge that poppers increase transmission probability (Q48)
21. Knowledge that HIV, Hep B & C may be transmitted from shared injecting equipment when using anabolic steroids (Q52a)
22. Knowledge that anabolic steroid use is linked to heart disease (Q52b)
23. Knowledge that concurrent stimulant and anabolic steroid use increases heart attack risk (q52c)
24. Knowledge that non-prescribed anabolic steroids dosage may vary from that labelled (Q52d)

Sigma Research  
University of Portsmouth  
77a Tradescant Road  
London, SW8 1XJ  
020-7820 8022  
[David.Reid@sigmaresearch.org.uk](mailto:David.Reid@sigmaresearch.org.uk)  
[www.sigmaresearch.org.uk](http://www.sigmaresearch.org.uk)  
[www.gmss.org.uk](http://www.gmss.org.uk)

# SAMPLE DESCRIPTION

## 1a. Primary Care Trust (PCT) area of residence

	Frequency	Percent
NHS Brighton and Hove City	268	42.1
NHS Surrey	114	17.9
West Sussex PCT	73	11.5
NHS West Kent	49	7.7
NHS East Sussex Downs and Weald	42	6.6
NHS Eastern and Coastal Kent	39	6.1
NHS Medway	30	4.7
NHS Hastings and Rother	16	2.5
E. Sussex Downs & Weald / Hastings & Rother PCT unknown [E. Sussex]	3	.5
West / Eastern & Coastal Kent PCT Unknown (Kent)	2	.3
PCT area unknown	1	.2
Total	637	100.0

## 1b. Web and booklet sample sizes by PCT area of residence

Count

	Distribution method		Total
	Web	Booklet	
PCT area unknown	0	1	1
NHS Surrey	84	30	114
NHS West Kent	33	16	49
West / Eastern & Coastal Kent PCT Unknown (Kent)	1	1	2
NHS Medway	18	12	30
NHS Eastern and Coastal Kent	27	12	39
West Sussex PCT	47	26	73
NHS Brighton and Hove City	84	184	268
NHS East Sussex Downs and Weald	5	37	42
E. Sussex Downs & Weald / Hastings & Rother PCT unknown [E. Sussex]	0	3	3
NHS Hastings and Rother	9	7	16
Total	308	329	637

## 2. Age, in 5 groups (Q6)

% within PCT area of residence

	Age, in 5 groups (Q6)					Total
	<20	20s	30s	40s	50+	
NHS Surrey	3.5%	23.9%	29.2%	25.7%	17.7%	100.0%
NHS West Kent	8.2%	28.6%	18.4%	24.5%	20.4%	100.0%
NHS Medway	6.7%	33.3%	26.7%	23.3%	10.0%	100.0%
NHS Eastern and Coastal Kent	15.4%	33.3%	20.5%	20.5%	10.3%	100.0%
West Sussex PCT	13.7%	30.1%	28.8%	15.1%	12.3%	100.0%
NHS Brighton and Hove City	3.7%	27.6%	26.9%	28.7%	13.1%	100.0%
NHS East Sussex Downs and Weald	2.4%	33.3%	31.0%	21.4%	11.9%	100.0%
All other South East Coast men		50.0%	18.2%	22.7%	9.1%	100.0%
Total	5.8%	29.1%	26.4%	24.8%	13.8%	100.0%

### 3. Age averages (Q6)

Age averages (Q6)

PCT area of residence	Median	Mean	Minimum	Maximum	Std. Deviation
NHS Surrey	38.0000	37.8230	16.00	66.00	11.91280
NHS West Kent	37.0000	37.5714	18.00	71.00	14.57452
NHS Medway	31.5000	33.9667	17.00	52.00	10.58458
NHS Eastern and Coastal Kent	30.0000	32.5385	16.00	66.00	13.53523
West Sussex PCT	32.0000	33.0548	16.00	63.00	12.43638
NHS Brighton and Hove City	37.0000	36.5896	18.00	72.00	11.42978
NHS East Sussex Downs and Weald	33.5000	34.6190	19.00	63.00	11.38667
All other South East Coast men	29.5000	33.3636	20.00	55.00	11.41238
Total	35.0000	35.8648	16.00	72.00	12.06311

### 4. Ethnicity, in 6 groups (Q7)

% within PCT area of residence

	Ethnicity, in 6 groups (Q7)						Total
	White British	White other	Black	Asian	Mixed	Other	
NHS Surrey	80.7%	14.0%		2.6%	1.8%	.9%	100.0%
NHS West Kent	91.8%	6.1%				2.0%	100.0%
NHS Medway	86.7%	3.3%		6.7%	3.3%		100.0%
NHS Eastern and Coastal Kent	92.3%	5.1%				2.6%	100.0%
West Sussex PCT	83.6%	15.1%			1.4%		100.0%
NHS Brighton and Hove City	74.8%	18.0%	1.1%	2.6%	1.9%	1.5%	100.0%
NHS East Sussex Downs and Weald	78.0%	7.3%	2.4%	2.4%	4.9%	4.9%	100.0%
All other South East Coast men	86.4%	9.1%	4.5%				100.0%
Total	80.4%	13.6%	.8%	2.1%	1.7%	1.4%	100.0%

### 5. Highest education qualification (Q8)

% within PCT area of residence

	Highest education qualification (Q8)			Total
	Low	Medium	High	
NHS Surrey	16.7%	29.8%	53.5%	100.0%
NHS West Kent	32.7%	22.4%	44.9%	100.0%
NHS Medway	36.7%	36.7%	26.7%	100.0%
NHS Eastern and Coastal Kent	30.8%	28.2%	41.0%	100.0%
West Sussex PCT	27.8%	40.3%	31.9%	100.0%
NHS Brighton and Hove City	23.3%	27.1%	49.6%	100.0%
NHS East Sussex Downs and Weald	26.2%	16.7%	57.1%	100.0%
All other South East Coast men	18.2%	40.9%	40.9%	100.0%
Total	24.4%	29.0%	46.5%	100.0%

## 6. Sexual identity(Q9)

% within PCT area of residence

	Sexual identity (Q9)				Total
	Gay	Bisexual	I don't usually use a term	Any other term	
NHS Surrey	84.2%	9.6%	6.1%		100.0%
NHS West Kent	73.5%	10.2%	16.3%		100.0%
NHS Medway	86.7%	13.3%			100.0%
NHS Eastern and Coastal Kent	84.2%	10.5%	5.3%		100.0%
West Sussex PCT	87.5%	9.7%	2.8%		100.0%
NHS Brighton and Hove City	87.7%	7.8%	2.2%	2.2%	100.0%
NHS East Sussex Downs and Weald	92.9%	2.4%	2.4%	2.4%	100.0%
All other South East Coast men	68.2%	22.7%	9.1%		100.0%
Total	85.4%	9.1%	4.4%	1.1%	100.0%

## 7. Trans male status (Q1)

% within PCT area of residence

	Trans male status (Q1)		Total
	No	Yes	
NHS Surrey	100.0%		100.0%
NHS West Kent	95.8%	4.2%	100.0%
NHS Medway	96.3%	3.7%	100.0%
NHS Eastern and Coastal Kent	100.0%		100.0%
West Sussex PCT	100.0%		100.0%
NHS Brighton and Hove City	98.8%	1.2%	100.0%
NHS East Sussex Downs and Weald	100.0%		100.0%
All other South East Coast men	95.5%	4.5%	100.0%
Total	98.9%	1.1%	100.0%

## 8. Gender of sexual partners in the last year (Q23)

% within PCT area of residence

	Gender of sexual partners in the last year (Q23)				Total
	No one	Women only	Men only	Both men and women	
NHS Surrey	2.6%		89.5%	7.9%	100.0%
NHS West Kent	12.2%		81.6%	6.1%	100.0%
NHS Medway	10.0%	3.3%	70.0%	16.7%	100.0%
NHS Eastern and Coastal Kent	10.3%	2.6%	82.1%	5.1%	100.0%
West Sussex PCT	5.6%		84.7%	9.7%	100.0%
NHS Brighton and Hove City	3.4%	.7%	92.2%	3.7%	100.0%
NHS East Sussex Downs and Weald	4.9%		90.2%	4.9%	100.0%
All other South East Coast men	4.5%		86.4%	9.1%	100.0%
Total	5.0%	.6%	88.0%	6.3%	100.0%

## 9. Marriage / Civil partnership status (Q16)

% within PCT area of residence

	Marriage / Civil partnership status (Q16)			Total
	In a civil partnership with a man	In a marriage with a woman	Neither of these	
NHS Surrey	9.0%	6.3%	84.7%	100.0%
NHS West Kent	12.5%	8.3%	79.2%	100.0%
NHS Medway	20.0%	6.7%	73.3%	100.0%
NHS Eastern and Coastal Kent	7.7%		92.3%	100.0%
West Sussex PCT	9.7%	4.2%	86.1%	100.0%
NHS Brighton and Hove City	7.5%	1.1%	91.3%	100.0%
NHS East Sussex Downs and Weald	9.5%	4.8%	85.7%	100.0%
All other South East Coast men	4.8%		95.2%	100.0%
Total	9.1%	3.3%	87.6%	100.0%

## 10. Sero-discordancy with male regular partner (Q11 & Q13)

% within PCT area of residence

	Sero-discordancy with male regular partner (Q11 & Q13)				Total
	single	concordant regular	unknown regular	discordant regular	
NHS Surrey	46.4%	39.3%	13.4%	.9%	100.0%
NHS West Kent	45.8%	37.5%	16.7%		100.0%
NHS Medway	30.0%	53.3%	16.7%		100.0%
NHS Eastern and Coastal Kent	46.2%	41.0%	10.3%	2.6%	100.0%
West Sussex PCT	51.4%	31.9%	12.5%	4.2%	100.0%
NHS Brighton and Hove City	48.3%	30.9%	12.5%	8.3%	100.0%
NHS East Sussex Downs and Weald	52.5%	25.0%	17.5%	5.0%	100.0%
All other South East Coast men	50.0%	31.8%	13.6%	4.5%	100.0%
Total	47.5%	34.4%	13.4%	4.8%	100.0%

## 11. Sexuality disclosure (outness to family, friends & workmates) score average (Q10)

Sexuality disclosure (outness) score average (Q10)

PCT area of residence	Median	Mean	Minimum	Maximum	Std. Deviation
NHS Surrey	11.0000	8.5138	.00	12.00	4.23087
NHS West Kent	11.0000	8.5306	.00	12.00	4.17384
NHS Medway	11.5000	8.4667	.00	12.00	4.66634
NHS Eastern and Coastal Kent	10.0000	8.1842	.00	12.00	4.35490
West Sussex PCT	12.0000	8.5493	.00	12.00	4.59126
NHS Brighton and Hove City	12.0000	10.2930	.00	12.00	2.96716
NHS East Sussex Downs and Weald	12.0000	9.7750	.00	12.00	3.89271
All other South East Coast men	11.0000	8.8571	.00	12.00	3.73210
Total	12.0000	9.3322	.00	12.00	3.86607

## 12. Living arrangements (Q14)

% within PCT area of residence

	Living arrangements (Q14)			Total
	Live alone	Live with male partner	Live with others (not male partner)	
NHS Surrey	38.6%	28.9%	32.5%	100.0%
NHS West Kent	30.6%	30.6%	38.8%	100.0%
NHS Medway	23.3%	40.0%	36.7%	100.0%
NHS Eastern and Coastal Kent	35.9%	28.2%	35.9%	100.0%
West Sussex PCT	28.8%	23.3%	47.9%	100.0%
NHS Brighton and Hove City	37.8%	25.1%	37.1%	100.0%
NHS East Sussex Downs and Weald	42.5%	20.0%	37.5%	100.0%
All other South East Coast men	31.8%	22.7%	45.5%	100.0%
Total	35.6%	26.5%	37.9%	100.0%

# HIV INFECTION (AND TESTING INTERVENTION PERFORMANCE)

## 13. HIV testing history (Q17 & Q18)

% within PCT area of residence

	HIV test history (Q17 & Q18)				Total
	Never tested	Tested negative in last year	Tested negative over a year ago	Tested positive	
NHS Surrey	21.9%	41.2%	29.8%	7.0%	100.0%
NHS West Kent	46.9%	24.5%	20.4%	8.2%	100.0%
NHS Medway	43.3%	40.0%	13.3%	3.3%	100.0%
NHS Eastern and Coastal Kent	41.0%	33.3%	17.9%	7.7%	100.0%
West Sussex PCT	34.7%	30.6%	22.2%	12.5%	100.0%
NHS Brighton and Hove City	12.0%	44.9%	21.3%	21.7%	100.0%
NHS East Sussex Downs and Weald	41.5%	29.3%	19.5%	9.8%	100.0%
All other South East Coast men	28.6%	47.6%	19.0%	4.8%	100.0%
Total	24.8%	39.2%	22.1%	13.9%	100.0%

## 14. Self rating of HIV transmission probability amongst homosexually active men in the last year(Q17 & Q42)

% within PCT area of residence

	Self rating of HIV transmission probability (Q17 & Q42) (Homosexually active men in the last year)					Total
	Very likely	Quite likely	Not sure	Quite unlikely	Very unlikely	
NHS Surrey	2.7%	.9%	10.0%	24.5%	61.8%	100.0%
NHS West Kent	7.1%	2.4%	11.9%	28.6%	50.0%	100.0%
NHS Medway	3.8%		11.5%	15.4%	69.2%	100.0%
NHS Eastern and Coastal Kent		3.0%	21.2%	24.2%	51.5%	100.0%
West Sussex PCT	4.5%		14.9%	22.4%	58.2%	100.0%
NHS Brighton and Hove City	2.0%	1.2%	15.4%	25.7%	55.7%	100.0%
NHS East Sussex Downs and Weald	5.3%		15.8%	15.8%	63.2%	100.0%
All other South East Coast men		5.0%	20.0%	10.0%	65.0%	100.0%
Total	2.9%	1.2%	14.4%	23.6%	57.9%	100.0%



## RISK BEHAVIOURS

### 15. Number of male sexual partners in the last year (Q24)

% within PCT area of residence

	Number of male sexual partners in the last year (Q24)						Total
	None	One	2,3 or 4	5 to 12	13 to 29	30 or more	
NHS Surrey	2.6%	14.9%	34.2%	26.3%	12.3%	9.6%	100.0%
NHS West Kent	12.2%	16.3%	22.4%	22.4%	10.2%	16.3%	100.0%
NHS Medway	13.3%	40.0%	10.0%	10.0%	10.0%	16.7%	100.0%
NHS Eastern and Coastal Kent	12.8%	25.6%	23.1%	20.5%	12.8%	5.1%	100.0%
West Sussex PCT	5.6%	13.9%	31.9%	20.8%	19.4%	8.3%	100.0%
NHS Brighton and Hove City	4.1%	17.2%	28.7%	25.0%	13.4%	11.6%	100.0%
NHS East Sussex Downs and Weald	4.9%	22.0%	17.1%	34.1%	12.2%	9.8%	100.0%
All other South East Coast men	4.5%	18.2%	50.0%	18.2%	4.5%	4.5%	100.0%
Total	5.7%	18.3%	28.3%	23.9%	13.1%	10.7%	100.0%

### 16. Number of male unprotected anal intercourse partners among homosexually active men in the last year (Q26 & Q23)

% within PCT area of residence

	Number of male unprotected anal intercourse partners in the last year (Q26 & Q23)					Total
	none	one	two	three or four	five or more	
NHS Surrey	37.8%	38.7%	9.0%	6.3%	8.1%	100.0%
NHS West Kent	44.2%	27.9%	16.3%	4.7%	7.0%	100.0%
NHS Medway	50.0%	34.6%	3.8%	3.8%	7.7%	100.0%
NHS Eastern and Coastal Kent	35.3%	35.3%	11.8%	14.7%	2.9%	100.0%
West Sussex PCT	41.8%	29.9%	10.4%	9.0%	9.0%	100.0%
NHS Brighton and Hove City	38.1%	32.7%	11.3%	10.1%	7.8%	100.0%
NHS East Sussex Downs and Weald	53.8%	25.6%	12.8%	5.1%	2.6%	100.0%
All other South East Coast men	52.4%	28.6%	9.5%	4.8%	4.8%	100.0%
Total	40.8%	32.8%	10.9%	8.4%	7.2%	100.0%

### 17. Use of Nitrite inhalants (poppers) (Q44 & Q45 & Q46 & Q47)

% within PCT area of residence

	Use of Nitrite inhalants (poppers) (Q44 & Q45 & Q46 & Q47)					Total
	No poppers	Use but not during RAI	Use during RAI but not URAI	Use during URAI but not with unknown / discordant partner	Use during URAI with an unknown / discordant partner	
NHS Surrey	59.3%	20.4%	6.2%	6.2%	8.0%	100.0%
NHS West Kent	61.2%	14.3%	8.2%	6.1%	10.2%	100.0%
NHS Medway	58.6%	17.2%	6.9%	13.8%	3.4%	100.0%
NHS Eastern and Coastal Kent	63.2%	10.5%	5.3%	10.5%	10.5%	100.0%
West Sussex PCT	52.8%	13.9%	12.5%	9.7%	11.1%	100.0%
NHS Brighton and Hove City	43.6%	23.1%	12.9%	8.3%	12.1%	100.0%
NHS East Sussex Downs and Weald	60.0%	22.5%	10.0%		7.5%	100.0%
All other South East Coast men	61.9%	14.3%	14.3%	4.8%	4.8%	100.0%
Total	52.4%	19.5%	10.4%	7.7%	10.1%	100.0%

### 18. Use of anabolic steroids (Q49)

% within PCT area of residence

	Use of anabolic steroids (Q49)				Total
	Yes, I've taken them in the last month	Yes, I've taken them in the last 12 months	Yes, I've taken them but NOT in the last 12 months	No, I have never taken anabolic steroids	
NHS Surrey	1.8%			98.2%	100.0%
NHS West Kent	2.1%			97.9%	100.0%
NHS Medway		3.4%	10.3%	86.2%	100.0%
NHS Eastern and Coastal Kent	2.6%		7.7%	89.7%	100.0%
West Sussex PCT			1.4%	98.6%	100.0%
NHS Brighton and Hove City	1.5%	2.3%	3.4%	92.9%	100.0%
NHS East Sussex Downs and Weald	2.5%		5.0%	92.5%	100.0%
All other South East Coast men		4.8%		95.2%	100.0%
Total	1.4%	1.3%	2.9%	94.4%	100.0%

## PREVENTION NEEDS

### 19. Sexual behavioural intention on partner's positive disclosure (Q43 & Q17) (not tested positive)

% within PCT area of residence

	Sexual behavioural intention on partners positive disclosure (Q43 & Q17) (not tested positive)				Total
	Not want to have sex with him	Still want to have sex with him but be extra careful	Have the kind of sex you would have had anyway	Other	
NHS Surrey	53.5%	44.4%	2.0%		100.0%
NHS West Kent	61.4%	34.1%	2.3%	2.3%	100.0%
NHS Medway	48.0%	44.0%	4.0%	4.0%	100.0%
NHS Eastern and Coastal Kent	60.0%	31.4%	5.7%	2.9%	100.0%
West Sussex PCT	58.3%	38.3%	1.7%	1.7%	100.0%
NHS Brighton and Hove City	39.7%	51.3%	7.0%	2.0%	100.0%
NHS East Sussex Downs and Weald	48.6%	45.7%	2.9%	2.9%	100.0%
All other South East Coast men	68.4%	26.3%	5.3%		100.0%
Total	49.8%	44.0%	4.5%	1.7%	100.0%

### 20. Knowledge that poppers increase transmission probability (Q48)

% within PCT area of residence

	Knowledge that poppers increase transmission probability (Q48)				Total
	I knew this already	I didn't know this already	I wasn't sure about this	I don't understand this	
NHS Surrey	42.0%	42.9%	9.8%	5.4%	100.0%
NHS West Kent	26.5%	57.1%	10.2%	6.1%	100.0%
NHS Medway	51.7%	37.9%	3.4%	6.9%	100.0%
NHS Eastern and Coastal Kent	48.7%	35.9%	5.1%	10.3%	100.0%
West Sussex PCT	40.3%	47.2%	8.3%	4.2%	100.0%
NHS Brighton and Hove City	46.0%	39.6%	12.5%	1.9%	100.0%
NHS East Sussex Downs and Weald	35.9%	41.0%	12.8%	10.3%	100.0%
All other South East Coast men	52.4%	33.3%	4.8%	9.5%	100.0%
Total	43.1%	42.0%	10.2%	4.6%	100.0%

### 21. Knowledge that HIV, Hep B & C may be transmitted from shared injecting equipment when using anabolic steroids (Q52a)

% within PCT area of residence

	Knowledge that HIV, Hep B & C may be transmitted from shared injecting equipment when using anabolic steroids (Q52a)				Total
	I knew this already	I didn't know this already	I wasn't sure about this	I don't understand this	
NHS Surrey	74.3%	18.3%	6.4%	.9%	100.0%
NHS West Kent	68.8%	20.8%	4.2%	6.3%	100.0%
NHS Medway	75.9%	17.2%	3.4%	3.4%	100.0%
NHS Eastern and Coastal Kent	76.3%	18.4%		5.3%	100.0%
West Sussex PCT	74.6%	18.3%	7.0%		100.0%
NHS Brighton and Hove City	83.1%	11.1%	3.4%	2.3%	100.0%
NHS East Sussex Downs and Weald	72.2%	25.0%	2.8%		100.0%
All other South East Coast men	80.0%	10.0%	5.0%	5.0%	100.0%
Total	77.9%	15.5%	4.2%	2.3%	100.0%

## 22. Knowledge that anabolic steroid use is linked to heart disease (Q52b)

% within PCT area of residence

	Knowledge that anabolic steroid use is linked to heart disease (Q52b)				Total
	I knew this already	I didn't know this already	I wasn't sure about this	I don't understand this	
NHS Surrey	47.2%	36.1%	16.7%		100.0%
NHS West Kent	52.1%	35.4%	8.3%	4.2%	100.0%
NHS Medway	48.3%	34.5%	13.8%	3.4%	100.0%
NHS Eastern and Coastal Kent	57.9%	28.9%	10.5%	2.6%	100.0%
West Sussex PCT	57.7%	29.6%	12.7%		100.0%
NHS Brighton and Hove City	55.5%	31.9%	10.3%	2.3%	100.0%
NHS East Sussex Downs and Weald	62.9%	28.6%	8.6%		100.0%
All other South East Coast men	70.0%	20.0%	5.0%	5.0%	100.0%
Total	54.7%	32.0%	11.4%	1.8%	100.0%

## 23. Knowledge that concurrent stimulant and anabolic steroid use increases heart attack risk (q52c)

% within PCT area of residence

	Knowledge that concurrent stimulant and anabolic steroid use increases heart attack risk (q52c)				Total
	I knew this already	I didn't know this already	I wasn't sure about this	I don't understand this	
NHS Surrey	43.9%	42.1%	13.1%	.9%	100.0%
NHS West Kent	52.1%	31.3%	12.5%	4.2%	100.0%
NHS Medway	50.0%	25.0%	21.4%	3.6%	100.0%
NHS Eastern and Coastal Kent	60.5%	26.3%	10.5%	2.6%	100.0%
West Sussex PCT	54.9%	36.6%	8.5%		100.0%
NHS Brighton and Hove City	54.8%	30.3%	12.6%	2.3%	100.0%
NHS East Sussex Downs and Weald	48.6%	45.7%	5.7%		100.0%
All other South East Coast men	70.0%	15.0%	15.0%		100.0%
Total	53.0%	33.1%	12.2%	1.8%	100.0%

## 24. Knowledge that non-prescribed anabolic steroids dosage may vary from that labelled (Q52d)

% within PCT area of residence

	Knowledge that non-prescribed anabolic steroids dosage may vary from that labeled (Q52d)				Total
	I knew this already	I didn't know this already	I wasn't sure about this	I don't understand this	
NHS Surrey	41.1%	44.9%	13.1%	.9%	100.0%
NHS West Kent	47.9%	35.4%	12.5%	4.2%	100.0%
NHS Medway	55.2%	34.5%	6.9%	3.4%	100.0%
NHS Eastern and Coastal Kent	57.9%	31.6%	7.9%	2.6%	100.0%
West Sussex PCT	43.7%	39.4%	16.9%		100.0%
NHS Brighton and Hove City	50.6%	35.1%	11.6%	2.7%	100.0%
NHS East Sussex Downs and Weald	40.0%	45.7%	14.3%		100.0%
All other South East Coast men	57.9%	21.1%	15.8%	5.3%	100.0%
Total	48.2%	37.3%	12.4%	2.1%	100.0%

ENDS