



Vital Statistics 2010



The UK [Gay Men's Sex Survey](#) (part of EMIS - the European MSM Internet Sex survey)

[South East Coast](#) of England region of residence data report (March 2011)

This report contains data from the UK *Gay Men's Sex Survey* 2010, which was part of the European MSM Internet Sex Survey (EMIS), a pan-European survey about behaviours, prevention needs and interventions related to HIV and sexual health. The survey ran simultaneously in twenty-five European languages, and was promoted by over 200 websites across Europe. The survey was developed by academic researchers, public health officials and community-based organisations in these countries. More information on the survey can be found at www.emis-project.eu

EMIS has already released two documents reporting key variables for men resident in 38 countries across Europe, the *EMIS Community Report #1* and the *EMIS UNGASS Indicators Report*. Both can be found in the [Publications](#) section at www.emis-project.eu. The indicators provided in this report are the same as those provided in these two reports.

This current report is prepared for health promotion planners with information about their local population of gay men and bisexual men. This report supplements the main UK survey report which will be published in September 2011. Survey methods and interpretation of the variables will be outlined in that report.

There are data reports for each of the ten Strategic Health Authorities (SHA) in England, with men grouped according to their Primary Care Trust (PCT) of residence, and separate reports for England, Scotland, Northern Ireland and Wales, with men grouped according to their region of residence. These 2010 reports, and similar reports for previous years, are available at www.gmss.org.uk

The data

The survey used a single data collection method via a specific website promoted via links on gay and HIV-related websites. The EMIS survey was available from 4th June to 31st August 2010, in 25 languages. Overall, 184,470 gay men and bisexual men took part.

To be included in this report respondents had to: be male; be aged between 16 and 89; be living in the South East Coast of England; have had sex with a man in the last year or have a gay, bisexual or other 'queer' identity.

Respondents with two or more inconsistent answers in six key areas were removed to improve data validity. Differences between the number of surveys returned and the number of men who appear in the sample are due to these exclusions.

The tables

Groups of men living in the same PCT area for which there are 20 or more respondents appear as a row (horizontal line) in the tables. Those PCT areas with fewer than 20 responses are joined together into "All other South East Coast SHA men". The bottom row of each table gives the result for all men living in the South East Coast region. The first table shows the number of men recruited to the survey living in PCTs within the South East Coast region and the size of the sub-samples in the rest of the tables. The tables show the proportions (%) of each sub-sample for that variable (less missing data). Rows add up to 100%. The only exceptions to this layout are table 3, 'Age averages' and table 16, 'Knowledge on HIV testing'.

Questionnaires

The contents page identifies the survey question number (Q) each table is derived from. The questionnaire used in the survey is available to download in the [Publications](#) section at www.emis-project.eu

Funding

EMIS was 60% funded by the Executive Agency for Health and Consumers of the European Commission and 40% funded by the five EMIS Associate Partners for their respective work-packages. In the UK the survey was part-funded by the Terrence Higgins Trust on behalf of CHAPS, the national HIV prevention programme funded by the English Department of Health.



David Reid <david.reid@sigmaresearch.org.uk>
Research Fellow, Sigma Research
Department of Social and Environmental Health Research
London School of Hygiene and Tropical Medicine
15-17 Tavistock Place
London. WC1H 9SH
T: +44 (0)20 7927 2792
www.sigmaresearch.org.uk
www.lshtm.ac.uk

Table Contents

SAMPLE DESCRIPTION

1. Sample size by PCT area of residence.
2. Language survey completed in.
3. Age groups; Q2 grouped into ten year age bands.
4. Age averages; from Q2; the median age (line them up by size and pick the one in the middle), the minimum (youngest) and maximum (oldest) ages, the mean age (add them up and divide by how many there are), and the standard deviation (a measure of how spread out along the range they are). (EMIS Community Report 1)
5. Born in country of residence; Q6.
6. Sexual identity; Q10.
7. 'Being Out'; Proportion of family, friends and work or study colleagues who know about same sex attraction; Q11. (EMIS Community Report 1)

SATISFACTION WITH SEX LIFE

8. 'Happy with their sex life'; Q15. (EMIS Community Report 1)

HIV and STI TESTING

9. HIV testing history and recency of HIV testing; Q71 & Q72 & Q72a & Q104. (EMIS Community Report 1)
10. Percentage of MSM that have received an HIV test in the last 12 months and who know the results amongst men of all ages. (UNGASS indicator 8); Q71 & Q72 & Q72a & Q104. (EMIS UNGASS indicators Report)
11. Percentage of men diagnosed positive among those who have ever been tested for HIV. (UNGASS indicator 23); Q71. (EMIS UNGASS indicators Report)
12. STI testing history and recency of STI testing; Q122 & Q123.

HEALTH NEEDS

13. Confidence in accessing HIV testing (amongst men not diagnosed HIV positive); Q112 & Q113.
14. Perception of availability of free HIV testing (amongst men not diagnosed HIV positive); Q114.
15. Perception of availability of free STI testing (amongst men who had worn condoms); Q117.
16. 'Knowledge on HIV-testing' the average score of respondents' knowledge of five statements on HIV transmission, testing and treatment; Q61 & Q63 & Q65 & Q66 & Q67. (EMIS Community Report 1)

HEALTH NEEDS continued

17. Percentage of MSM who both correctly identify ways of preventing the sexual transmission of HIV and who reject major misconceptions (UNGASS indicator 14); Q62 & Q68 & Q241 & Q242 & Q243. (EMIS UNGASS indicators Report)
18. Recency of not having a condom when desired; Q206.
19. Concern about alcohol consumption; Q222.
20. Concern about recreational drug use; Q223.

SEXUAL BEHAVIOUR

21. Recency of any sex with male partners; Q148.
22. Condom failure (tearing or slipping) in the previous 12 months; Q219.
23. Communication of HIV status prior to or during sex with last non-steady male sexual partner; Q184.
24. Percentage of MSM aged 15-49 who have had anal or vaginal intercourse with more than one partner in the last 12 months. (UNGASS indicator 16); Q2 & 148 & Q155 & Q163 & Q157 & Q165 & Q208 & Q209.
25. Percentage of MSM reporting the use of a condom: the last time they had anal sex with a male partner within the last 6 months amongst men of all ages. (UNGASS indicator 19); Q148 & Q150 & Q152 & Q153. (EMIS UNGASS indicators Report)

HATE CRIME

26. Experience of homophobic stares and intimidation; Q264.
27. Experience of homophobic verbal abuse; Q265.
28. Experience of homophobic physical abuse; Q266.

INTERVENTION PERFORMANCE

29. Recency of hearing any information about HIV or STIs specifically for men who have sex with men; Q144.
30. Percentage of MSM reached with HIV prevention programmes amongst men of all ages. (UNGASS indicator 9); Q71 & Q82 & Q112 & Q113 & Q144 & Q147 & Q207. (EMIS UNGASS indicators Report)

SAMPLE DESCRIPTION

1. Sample size by PCT area of residence.

	Frequency	Percent
NHS Brighton and Hove	289	23.9
NHS Surrey	261	21.6
NHS West Sussex	188	15.6
NHS East Sussex Downs and Weald	138	11.4
NHS West / Eastern & Coastal Kent PCT Unknown (Kent)	127	10.5
NHS Eastern and Coastal Kent	70	5.8
NHS West Kent	64	5.3
NHS Hastings and Rother	37	3.1
NHS Medway	34	2.8
Total	1208	100.0

2.Language survey completed in.

% within PCT area of residence

	Survey language							
	Bulgarian	Czech	Danish	English	French	German	Greek	Hungarian
NHS Surrey	.8%	.4%		95.0%	1.1%	.4%		
NHS West Kent				98.4%	1.6%			
NHS West / Eastern & Coastal Kent PCT Unknown (Kent)		.8%		97.6%				
NHS Medway				97.1%				
NHS Eastern and Coastal Kent				100.0%				
NHS West Sussex		1.6%	.5%	94.1%				
NHS Brighton and Hove				94.8%	.3%	.3%	.7%	
NHS East Sussex Downs and Weald				94.2%		1.4%		.7%
NHS Hastings and Rother				100.0%				
Total	.2%	.4%	.1%	95.7%	.4%	.3%	.2%	.1%

2.Language survey completed in.

% within PCT area of residence

	Survey language							
	Italian	Latvian	Polish	Portugeuse	Romanian	Russian	Serbian	Spanish
NHS Surrey			.8%	.8%			.4%	
NHS West / Eastern & Coastal Kent PCT Unknown (Kent)			.8%					.8%
NHS Medway		2.9%						
NHS West Sussex			1.6%	1.1%		.5%		.5%
NHS Brighton and Hove	.3%			1.4%	.3%			1.7%
NHS East Sussex Downs and Weald			2.2%		.7%			.7%
Total	.1%	.1%	.7%	.7%	.2%	.1%	.1%	.7%

2.Language survey completed in.

% within PCT area of residence

	Survey language	Total
	Swedish	
NHS Surrey	.4%	100.0%
NHS West Kent		100.0%
NHS West / Eastern & Coastal Kent PCT Unknown (Kent)		100.0%
NHS Medway		100.0%
NHS Eastern and Coastal Kent		100.0%
NHS West Sussex		100.0%
NHS Brighton and Hove		100.0%
NHS East Sussex Downs and Weald		100.0%
NHS Hastings and Rother		100.0%
Total	.1%	100.0%

3.Age groups; Q2 grouped into ten year age bands.

% within PCT area of residence

	Age Groups					Total
	<20	20s	30s	40s	50+	
NHS Surrey	6.5%	25.7%	19.5%	24.9%	23.4%	100.0%
NHS West Kent	7.8%	18.8%	32.8%	21.9%	18.8%	100.0%
NHS West / Eastern & Coastal Kent PCT Unknown (Kent)	8.7%	35.4%	18.1%	22.0%	15.7%	100.0%
NHS Medway	2.9%	17.6%	32.4%	20.6%	26.5%	100.0%
NHS Eastern and Coastal Kent	5.7%	37.1%	14.3%	20.0%	22.9%	100.0%
NHS West Sussex	9.0%	21.8%	23.9%	25.0%	20.2%	100.0%
NHS Brighton and Hove	2.1%	22.8%	29.4%	31.5%	14.2%	100.0%
NHS East Sussex Downs and Weald	2.9%	23.9%	25.4%	21.7%	26.1%	100.0%
NHS Hastings and Rother	5.4%	13.5%	29.7%	21.6%	29.7%	100.0%
Total	5.5%	24.9%	24.2%	25.2%	20.2%	100.0%

4.Age averages

How old are you?

PCT area of residence	Median	Mean	Minimum	Maximum	Std. Deviation
NHS Surrey	39.00	38.56	16	74	13.615
NHS West Kent	38.00	37.59	17	76	13.066
NHS West / Eastern & Coastal Kent PCT Unknown (Kent)	34.00	35.64	16	66	13.627
NHS Medway	39.00	41.65	19	75	13.729
NHS Eastern and Coastal Kent	34.00	36.64	14	83	14.991
NHS West Sussex	37.50	38.25	16	79	13.912
NHS Brighton and Hove	39.00	38.23	18	70	10.749
NHS East Sussex Downs and Weald	39.00	39.80	19	80	13.310
NHS Hastings and Rother	42.00	42.54	19	88	14.847
Total	38.00	38.31	14	88	13.135

5. Born in country of residence.

% within PCT area of residence

	Were you born in your country of residence?		Total
	No	Yes	
NHS Surrey	25.1%	74.9%	100.0%
NHS West Kent	18.8%	81.3%	100.0%
NHS West / Eastern & Coastal Kent PCT Unknown (Kent)	26.2%	73.8%	100.0%
NHS Medway	17.6%	82.4%	100.0%
NHS Eastern and Coastal Kent	10.0%	90.0%	100.0%
NHS West Sussex	17.6%	82.4%	100.0%
NHS Brighton and Hove	28.5%	71.5%	100.0%
NHS East Sussex Downs and Weald	23.9%	76.1%	100.0%
NHS Hastings and Rother	11.1%	88.9%	100.0%
Total	22.9%	77.1%	100.0%

6. Sexual identity

% within PCT area of residence

	Which of the following options best describes how you think of yourself?					Total
	Gay or homosexual	Bisexual	Straight or heterosexual	Any other term	I don't usually use a term	
NHS Surrey	77.4%	16.5%	.8%	.8%	4.6%	100.0%
NHS West Kent	75.0%	17.2%			7.8%	100.0%
NHS West / Eastern & Coastal Kent PCT Unknown (Kent)	73.2%	18.1%	2.4%		6.3%	100.0%
NHS Medway	70.6%	20.6%			8.8%	100.0%
NHS Eastern and Coastal Kent	70.0%	18.6%	2.9%	1.4%	7.1%	100.0%
NHS West Sussex	82.9%	9.6%	1.1%		6.4%	100.0%
NHS Brighton and Hove	88.2%	5.6%	.3%	.3%	5.6%	100.0%
NHS East Sussex Downs and Weald	85.4%	9.5%		.7%	4.4%	100.0%
NHS Hastings and Rother	78.4%	16.2%		2.7%	2.7%	100.0%
Total	80.6%	12.4%	.8%	.5%	5.6%	100.0%

7. 'Being Out'; Proportion of family, friends and work or study colleagues who know about same sex attraction.

% within PCT area of residence

	Proportion of respondents who are out to most of those who know the person		Total
	All other answers	Out to most people I know	
NHS Surrey	39.2%	60.8%	100.0%
NHS West Kent	35.9%	64.1%	100.0%
NHS West / Eastern & Coastal Kent PCT Unknown (Kent)	39.7%	60.3%	100.0%
NHS Medway	35.3%	64.7%	100.0%
NHS Eastern and Coastal Kent	35.7%	64.3%	100.0%
NHS West Sussex	34.0%	66.0%	100.0%
NHS Brighton and Hove	13.1%	86.9%	100.0%
NHS East Sussex Downs and Weald	28.3%	71.7%	100.0%
NHS Hastings and Rother	33.3%	66.7%	100.0%
Total	30.3%	69.7%	100.0%

SATISFACTION WITH SEX LIFE

8. 'Happy with their sex life'

% within PCT area of residence

	Are you happy with your sex life?		Total
	No	Yes	
NHS Surrey	44.5%	55.5%	100.0%
NHS West Kent	39.3%	60.7%	100.0%
NHS West / Eastern & Coastal Kent PCT Unknown (Kent)	49.5%	50.5%	100.0%
NHS Medway	44.1%	55.9%	100.0%
NHS Eastern and Coastal Kent	47.8%	52.2%	100.0%
NHS West Sussex	36.0%	64.0%	100.0%
NHS Brighton and Hove	40.8%	59.2%	100.0%
NHS East Sussex Downs and Weald	43.8%	56.3%	100.0%
NHS Hastings and Rother	50.0%	50.0%	100.0%
Total	42.8%	57.2%	100.0%

HIV and STI TESTING

9.HIV testing history and recency of HIV testing.

% within PCT area of residence

	HIV testing history				Total
	Never tested	Tested negative in the last year	Tested negative over a year ago	Tested positive	
NHS Surrey	32.5%	35.5%	22.6%	9.4%	100.0%
NHS West Kent	35.1%	35.1%	26.3%	3.5%	100.0%
NHS West / Eastern & Coastal Kent PCT Unknown (Kent)	48.7%	26.5%	17.7%	7.1%	100.0%
NHS Medway	51.5%	36.4%	9.1%	3.0%	100.0%
NHS Eastern and Coastal Kent	53.7%	16.4%	23.9%	6.0%	100.0%
NHS West Sussex	43.5%	23.6%	22.4%	10.6%	100.0%
NHS Brighton and Hove	19.4%	35.6%	21.3%	23.7%	100.0%
NHS East Sussex Downs and Weald	25.8%	33.1%	21.0%	20.2%	100.0%
NHS Hastings and Rother	21.4%	28.6%	32.1%	17.9%	100.0%
Total	33.7%	31.1%	21.7%	13.5%	100.0%

10. Percentage of MSM that have received an HIV test in the last 12 months and who know the results amongst men of all ages.

% within PCT area of residence

	Percent of respondents who have been tested for HIV and received results in last 12 months (excluding those who have been already diagnosed positive)		Total
	Did not receive HIV test result (last 12m)	Received HIV test result (last 12m)	
NHS Surrey	65.4%	34.6%	100.0%
NHS West Kent	67.7%	32.3%	100.0%
NHS West / Eastern & Coastal Kent PCT Unknown (Kent)	75.0%	25.0%	100.0%
NHS Medway	63.6%	36.4%	100.0%
NHS Eastern and Coastal Kent	83.6%	16.4%	100.0%
NHS West Sussex	76.7%	23.3%	100.0%
NHS Brighton and Hove	61.4%	38.6%	100.0%
NHS East Sussex Downs and Weald	64.7%	35.3%	100.0%
NHS Hastings and Rother	75.0%	25.0%	100.0%
Total	68.8%	31.2%	100.0%

11. Percentage of men diagnosed positive among those who have ever been tested for HIV.

% within PCT area of residence

	Proportion of respondents who tested positive for HIV among those with known HIV test result		Total
	Last test negative	Diagnosed positive	
NHS Surrey	88.1%	11.9%	100.0%
NHS West Kent	95.5%	4.5%	100.0%
NHS West / Eastern & Coastal Kent PCT Unknown (Kent)	88.7%	11.3%	100.0%
NHS Medway	94.1%	5.9%	100.0%
NHS Eastern and Coastal Kent	88.2%	11.8%	100.0%
NHS West Sussex	85.3%	14.7%	100.0%
NHS Brighton and Hove	75.0%	25.0%	100.0%
NHS East Sussex Downs and Weald	76.4%	23.6%	100.0%
NHS Hastings and Rother	83.9%	16.1%	100.0%
Total	82.9%	17.1%	100.0%

12. STI testing history and recency of STI testing.

% within PCT area of residence

	STI testing history			Total
	Never tested or don't know if tested	STI test in the last year	STI test over a year ago	
NHS Surrey	30.4%	39.3%	30.4%	100.0%
NHS West Kent	38.1%	27.0%	34.9%	100.0%
NHS West / Eastern & Coastal Kent PCT Unknown (Kent)	40.5%	31.0%	28.6%	100.0%
NHS Medway	44.1%	41.2%	14.7%	100.0%
NHS Eastern and Coastal Kent	55.7%	20.0%	24.3%	100.0%
NHS West Sussex	38.3%	30.9%	30.9%	100.0%
NHS Brighton and Hove	17.8%	55.4%	26.8%	100.0%
NHS East Sussex Downs and Weald	24.1%	51.8%	24.1%	100.0%
NHS Hastings and Rother	32.4%	32.4%	35.1%	100.0%
Total	31.3%	40.5%	28.3%	100.0%

HEALTH NEEDS

13. Confidence in accessing HIV testing (amongst men not diagnosed HIV positive).

% within PCT area of residence

	How confident are you that you could get an/another test for HIV if you wanted one?					Total
	Very confident	Quite confident	A little confident	Not at all confident	I don't know	
NHS Surrey	79.8%	12.2%	4.2%	2.5%	1.3%	100.0%
NHS West Kent	72.1%	16.4%	6.6%	4.9%		100.0%
NHS West / Eastern & Coastal Kent PCT Unknown (Kent)	74.6%	16.9%	2.5%	4.2%	1.7%	100.0%
NHS Medway	72.7%	18.2%	6.1%	3.0%		100.0%
NHS Eastern and Coastal Kent	71.2%	21.2%	3.0%	3.0%	1.5%	100.0%
NHS West Sussex	77.4%	16.1%	3.0%	3.0%	.6%	100.0%
NHS Brighton and Hove	87.3%	8.8%	1.3%	1.8%	.9%	100.0%
NHS East Sussex Downs and Weald	77.9%	18.6%	2.7%	.9%		100.0%
NHS Hastings and Rother	84.4%	15.6%				100.0%
Total	79.2%	14.4%	3.0%	2.6%	.9%	100.0%

14.Perception of availability of free HIV testing (amongst men not diagnosed HIV positive).

% within PCT area of residence

	Can you personally get free HIV testing in the country you live in?		Total
	No / don't know	Yes	
NHS Surrey	14.3%	85.7%	100.0%
NHS West Kent	31.1%	68.9%	100.0%
NHS West / Eastern & Coastal Kent PCT Unknown (Kent)	20.3%	79.7%	100.0%
NHS Medway	27.3%	72.7%	100.0%
NHS Eastern and Coastal Kent	19.7%	80.3%	100.0%
NHS West Sussex	17.2%	82.8%	100.0%
NHS Brighton and Hove	6.6%	93.4%	100.0%
NHS East Sussex Downs and Weald	8.8%	91.2%	100.0%
NHS Hastings and Rother	12.5%	87.5%	100.0%
Total	14.8%	85.2%	100.0%

15.Perception of availability of free STI testing (amongst men who had worn condoms); Q117.

% within PCT area of residence

	Can you personally get free STI testing in the country you live in?		Total
	No / don't know	Yes	
NHS Surrey	10.0%	90.0%	100.0%
NHS West Kent	17.5%	82.5%	100.0%
NHS West / Eastern & Coastal Kent PCT Unknown (Kent)	12.7%	87.3%	100.0%
NHS Medway	12.1%	87.9%	100.0%
NHS Eastern and Coastal Kent	12.9%	87.1%	100.0%
NHS West Sussex	10.2%	89.8%	100.0%
NHS Brighton and Hove	5.9%	94.1%	100.0%
NHS East Sussex Downs and Weald	8.0%	92.0%	100.0%
NHS Hastings and Rother	13.5%	86.5%	100.0%
Total	9.8%	90.2%	100.0%

16. 'Knowledge on HIV-testing' the average score of respondents knowledge of five statements on HIV transmission testing and treatment.

Mean

PCT area of residence	The mean of respondents' scores on basic knowledge about HIV and testing
NHS Surrey	94.6360
NHS West Kent	94.0625
NHS West / Eastern & Coastal Kent PCT Unknown (Kent)	93.6508
NHS Medway	96.4706
NHS Eastern and Coastal Kent	94.2029
NHS West Sussex	95.1064
NHS Brighton and Hove	96.8858
NHS East Sussex Downs and Weald	96.9565
NHS Hastings and Rother	97.2973
Total	95.4892

17. Percentage of MSM who both correctly identify ways of preventing the sexual transmission of HIV and who reject major misconceptions amongst men of all ages.

% within PCT area of residence

	UNGASS 14: Percentage correctly identifying ways of HIV transmission		Total
	Correctly identifies 0-4 respective items	Correctly identifies 5 respective items	
NHS Surrey	53.3%	46.7%	100.0%
NHS West Kent	67.2%	32.8%	100.0%
NHS West / Eastern & Coastal Kent PCT Unknown (Kent)	64.3%	35.7%	100.0%
NHS Medway	67.6%	32.4%	100.0%
NHS Eastern and Coastal Kent	57.1%	42.9%	100.0%
NHS West Sussex	50.0%	50.0%	100.0%
NHS Brighton and Hove	43.6%	56.4%	100.0%
NHS East Sussex Downs and Weald	57.2%	42.8%	100.0%
NHS Hastings and Rother	59.5%	40.5%	100.0%
Total	53.6%	46.4%	100.0%

18.Recency of not having a condom when desired.

% within PCT area of residence

	When was the last time you wanted a condom but did not have one?						Total
	Within the last 7 days	Within the last 4 weeks	Within the last 6 months	Within the last 12 months	Within the last 5 years	More than 5 years ago or Never	
NHS Surrey	2.7%	1.6%	4.3%	4.7%	12.1%	74.6%	100.0%
NHS West Kent	3.1%	1.6%	1.6%	1.6%	7.8%	84.4%	100.0%
NHS West / Eastern & Coastal Kent PCT Unknown (Kent)	.8%	3.2%	9.6%	3.2%	4.0%	79.2%	100.0%
NHS Medway	11.8%	8.8%	5.9%	5.9%	11.8%	55.9%	100.0%
NHS Eastern and Coastal Kent	2.9%	4.3%	7.2%	7.2%	2.9%	75.4%	100.0%
NHS West Sussex	2.1%	3.7%	4.8%	4.8%	8.0%	76.5%	100.0%
NHS Brighton and Hove	1.7%	4.5%	6.3%	4.9%	10.8%	71.7%	100.0%
NHS East Sussex Downs and Weald	.7%	2.2%	6.6%	5.8%	7.3%	77.4%	100.0%
NHS Hastings and Rother	5.6%	2.8%		11.1%	5.6%	75.0%	100.0%
Total	2.3%	3.3%	5.6%	4.9%	8.8%	75.0%	100.0%

19.Concern about alcohol consumption.

% within PCT area of residence

	Any concern about alcohol use		Total
	No	Yes	
NHS Surrey	82.3%	17.7%	100.0%
NHS West Kent	82.5%	17.5%	100.0%
NHS West / Eastern & Coastal Kent PCT Unknown (Kent)	73.0%	27.0%	100.0%
NHS Medway	85.3%	14.7%	100.0%
NHS Eastern and Coastal Kent	88.6%	11.4%	100.0%
NHS West Sussex	83.0%	17.0%	100.0%
NHS Brighton and Hove	73.2%	26.8%	100.0%
NHS East Sussex Downs and Weald	75.9%	24.1%	100.0%
NHS Hastings and Rother	81.1%	18.9%	100.0%
Total	79.0%	21.0%	100.0%

20.Concern about recreational drug use.

% within PCT area of residence

	Any concern about drug use		Total
	No	Yes	
NHS Surrey	93.3%	6.7%	100.0%
NHS West Kent	96.9%	3.1%	100.0%
NHS West / Eastern & Coastal Kent PCT Unknown (Kent)	94.4%	5.6%	100.0%
NHS Medway	97.1%	2.9%	100.0%
NHS Eastern and Coastal Kent	98.6%	1.4%	100.0%
NHS West Sussex	95.7%	4.3%	100.0%
NHS Brighton and Hove	92.7%	7.3%	100.0%
NHS East Sussex Downs and Weald	95.6%	4.4%	100.0%
NHS Hastings and Rother	97.3%	2.7%	100.0%
Total	94.6%	5.4%	100.0%

SEXUALBEHAVIOUR

21.Recency of any sex with male partners.

% within PCT area of residence

	When did you last have any kind of sex with a man (please include any sexual contact, not just anal intercourse)?						Total
	Within the last 7 days	Within the last 4 weeks	Within the last 6 months	Within the last 12 months	Within the last 5 years	More than 5 years ago	
NHS Surrey	52.3%	23.6%	11.6%	3.9%	4.3%	4.3%	100.0%
NHS West Kent	51.6%	28.1%	14.1%	3.1%	1.6%	1.6%	100.0%
NHS West / Eastern & Coastal Kent PCT Unknown (Kent)	47.6%	19.8%	18.3%	7.1%	3.2%	4.0%	100.0%
NHS Medway	66.7%	9.1%	6.1%	6.1%	6.1%	6.1%	100.0%
NHS Eastern and Coastal Kent	55.7%	20.0%	10.0%	2.9%	7.1%	4.3%	100.0%
NHS West Sussex	57.4%	20.7%	12.8%	2.1%	2.7%	4.3%	100.0%
NHS Brighton and Hove	64.7%	19.0%	11.1%	2.1%	2.4%	.7%	100.0%
NHS East Sussex Downs and Weald	52.2%	26.1%	12.3%	5.8%	2.9%	.7%	100.0%
NHS Hastings and Rother	54.1%	18.9%	10.8%	10.8%	5.4%		100.0%
Total	56.2%	21.4%	12.3%	3.9%	3.4%	2.7%	100.0%

22. Condom failure (tearing or slipping) in the previous 12 months.

% within PCT area of residence

	In the last 12 months has a condom you were wearing torn or slipped off during intercourse?				Total
	No	Yes, one time	Yes, more than one time	I don't know	
NHS Surrey	85.6%	10.5%	2.6%	1.3%	100.0%
NHS West Kent	81.8%	9.1%	9.1%		100.0%
NHS West / Eastern & Coastal Kent PCT Unknown (Kent)	83.3%	13.9%	2.8%		100.0%
NHS Medway	70.8%	20.8%	4.2%	4.2%	100.0%
NHS Eastern and Coastal Kent	81.8%	3.0%	15.2%		100.0%
NHS West Sussex	80.4%	16.7%	2.0%	1.0%	100.0%
NHS Brighton and Hove	82.4%	11.9%	1.9%	3.8%	100.0%
NHS East Sussex Downs and Weald	81.4%	15.1%	3.5%		100.0%
NHS Hastings and Rother	82.6%	8.7%	8.7%		100.0%
Total	82.3%	12.6%	3.6%	1.5%	100.0%

23.Communication of HIV status prior to or during sex with last non-steady male sexual partner.

% within PCT area of residence

	What did you tell him about your HIV status before or during sex?					Total
	I told him I didn't know my HIV status	I told him I was HIV negative	I told him I was HIV positive	I said nothing about my HIV status	I don't remember	
NHS Surrey	1.7%	30.7%	3.4%	62.0%	2.2%	100.0%
NHS West Kent	4.3%	17.4%	2.2%	71.7%	4.3%	100.0%
NHS West / Eastern & Coastal Kent PCT Unknown (Kent)	3.7%	25.6%	2.4%	58.5%	9.8%	100.0%
NHS Medway	4.3%	17.4%	4.3%	69.6%	4.3%	100.0%
NHS Eastern and Coastal Kent		17.0%	4.3%	72.3%	6.4%	100.0%
NHS West Sussex	2.1%	15.7%	5.7%	70.0%	6.4%	100.0%
NHS Brighton and Hove	3.1%	15.8%	13.6%	65.8%	1.8%	100.0%
NHS East Sussex Downs and Weald	3.8%	19.2%	10.6%	59.6%	6.7%	100.0%
NHS Hastings and Rother	3.7%	25.9%	7.4%	59.3%	3.7%	100.0%
Total	2.7%	20.7%	7.3%	64.8%	4.5%	100.0%

24. Percentage of MSM aged 15-49 who have had anal or vaginal intercourse with more than one partner in the last 12 months.

% within PCT area of residence

	UNGASS 16: Percentage of adults aged 15-49 who have had anal or vaginal intercourse with more than one partner in the last 12 months		Total
	none or one anal/vaginal intercourse partner in the last 12 months	more than one anal/vaginal intercourse partner in the last 12 months	
NHS Surrey	42.5%	57.5%	100.0%
NHS West Kent	50.0%	50.0%	100.0%
NHS West / Eastern & Coastal Kent PCT Unknown (Kent)	53.6%	46.4%	100.0%
NHS Medway	39.1%	60.9%	100.0%
NHS Eastern and Coastal Kent	48.5%	51.5%	100.0%
NHS West Sussex	38.4%	61.6%	100.0%
NHS Brighton and Hove	38.1%	61.9%	100.0%
NHS East Sussex Downs and Weald	37.6%	62.4%	100.0%
NHS Hastings and Rother	31.8%	68.2%	100.0%
Total	41.3%	58.7%	100.0%

25. Percentage of MSM reporting the use of a condom: the last time they had anal sex with a male partner within the last 6 months amongst men of all ages.

% within PCT area of residence

	UNGASS 19: Percentage of MSM reporting condom use the last time they had anal sex with a male partner (within last 6 months)		Total
	Last anal sex without a condom	Used condom during last anal sex	
NHS Surrey	39.2%	60.8%	100.0%
NHS West Kent	51.1%	48.9%	100.0%
NHS West / Eastern & Coastal Kent PCT Unknown (Kent)	51.7%	48.3%	100.0%
NHS Medway	57.1%	42.9%	100.0%
NHS Eastern and Coastal Kent	55.1%	44.9%	100.0%
NHS West Sussex	52.1%	47.9%	100.0%
NHS Brighton and Hove	52.8%	47.2%	100.0%
NHS East Sussex Downs and Weald	46.9%	53.1%	100.0%
NHS Hastings and Rother	25.0%	75.0%	100.0%
Total	48.5%	51.5%	100.0%

HATE CRIME

26.Experience of homophobic stares and intimidation.

% within PCT area of residence

	When was the last time you were stared at or intimidated because someone knew or presumed you are attracted to men?						Total
	Within the last 7 days	Within the last 4 weeks	Within the last 6 months	Within the last 12 months	Within the last 5 years	More than 5 years ago or Never	
NHS Surrey	12.7%	10.8%	11.6%	8.9%	10.4%	45.6%	100.0%
NHS West Kent	14.3%	12.7%	4.8%	14.3%	12.7%	41.3%	100.0%
NHS West / Eastern & Coastal Kent PCT Unknown (Kent)	16.7%	6.3%	15.1%	7.1%	9.5%	45.2%	100.0%
NHS Medway	8.8%	5.9%	8.8%	8.8%	20.6%	47.1%	100.0%
NHS Eastern and Coastal Kent	15.7%	7.1%	5.7%	14.3%	17.1%	40.0%	100.0%
NHS West Sussex	10.6%	8.5%	13.8%	9.0%	12.8%	45.2%	100.0%
NHS Brighton and Hove	12.8%	8.3%	13.9%	10.8%	17.0%	37.2%	100.0%
NHS East Sussex Downs and Weald	8.0%	8.0%	8.8%	11.7%	17.5%	46.0%	100.0%
NHS Hastings and Rother	5.4%	2.7%	10.8%	16.2%	10.8%	54.1%	100.0%
Total	12.2%	8.6%	11.7%	10.3%	13.9%	43.3%	100.0%

27.Experience of homophobic verbal abuse.

% within PCT area of residence

	When was the last time you had verbal insults directed at you, because someone knew or presumed you are attracted to men?						Total
	Within the last 7 days	Within the last 4 weeks	Within the last 6 months	Within the last 12 months	Within the last 5 years	More than 5 years ago or Never	
NHS Surrey	5.4%	5.8%	8.1%	10.4%	16.9%	53.5%	100.0%
NHS West Kent	6.3%	11.1%	3.2%	7.9%	15.9%	55.6%	100.0%
NHS West / Eastern & Coastal Kent PCT Unknown (Kent)	10.3%	7.9%	13.5%	6.3%	14.3%	47.6%	100.0%
NHS Medway	5.9%		5.9%	17.6%	23.5%	47.1%	100.0%
NHS Eastern and Coastal Kent	8.6%	8.6%	4.3%	8.6%	27.1%	42.9%	100.0%
NHS West Sussex	6.9%	6.9%	10.6%	7.4%	17.6%	50.5%	100.0%
NHS Brighton and Hove	3.5%	8.7%	10.4%	14.6%	20.8%	42.0%	100.0%
NHS East Sussex Downs and Weald	4.4%	2.9%	10.9%	9.5%	21.2%	51.1%	100.0%
NHS Hastings and Rother			5.4%	10.8%	29.7%	54.1%	100.0%
Total	5.7%	6.7%	9.3%	10.4%	19.3%	48.7%	100.0%

28.Experience of homophobic physical abuse.

% within PCT area of residence

	When was the last time you were punched, hit, kicked, or beaten because someone knew or presumed you are attracted to men?						Total
	Within the last 7 days	Within the last 4 weeks	Within the last 6 months	Within the last 12 months	Within the last 5 years	More than 5 years ago or Never	
NHS Surrey		.8%	.8%	3.1%	3.9%	91.5%	100.0%
NHS West Kent	1.6%	1.6%		3.2%	6.3%	87.3%	100.0%
NHS West / Eastern & Coastal Kent PCT Unknown (Kent)	.8%	.8%	2.4%	1.6%	5.6%	88.9%	100.0%
NHS Medway	2.9%				5.9%	91.2%	100.0%
NHS Eastern and Coastal Kent					15.7%	84.3%	100.0%
NHS West Sussex	.5%		1.6%	.5%	5.9%	91.5%	100.0%
NHS Brighton and Hove	1.0%	.7%	1.0%	1.4%	9.0%	86.8%	100.0%
NHS East Sussex Downs and Weald			2.2%	.7%	4.4%	92.7%	100.0%
NHS Hastings and Rother			2.7%		2.7%	94.6%	100.0%
Total	.6%	.5%	1.2%	1.5%	6.5%	89.7%	100.0%

INTERVENTION PERFORMANCE

29.Recency of hearing any information about HIV or STIs specifically for men who have sex with men.

% within PCT area of residence

	When was the last time you saw or heard any information about HIV or STIs specifically for men who have sex with men?						Total
	Within the last 7 days	Within the last 4 weeks	Within the last 6 months	Within the last 12 months	Within the last 5 years	More than 5 years ago or Never	
NHS Surrey	26.4%	21.8%	26.4%	11.5%	8.4%	5.4%	100.0%
NHS West Kent	25.0%	12.5%	28.1%	10.9%	10.9%	12.5%	100.0%
NHS West / Eastern & Coastal Kent PCT Unknown (Kent)	29.4%	15.1%	15.9%	19.0%	9.5%	11.1%	100.0%
NHS Medway	26.5%	11.8%	23.5%	14.7%	14.7%	8.8%	100.0%
NHS Eastern and Coastal Kent	24.3%	21.4%	14.3%	17.1%	12.9%	10.0%	100.0%
NHS West Sussex	31.4%	15.4%	22.9%	15.4%	6.4%	8.5%	100.0%
NHS Brighton and Hove	37.2%	28.5%	19.8%	7.3%	5.6%	1.7%	100.0%
NHS East Sussex Downs and Weald	36.2%	13.0%	23.2%	17.4%	5.8%	4.3%	100.0%
NHS Hastings and Rother	27.0%	21.6%	16.2%	16.2%	13.5%	5.4%	100.0%
Total	31.0%	19.9%	21.8%	13.1%	8.0%	6.2%	100.0%

30. Percentage of MSM reached with HIV prevention programmes amongst men of all ages.

% within PCT area of residence

	UNGASS 9: Reached with (targeted) HIV prevention programmes		Total
	EMIS-criteria for UNGASS 9 not met	EMIS-criteria for UNGASS 9 met	
NHS Surrey	27.6%	72.4%	100.0%
NHS West Kent	35.9%	64.1%	100.0%
NHS West / Eastern & Coastal Kent PCT Unknown (Kent)	34.9%	65.1%	100.0%
NHS Medway	44.1%	55.9%	100.0%
NHS Eastern and Coastal Kent	31.4%	68.6%	100.0%
NHS West Sussex	30.3%	69.7%	100.0%
NHS Brighton and Hove	20.1%	79.9%	100.0%
NHS East Sussex Downs and Weald	21.0%	79.0%	100.0%
NHS Hastings and Rother	29.7%	70.3%	100.0%
Total	27.4%	72.6%	100.0%

END