

Bass Line 2008-09: The African Health and Sex Survey

South East Coast Strategic Health Authority data report (n=136, June 2009)

This document reports data from Bass Line 2008-09, an assessment of the sexual HIV prevention needs of African people, conducted by Sigma Research in collaboration with health promoters throughout England. This data supplements the main report which describes the survey methods and sets the questions in context. That report will be available from late July 2009 at:

www.sigmaresearch.org.uk/go.php/reports/african

The survey

Bass Line 2008-09 used two data collection methods, a self-sealing, Freepost addressed booklet distributed by health promotion agencies and online via a dedicated website. The survey was available in English and French. This report contains data from both methods and both languages. To be included here respondents had to: consider themselves African or African-Caribbean; be aged 16 or over; be in England; and have completed sufficient questions.

Data reports

Data reports provide HIV health promotion planners with information about their local population in as much detail as is possible given the number of people who took part in the survey. This report contains data from African people who live in the South East Coast Strategic Health Authority (SHA). Respondents are grouped according to the Primary Care Trust in which they live. To access other SHA reports, and an all England report showing data by SHA, go to: www.sigmaresearch.org.uk/go.php/local/african

The tables

Groups of respondents living in the same Primary Care Trust appear as a line in the tables. The bottom line of each table gives the result for the entire South East Coast SHA sample. Tables 1 and 2 show the number of Africans recruited to the survey living in each PCT and the size of the sub-samples in the rest of the tables. The tables show the proportions (%) of each PCT sub-sample in each category of the variable (less missing data). Rows (lines across) add up to 100%.

The contents page identifies the question number (Q) each table is derived from. The questionnaire is available at:

www.sigmaresearch.org.uk/go.php/quests/african

Funding

The survey was funded by African HIV Policy Network as a part of the National African HIV Prevention Programme, which is funded by the Department of Health.

Table

SAMPLE DESCRIPTIONS

1. Primary Care Trust of residence.
2. PCT areas with 20+ respondents (for the rest of the report).
3. Method of recruitment.
4. Gender (Q7).
5. Ethnicity (Q2).
6. Age groups (Q3).
7. Ten most common countries of birth (Q10).
8. Length of time living in the UK (Q13).
9. Educational level (Q14).
10. Religion (Q9).
11. Gender of sexual intercourse partners in the last year (males) (Q7+Q29+Q30).
12. Gender of sexual intercourse partners in the last year (females) (Q7+Q29+Q30).
13. Circumcision (males) (Q7+Q26).
14. Circumcision (females) (Q7+Q26).

HIV AND STI TESTING AND DIAGNOSIS

15. Perceived HIV status (Q17).
16. HIV testing history (Q18+Q19+Q20).
17. Desirability of, and access to, HIV testing (Q22+Q23).
18. Most recent STI test (other than HIV or cervical smears) (Q24).

SEXUAL HEALTH AND HIV RISK BEHAVIOURS

19. Current regular sexual relationships (Q31+Q32).
20. Total number of sexual intercourse partners in the last year (Q28+Q29+Q30).
21. Regularity of condom use in the last year (Q33).
22. Experienced condom failure in the last year (Q34+Q35).
23. Likelihood of sero-discordant unprotected intercourse in the last year (males) (Q38).
24. Likelihood of sero-discordant unprotected intercourse in the last year (females) (Q38).

HIV AWARENESS AND KNOWLEDGE NEEDS

25. AIDS caused by virus called HIV (Q16a).
26. You can not be sure that someone is NOT infected by HIV by looking at them (Q16b).
27. People can have HIV without knowing it (Q16c).

28. There is a medical test that can show whether or not you have HIV (Q16d).
29. Africans are NOT deported from the UK solely because they have HIV (Q16e).
30. There is no cure for HIV infection once someone has it (Q37a).
31. At least 1-in-20 of all Africans living in England have HIV infection (Q37b).
32. There are HIV medicines that can help people with HIV infection (Q37c).
33. HIV medicines work better if people with HIV take them before they become ill (Q37d).
34. HIV is never passed on through shaking hands or touching people (Q37e).
35. A person with HIV can pass it to a partner during sexual intercourse (Q37f).
36. Condoms are free from sexual health clinics, family planning clinics and some community organisations (Q37g).
37. Some people with HIV have been imprisoned in the UK for passing their infection to a sexual partner (Q37h).

OTHER HIV PREVENTION NEEDS

38. I can use condoms with a sexual partner if I want to (Q36b).
39. I sometimes have a problem getting hold of condoms (Q36d).
40. If I carried a condom I would worry about what people thought on me (Q36a).
41. I would find it easy to talk about safer sex and HIV with new sexual partners (Q36c).
42. [Among those who had NOT tested HIV positive] I do not want to get HIV (if I haven't already got it) (Q42a).
43. [Among those who had NOT tested HIV positive] I think I am at risk of getting HIV (Q42b).
44. [Among those who had NOT tested HIV positive] I have the power to reduce my risk of getting HIV (Q42c).
45. Desire for more sexual health and HIV knowledge (Q46).
46. Desire to learn about sexual health and HIV through reading (Q48).
47. Desire to learn more about sexual health and HIV through talking to an individual (Q48).
48. Desire to learn more about sexual health and HIV through taking part in a group (Q48).
49. Heard of PEP (Q 39).
50. Willingness to use PEP [Among those who had NOT tested HIV positive] (Q39+Q41).



Sigma Research, University of Portsmouth
 77a Tradescant Road, London, SW8 1XJ
 020-7820 8022

www.sigmaresearch.org.uk

SAMPLE DESCRIPTION

1. PCT area of residence

	Frequency	Percent
NHS Surrey	51	37.5
NHS Medway	35	25.7
West Sussex PCT	13	9.6
NHS West Kent	8	5.9
NHS East Sussex Downs and Weald	8	5.9
NHS Eastern and Coastal Kent	7	5.1
NHS Brighton and Hove City	7	5.1
West / Eastern & Coastal Kent PCT Unknown (Kent)	6	4.4
NHS Hastings and Rother	1	.7
Total	136	100.0

2. PCT area with 20+ respondents (for the rest of the report)

	Frequency	Percent
NHS Surrey	51	37.5
NHS Medway	35	25.7
All other South East Coast	50	36.8
Total	136	100.0

3. Method of recruitment

% within PCT area of residence

	Method - recruitment type		Total
	On-line English	Booklet English	
NHS Surrey	19.6%	80.4%	100.0%
NHS Medway	2.9%	97.1%	100.0%
All other South East Coast	32.0%	68.0%	100.0%
Total	19.9%	80.1%	100.0%

4. Gender

% within PCT area of residence

	Demog - Gender		Total
	Male	Female	
NHS Surrey	36.0%	64.0%	100.0%
NHS Medway	40.0%	60.0%	100.0%
All other South East Coast	38.0%	62.0%	100.0%
Total	37.8%	62.2%	100.0%

5. Ethnicity

% within PCT area of residence

	Ethnicity						Total
	Black African	Black African British	African Asian	White African	African Caribbean	Mixed race African	
NHS Surrey	76.5%	9.8%	3.9%	3.9%	2.0%	3.9%	100.0%
NHS Medway	94.3%	5.7%					100.0%
All other South East Coast	68.0%	12.0%	4.0%	10.0%	6.0%		100.0%
Total	77.9%	9.6%	2.9%	5.1%	2.9%	1.5%	100.0%

6. Age groups

% within PCT area of residence

	Age groups					Total
	under 20 years	20-29 years	30-39 years	40-49 years	50 years and older	
NHS Surrey	6.0%	28.0%	40.0%	24.0%	2.0%	100.0%
NHS Medway	5.7%	51.4%	25.7%	14.3%	2.9%	100.0%
All other South East Coast	8.0%	28.0%	34.0%	26.0%	4.0%	100.0%
Total	6.7%	34.1%	34.1%	22.2%	3.0%	100.0%

7. Top ten countries of birth

% within PCT area of residence

	Demog - country of birth (modified)												Total
	Cameroon	The Gambia	Ghana	Kenya	Malawi	Nigeria	Republic of South Africa	United Kingdom	Zambia	Zimbabwe	Elsewhere in Africa	Elsewhere in the world	
NHS Surrey	5.9%				5.9%	2.0%	13.7%	5.9%	5.9%	45.1%	11.8%	3.9%	100.0%
NHS Medway			12.1%		9.1%	42.4%		9.1%	3.0%	12.1%	12.1%		100.0%
All other South East Coast	2.0%	6.1%		6.1%		22.4%	6.1%	22.4%	2.0%	32.7%			100.0%
Total	3.0%	2.3%	3.0%	2.3%	4.5%	19.5%	7.5%	12.8%	3.8%	32.3%	7.5%	1.5%	100.0%

8. Length of time living in the UK

% within PCT area of residence

	Length of time in the UK					Total
	less than 1 year	over 1 year, less than 3 years	over 3 years, less than 6 years	over 6 years, less than 10 years	10 years or more	
NHS Surrey		7.8%	33.3%	39.2%	19.6%	100.0%
NHS Medway	28.6%	11.4%	14.3%	14.3%	31.4%	100.0%
All other South East Coast	10.0%	8.0%	26.0%	32.0%	24.0%	100.0%
Total	11.0%	8.8%	25.7%	30.1%	24.3%	100.0%

9. Educational level

% within PCT area of residence

	Educational level			Total
	LOW (None / Primary / Elementary School)	MEDIUM (Secondary / High School)	HIGH (University / College)	
NHS Surrey	2.0%	28.6%	69.4%	100.0%
NHS Medway		8.6%	91.4%	100.0%
All other South East Coast		18.8%	81.3%	100.0%
Total	.8%	19.7%	79.5%	100.0%

10. Religion

% within PCT area of residence

	Religion category					Total
	Christian	Islam	Buddhism	other	none	
NHS Surrey	90.2%	3.9%	2.0%	2.0%	2.0%	100.0%
NHS Medway	94.1%	2.9%			2.9%	100.0%
All other South East Coast	82.0%	10.0%	2.0%	2.0%	4.0%	100.0%
Total	88.1%	5.9%	1.5%	1.5%	3.0%	100.0%

11. Gender of sexual intercourse partners in the last year (males)

% within PCT area of residence

	Gender of sexual intercourse partners in the last year (males)				Total
	NO SEX	Exclusively heterosexual	Behaviourally bisexual	Exclusively homosexual	
NHS Surrey	20.0%	73.3%		6.7%	100.0%
NHS Medway	18.2%	63.6%	18.2%		100.0%
All other South East Coast	22.2%	72.2%	5.6%		100.0%
Total	20.5%	70.5%	6.8%	2.3%	100.0%

12. Gender of sexual intercourse partners in the last year (females)

% within PCT area of residence

	Gender of sexual intercourse partners in the last year (female)			Total
	NO SEX	Exclusively heterosexual	Behaviourally bisexual	
NHS Surrey	34.5%	58.6%	6.9%	100.0%
NHS Medway	38.1%	52.4%	9.5%	100.0%
All other South East Coast	24.1%	72.4%	3.4%	100.0%
Total	31.6%	62.0%	6.3%	100.0%

13. Circumcision (males)

% within PCT area of residence

	Circumcision (males)			Total
	Circumcised	Uncircumcised	Don't know	
NHS Surrey	38.9%	61.1%		100.0%
NHS Medway	90.9%	9.1%		100.0%
All other South East Coast	57.9%	36.8%	5.3%	100.0%
Total	58.3%	39.6%	2.1%	100.0%

14. Circumcision (females)

% within PCT area of residence

	Circumcision (females)			Total
	Circumcised	Uncircumcised	Don't know	
NHS Surrey		90.0%	10.0%	100.0%
NHS Medway	30.0%	65.0%	5.0%	100.0%
All other South East Coast	6.5%	87.1%	6.5%	100.0%
Total	9.9%	82.7%	7.4%	100.0%

HIV AND STI TESTING AND DIAGNOSIS

15. Perceived HIV status

% within PCT area of residence

	HIV - Status belief					Total
	Definitely negative	Probably negative	Not sure / I don't know	Probably positive	Definitely positive	
NHS Surrey	36.0%	8.0%	16.0%	2.0%	38.0%	100.0%
NHS Medway	70.6%	17.6%	8.8%	2.9%		100.0%
All other South East Coast	67.3%	14.3%	8.2%		10.2%	100.0%
Total	56.4%	12.8%	11.3%	1.5%	18.0%	100.0%

16. HIV testing history

% within PCT area of residence

	HIV Testing History			Total
	Never tested	Last test negative	Tested positive	
NHS Surrey	23.5%	37.3%	39.2%	100.0%
NHS Medway	57.1%	37.1%	5.7%	100.0%
All other South East Coast	34.0%	52.0%	14.0%	100.0%
Total	36.0%	42.6%	21.3%	100.0%

17. Desirability of and access to HIV testing

% within PCT area of residence

	Desirability of and access to HIV testing						Total
	Don't want a test but know where to get one	Not sure if want a test but know where to get one	Want a test and know where to get one	Don't want a test and don't know where to get one	Not sure if want a test and don't know where to get one	Want a test and don't know where to get one	
NHS Surrey	40.0%	20.0%	17.5%	2.5%	10.0%	10.0%	100.0%
NHS Medway	25.0%	7.1%	25.0%	10.7%	14.3%	17.9%	100.0%
All other South East Coast	46.5%	9.3%	30.2%	4.7%	2.3%	7.0%	100.0%
Total	38.7%	12.6%	24.3%	5.4%	8.1%	10.8%	100.0%

18. Most recent STI test (other than HIV or cervical smears)

% within PCT area of residence

	Most recent STI test other than HIV or cervical smears						Total
	In the last month	In the last 12 months	1 to 5 years ago	More than 5 years ago	Never	Don't know	
NHS Surrey	10.4%	25.0%	18.8%	10.4%	22.9%	12.5%	100.0%
NHS Medway	14.7%	29.4%	5.9%	11.8%	38.2%		100.0%
All other South East Coast	8.2%	22.4%	18.4%	16.3%	34.7%		100.0%
Total	10.7%	25.2%	15.3%	13.0%	31.3%	4.6%	100.0%

SEXUAL HEALTH AND HIV RISK BEHAVIOURS

19. Current regular sexual relationships

% within PCT area of residence

	Current regular sexual relationships				Total
	NO regular partner at present	One regular partner (mongamous)	One regular partner (but NOT monogamous)	More than one regular partner	
NHS Surrey	31.3%	52.1%	14.6%	2.1%	100%
NHS Medway	43.8%	31.3%	18.8%	6.3%	100%
All other South East Coast	36.7%	53.1%	6.1%	4.1%	100%
Total	36.4%	47.3%	12.4%	3.9%	100%

20. Total number of sexual intercourse partners in the last year

% within PCT area of residence

	Total number of sexual intercourse partners in the last year								Total
	None	One	Two	Three	Four	Five	6 to 12	13 or more	
NHS Surrey	31.1%	48.9%	4.4%	8.9%	2.2%	4.4%			100.0%
NHS Medway	31.3%	28.1%	25.0%	6.3%	6.3%			3.1%	100.0%
All other South East Coast	23.4%	55.3%	8.5%		2.1%	6.4%	4.3%		100.0%
Total	28.2%	46.0%	11.3%	4.8%	3.2%	4.0%	1.6%	.8%	100.0%

21. Regularity of condom use in the last year

% within PCT area of residence

	Regularity of condom use in the last year						Total
	Always	More than half the time	About half the time	Less than half the time	Never	Not had intercourse in last 12 months	
NHS Surrey	31.3%	6.3%	4.2%	4.2%	27.1%	27.1%	100.0%
NHS Medway	21.2%	15.2%	15.2%	9.1%	12.1%	27.3%	100.0%
All other South East Coast	14.6%	16.7%	4.2%	10.4%	31.3%	22.9%	100.0%
Total	22.5%	12.4%	7.0%	7.8%	24.8%	25.6%	100.0%

22. Experienced condom failure in the last year

% within PCT area of residence

	Experienced condom breakage or slippage in the last year		Total
	No	Yes	
NHS Surrey	82.0%	18.0%	100.0%
NHS Medway	71.0%	29.0%	100.0%
All other South East Coast	81.3%	18.8%	100.0%
Total	79.1%	20.9%	100.0%

23. Likelihood of sero-discordant unprotected intercourse in the last year (males)

% within PCT area of residence

	Sex - likelihood of unprotected SDUI (males)					Total
	I definitely have	I probably have	I don't know	I probably have not	I definitely have not	
NHS Surrey		6.3%	18.8%	18.8%	56.3%	100.0%
NHS Medway	16.7%	16.7%	8.3%	8.3%	50.0%	100.0%
All other South East Coast		6.3%	25.0%		68.8%	100.0%
Total	4.5%	9.1%	18.2%	9.1%	59.1%	100.0%

24. Likelihood of sero-discordant unprotected intercourse in the last year (females)

% within PCT area of residence

	Sex - likelihood of unprotected SDUI (females)					Total
	I definitely have	I probably have	I don't know	I probably have not	I definitely have not	
NHS Surrey	9.7%		22.6%	3.2%	64.5%	100.0%
NHS Medway	5.3%	15.8%		5.3%	73.7%	100.0%
All other South East Coast	3.3%		13.3%	13.3%	70.0%	100.0%
Total	6.3%	3.8%	13.8%	7.5%	68.8%	100.0%

HIV AWARENESS AND KNOWLEDGE NEEDS

25. AIDS caused by virus called HIV

% within PCT area of residence

	AIDS is caused by a virus called HIV				Total
	I knew this before today	I wasn't sure if this was true or not	I didn't know this	I don't understand this	
NHS Surrey	88.2%	7.8%	2.0%	2.0%	100.0%
NHS Medway	100.0%				100.0%
All other South East Coast	98.0%	2.0%			100.0%
Total	94.9%	3.7%	.7%	.7%	100.0%

26. You can not be sure that someone is NOT infected by HIV by looking at them

% within PCT area of residence

	You can not be sure that someone is NOT infected by HIV by looking at them			Total
	I knew this before today	I wasn't sure if this was true or not	I didn't know this	
NHS Surrey	88.2%	7.8%	3.9%	100.0%
NHS Medway	94.1%	5.9%		100.0%
All other South East Coast	90.0%	6.0%	4.0%	100.0%
Total	90.4%	6.7%	3.0%	100.0%

27. People can have HIV without knowing it

% within PCT area of residence

	People can have HIV without knowing it				Total
	I knew this before today	I wasn't sure if this was true or not	I didn't know this	I don't understand this	
NHS Surrey	78.4%	7.8%	11.8%	2.0%	100.0%
NHS Medway	91.2%	5.9%	2.9%		100.0%
All other South East Coast	89.8%	8.2%		2.0%	100.0%
Total	85.8%	7.5%	5.2%	1.5%	100.0%

28. There is a medical test that can show whether or not you have HIV

% within PCT area of residence

	There is a medical test that can show whether or not you have HIV				Total
	I knew this before today	I wasn't sure if this was true or not	I didn't know this	I don't understand this	
NHS Surrey	88.2%	7.8%	2.0%	2.0%	100.0%
NHS Medway	97.1%	2.9%			100.0%
All other South East Coast	98.0%		2.0%		100.0%
Total	94.1%	3.7%	1.5%	.7%	100.0%

29. Africans are NOT deported from the UK solely because they have HIV

% within PCT area of residence

	African are NOT deported from the UK just because they have HIV				Total
	I knew this before today	I wasn't sure if this was true or not	I didn't know this	I don't understand this	
NHS Surrey	49.0%	28.6%	16.3%	6.1%	100.0%
NHS Medway	69.7%	21.2%	6.1%	3.0%	100.0%
All other South East Coast	76.0%	14.0%	10.0%		100.0%
Total	64.4%	21.2%	11.4%	3.0%	100.0%

30. There is no cure for HIV infection once someone has it

% within PCT area of residence

	There is no cure for HIV infection once someone has it				Total
	I knew this before today	I didn't know this before today	I wasn't sure if this was true or not	I don't understand this	
NHS Surrey	91.8%	2.0%	2.0%	4.1%	100.0%
NHS Medway	90.9%	6.1%		3.0%	100.0%
All other South East Coast	97.9%	2.1%			100.0%
Total	93.8%	3.1%	.8%	2.3%	100.0%

31. At least 1-in-20 of all Africans living in England have HIV infection

% within PCT area of residence

	At least 1-in-20 of all Africans living in England have HIV infection				Total
	I knew this before today	I didn't know this before today	I wasn't sure if this was true or not	I don't understand this	
NHS Surrey	26.5%	42.9%	18.4%	12.2%	100.0%
NHS Medway	37.5%	37.5%	18.8%	6.3%	100.0%
All other South East Coast	32.6%	56.5%	6.5%	4.3%	100.0%
Total	31.5%	46.5%	14.2%	7.9%	100.0%

32. There are HIV medicines that can help people with HIV infection

% within PCT area of residence

	There are HIV medicines that can help people with HIV to stay healthy				Total
	I knew this before today	I didn't know this before today	I wasn't sure if this was true or not	I don't understand this	
NHS Surrey	86.0%	2.0%	8.0%	4.0%	100.0%
NHS Medway	84.8%	12.1%		3.0%	100.0%
All other South East Coast	91.7%	6.3%	2.1%		100.0%
Total	87.8%	6.1%	3.8%	2.3%	100.0%

33. HIV medicines work better if people with HIV take them before they become ill

% within PCT area of residence

	HIV medicines work better if people with HIV take them before they become ill				Total
	I knew this before today	I didn't know this before today	I wasn't sure if this was true or not	I don't understand this	
NHS Surrey	64.0%	14.0%	16.0%	6.0%	100.0%
NHS Medway	72.7%	18.2%	6.1%	3.0%	100.0%
All other South East Coast	81.3%	10.4%	6.3%	2.1%	100.0%
Total	72.5%	13.7%	9.9%	3.8%	100.0%

34. HIV is never passed on through shaking hands or touching people

% within PCT area of residence

	HIV is never passed on through shaking hands or touching people				Total
	I knew this before today	I didn't know this before today	I wasn't sure if this was true or not	I don't understand this	
NHS Surrey	92.0%	2.0%	4.0%	2.0%	100.0%
NHS Medway	91.2%	5.9%		2.9%	100.0%
All other South East Coast	100.0%				100.0%
Total	94.7%	2.3%	1.5%	1.5%	100.0%

35. A person with HIV can pass it to a partner during sexual intercourse

% within PCT area of residence

	A person with HIV can pass it to a partner during sexual intercourse			Total
	I knew this before today	I wasn't sure if this was true or not	I don't understand this	
NHS Surrey	94.0%	2.0%	4.0%	100.0%
NHS Medway	94.1%	2.9%	2.9%	100.0%
All other South East Coast	100.0%			100.0%
Total	96.2%	1.5%	2.3%	100.0%

36. Condoms are free from sexual health clinics, family planning clinics and some community organisations

% within PCT area of residence

	Condoms are free from sexual health clinics, family planning clinics and some community organisations				Total
	I knew this before today	I didn't know this before today	I wasn't sure if this was true or not	I don't understand this	
NHS Surrey	85.7%	6.1%	4.1%	4.1%	100.0%
NHS Medway	79.4%	14.7%	2.9%	2.9%	100.0%
All other South East Coast	87.8%	10.2%	2.0%		100.0%
Total	84.8%	9.8%	3.0%	2.3%	100.0%

37. Some people with HIV have been imprisoned in the UK for passing their infection to a sexual partner

% within PCT area of residence

	Some people with HIV have been imprisoned in the UK for passing their infection to a sexual partner				Total
	I knew this before today	I didn't know this before today	I wasn't sure if this was true or not	I don't understand this	
NHS Surrey	63.3%	20.4%	12.2%	4.1%	100.0%
NHS Medway	52.9%	35.3%	5.9%	5.9%	100.0%
All other South East Coast	69.4%	18.4%	10.2%	2.0%	100.0%
Total	62.9%	23.5%	9.8%	3.8%	100.0%

OTHER HIV PREVENTION NEEDS

38. I can use condoms with a sexual partner if I want to

% within PCT area of residence

	I can use condoms with a sexual partner if I want to					Total
	strongly agree	agree	don't know / does not apply	disagree	strongly disagree	
NHS Surrey	60.0%	22.0%	14.0%	2.0%	2.0%	100.0%
NHS Medway	54.5%	24.2%	12.1%		9.1%	100.0%
All other South East Coast	52.1%	29.2%	8.3%	6.3%	4.2%	100.0%
Total	55.7%	25.2%	11.5%	3.1%	4.6%	100.0%

39. I sometimes have a problem getting hold of condoms

% within PCT area of residence

	I sometimes have a problem getting hold of condoms					Total
	strongly agree	agree	don't know / does not apply	disagree	strongly disagree	
NHS Surrey	4.0%	2.0%	30.0%	22.0%	42.0%	100.0%
NHS Medway	3.1%	9.4%	28.1%	25.0%	34.4%	100.0%
All other South East Coast		10.4%	16.7%	39.6%	33.3%	100.0%
Total	2.3%	6.9%	24.6%	29.2%	36.9%	100.0%

40. If I carried a condom I would worry about what people thought of me

% within PCT area of residence

	If I carried a condom I would worry about what people thought of me					Total
	strongly agree	agree	don't know / does not apply	disagree	strongly disagree	
NHS Surrey	14.6%	16.7%	20.8%	22.9%	25.0%	100.0%
NHS Medway	12.1%	12.1%	21.2%	12.1%	42.4%	100.0%
All other South East Coast	12.2%	10.2%	16.3%	30.6%	30.6%	100.0%
Total	13.1%	13.1%	19.2%	23.1%	31.5%	100.0%

41. I would find it easy to talk about safer sex and HIV with new sexual partners

% within PCT area of residence

	I would find it easy to talk about safer sex and HIV with new sexual partners					Total
	strongly agree	agree	don't know / does not apply	disagree	strongly disagree	
NHS Surrey	40.8%	22.4%	30.6%	2.0%	4.1%	100.0%
NHS Medway	45.5%	30.3%	15.2%		9.1%	100.0%
All other South East Coast	52.1%	14.6%	16.7%	8.3%	8.3%	100.0%
Total	46.2%	21.5%	21.5%	3.8%	6.9%	100.0%

42. I do not want to get HIV (if I haven't already got it) [Among those who had NOT tested HIV positive]

% within PCT area of residence

	ION - I do not want to get or pass on HIV (not tested HIV positive)				Total
	strongly agree	agree	not sure	strongly disagree	
NHS Surrey	73.3%	13.3%	6.7%	6.7%	100.0%
NHS Medway	90.6%	6.3%		3.1%	100.0%
All other South East Coast	92.7%	2.4%		4.9%	100.0%
Total	86.4%	6.8%	1.9%	4.9%	100.0%

43. I think I am at risk of getting HIV [Among those who had NOT tested HIV positive]

% within PCT area of residence

	ION - Think I am at risk of getting or passing on HIV (not tested HIV positive)					Total
	strongly agree	agree	not sure	disagree	strongly disagree	
NHS Surrey	13.8%	6.9%	31.0%	17.2%	31.0%	100.0%
NHS Medway	6.3%	3.1%	6.3%	21.9%	62.5%	100.0%
All other South East Coast	2.4%	14.6%	9.8%	26.8%	46.3%	100.0%
Total	6.9%	8.8%	14.7%	22.5%	47.1%	100.0%

44. I have the power to reduce my risk of getting HIV [Among those who had NOT tested HIV positive]

% within PCT area of residence

	ION - I have power to reduce risk of getting or passing on HIV (not tested HIV positive)				Total
	strongly agree	agree	not sure	strongly disagree	
NHS Surrey	60.7%	21.4%	17.9%		100.0%
NHS Medway	78.1%	15.6%	3.1%	3.1%	100.0%
All other South East Coast	90.2%	2.4%	4.9%	2.4%	100.0%
Total	78.2%	11.9%	7.9%	2.0%	100.0%

45. Desire for more sexual health and HIV knowledge

% within PCT area of residence

	Desire for more sexual health and HIV knowledge		Total
	No	Yes	
NHS Surrey	4.2%	95.8%	100.0%
NHS Medway	3.1%	96.9%	100.0%
All other South East Coast	8.7%	91.3%	100.0%
Total	5.6%	94.4%	100.0%

46. Desire to learn about sexual health and HIV through reading

% within PCT area of residence

	Desire to learn about sexual health and HIV through reading		Total
	No	Yes	
NHS Surrey	20.8%	79.2%	100.0%
NHS Medway	18.8%	81.3%	100.0%
All other South East Coast	13.6%	86.4%	100.0%
Total	17.7%	82.3%	100.0%

47. Desire to learn more about sexual health and HIV through talking to an individual

% within PCT area of residence

	Desire to learn about sexual health and HIV through talking to an individual		Total
	No	Yes	
NHS Surrey	41.7%	58.3%	100.0%
NHS Medway	50.0%	50.0%	100.0%
All other South East Coast	52.3%	47.7%	100.0%
Total	47.6%	52.4%	100.0%

48. Desire to learn more about sexual health and HIV through taking part in a group

% within PCT area of residence

	Desire to learn about sexual health and HIV through taking part in group/workshop		Total
	No	Yes	
NHS Surrey	68.8%	31.3%	100.0%
NHS Medway	62.5%	37.5%	100.0%
All other South East Coast	77.3%	22.7%	100.0%
Total	70.2%	29.8%	100.0%

49. Heard of PEP

% within PCT area of residence

	Heard of PEP		Total
	No	Yes	
NHS Surrey	67.3%	32.7%	100.0%
NHS Medway	61.8%	38.2%	100.0%
All other South East Coast	69.4%	30.6%	100.0%
Total	66.7%	33.3%	100.0%

50. Willingness to use PEP [Among those who had NOT tested HIV positive]

% within PCT area of residence

	Willingness to use PEP (amongst those who have not tested HIV positive)			Total
	No	Yes	Maybe	
NHS Surrey	6.7%	46.7%	46.7%	100.0%
NHS Medway	16.7%	53.3%	30.0%	100.0%
All other South East Coast	10.0%	52.5%	37.5%	100.0%
Total	11.0%	51.0%	38.0%	100.0%

<ENDS>