

Vital Statistics 2008 The UK Gay Men's Sex Survey

Area sub-samples data report (December 2009)

South West Strategic Health Authority (n=534)

This report uses data from the UK *Gay Men's Sex Survey* 2008, conducted by Sigma Research in collaboration with health promoters throughout the UK. It supplements the main survey report which will be published in early 2010. Survey methods and interpretation of the variables will be outlined in that report.

This data is intended to provide HIV health promotion planners with information about their local population of gay men and bisexual men. There is a data report for each of the ten Strategic Health Authorities (SHA) in England, with men grouped according to their Primary Care Trust (PCT) of residence. These 2008 reports, and similar reports for previous years, are available at: www.sigmaresearch.org.uk/gmss/go.php/region

There are also whole country reports for England, Wales, Scotland, Northern Ireland and the Republic of Ireland, with men grouped according to their region of residence. These reports, and similar reports for previous years, are available at: www.sigmaresearch.org.uk/gmss/go.php/country

The data

The survey used two data collection methods over the summer of 2008: a self-sealing, Freepost addressed booklet distributed by health promotion agencies; and via a specific website promoted via links on gay and HIV-related websites.

This report contains data from all the men recruited through both methods. To be included in the sample respondents had to: be male; be aged 14 or over; be living in the UK; have had sex with a man in the last year or have a gay, bisexual or other "queer" identity; have completed at least one demographic question and one other question. Differences between the number of surveys returned and the number of men who appear in the sample are due to these exclusions.

The tables

Groups of men living in the same PCT appear as a row (horizontal line) in the tables. The bottom row of each table gives the result for the entire Strategic Health Authority. The first table shows the number of men recruited to the survey living in each PCT and the size of the sub-samples in the rest of the tables. PCT areas with fewer than 20 men in the sample are reported as "all other South West men". Some adjoining PCT areas are amalgamated where respondents cannot be allocated to an individual PCT. The tables show the proportions (%) of each sub-sample for that variable (less missing data). Rows add up to 100%. The only exception to this layout is table 3, Age averages.

Questionnaires

The contents page identifies the Booklet question number (Q) each table is derived from. The questionnaire used in the survey is available to download at: www.sigmaresearch.org.uk/files/VS2008booklet.pdf

Funding

The survey was funded by Terrence Higgins Trust as part of CHAPS, a national HIV prevention initiative funded by the English Department of Health. Online recruitment occurred in England, Wales, Scotland, Northern Ireland and the Republic of Ireland. Booklet recruitment occurred only in England and Wales.



Sigma
RESEARCH

Table Contents

SAMPLE DESCRIPTION

- 1a. Primary Care Trust (PCT) of residence
- 1b. Web and booklet sample sizes by PCT of residence
2. Age, in 5 groups (Q6)
3. Age averages (Q6)
4. Ethnicity, in 6 groups (Q7)
5. Highest education qualification (Q8)
6. Sexual identity(Q9)
7. Trans male status (Q1)
8. Gender of sexual partners in the last year (Q23)
9. Marriage / Civil partnership status (Q16)
10. Sero-discordancy with male regular partner (Q11 & Q13)
11. Sexuality disclosure (outness to family, friends & workmates) score average (range 0 = out to none - 12 = out to all, or almost all) (Q10)
12. Living arrangements (Q14)

HIV INFECTION (AND TESTING INTERVENTION PERFORMANCE)

13. HIV testing history (Q17 & Q18)
14. Self-rating of HIV transmission probability among homosexually active men in the last year (Q17 & Q42)

RISK BEHAVIOURS

15. Number of male sexual partners in the last year (Q24)
16. Number of male unprotected anal intercourse partners among homosexually active men in the last year (Q26 & Q23)
17. Use of Nitrite inhalants (poppers) (Q44 & Q45 & Q46 & Q47)
18. Use of anabolic steroids (Q49)

PREVENTION NEEDS

19. Sexual behavioural intention on partner's positive disclosure (Q43 & Q17) (among men not tested positive)
20. Knowledge that poppers increase transmission probability (Q48)
21. Knowledge that HIV, Hep B & C may be transmitted from shared injecting equipment when using anabolic steroids (Q52a)
22. Knowledge that anabolic steroid use is linked to heart disease (Q52b)
23. Knowledge that concurrent stimulant and anabolic steroid use increases heart attack risk (q52c)
24. Knowledge that non-prescribed anabolic steroids dosage may vary from that labelled (Q52d)

Sigma Research
University of Portsmouth
77a Tradescant Road
London, SW8 1XJ
020-7820 8022
David.Reid@sigmaresearch.org.uk
www.sigmaresearch.org.uk
www.gmss.org.uk

SAMPLE DESCRIPTION

1a. Primary Care Trust (PCT) area of residence

	Frequency	Percent
NHS Bristol	127	23.8
NHS Bournemouth and Poole	67	12.5
NHS Plymouth Teaching	51	9.6
NHS Gloucestershire	47	8.8
NHS Cornwall and Isles of Scilly	43	8.1
Devon PCT	39	7.3
NHS Somerset	29	5.4
NHS Bath and North East Somerset	28	5.2
NHS Wiltshire	25	4.7
NHS Swindon	18	3.4
Torbay Care Trust	16	3.0
NHS Dorset	16	3.0
NHS North Somerset	14	2.6
NHS South Gloucestershire	12	2.2
PCT area unknown	2	.4
Total	534	100.0

1b. Web and booklet sample sizes by PCT area of residence

Count

	Distribution method		Total
	Web	Booklet	
PCT area unknown	2	0	2
NHS Gloucestershire	29	18	47
NHS South Gloucestershire	9	3	12
NHS Bristol	65	62	127
NHS North Somerset	8	6	14
NHS Bath and North East Somerset	14	14	28
NHS Swindon	12	6	18
NHS Wiltshire	20	5	25
NHS Cornwall and Isles of Scilly	23	20	43
NHS Plymouth Teaching	41	10	51
Devon PCT	26	13	39
Torbay Care Trust	9	7	16
NHS Somerset	25	4	29
NHS Dorset	13	3	16
NHS Bournemouth and Poole	34	33	67
Total	330	204	534

2. Age, in 5 groups (Q6)

% within PCT area of residence

	Age, in 5 groups (Q6)					Total
	<20	20s	30s	40s	50+	
NHS Gloucestershire	12.8%	31.9%	21.3%	14.9%	19.1%	100.0%
NHS Bristol	6.3%	36.2%	34.6%	9.4%	13.4%	100.0%
NHS Bath and North East Somerset	10.7%	32.1%	21.4%	17.9%	17.9%	100.0%
NHS Wiltshire	4.0%	12.0%	24.0%	24.0%	36.0%	100.0%
NHS Cornwall and Isles of Scilly	2.3%	23.3%	25.6%	20.9%	27.9%	100.0%
NHS Plymouth Teaching	7.8%	39.2%	23.5%	21.6%	7.8%	100.0%
Devon PCT	12.8%	12.8%	10.3%	35.9%	28.2%	100.0%
NHS Somerset	13.8%	10.3%	20.7%	34.5%	20.7%	100.0%
NHS Bournemouth and Poole	19.7%	25.8%	25.8%	21.2%	7.6%	100.0%
All other South West men	3.8%	20.5%	24.4%	25.6%	25.6%	100.0%
Total	9.0%	27.0%	25.3%	20.3%	18.4%	100.0%

3. Age averages (Q6)

Age averages (Q6)

PCT area of residence	Median	Mean	Minimum	Maximum	Std. Deviation
NHS Gloucestershire	33.0000	35.9362	16.00	83.00	15.47284
NHS Bristol	32.0000	33.6693	18.00	79.00	12.16034
NHS Bath and North East Somerset	33.0000	35.8214	16.00	76.00	15.99318
NHS Wiltshire	43.0000	42.6400	19.00	68.00	13.89508
NHS Cornwall and Isles of Scilly	39.0000	40.8605	17.00	67.00	13.61998
NHS Plymouth Teaching	31.0000	32.6667	18.00	67.00	12.03772
Devon PCT	41.0000	40.6154	16.00	73.00	14.53601
NHS Somerset	41.0000	38.1379	15.00	65.00	13.79111
NHS Bournemouth and Poole	31.0000	32.7424	16.00	75.00	12.81863
All other South West men	41.0000	40.5128	16.00	71.00	13.29461
Total	36.0000	36.5253	15.00	83.00	13.73397

4. Ethnicity, in 6 groups (Q7)

% within PCT area of residence

	Ethnicity, in 6 groups (Q7)						Total
	White British	White other	Black	Asian	Mixed	Other	
NHS Gloucestershire	89.4%	4.3%			4.3%	2.1%	100.0%
NHS Bristol	85.8%	8.7%		.8%	3.1%	1.6%	100.0%
NHS Bath and North East Somerset	89.3%	3.6%		3.6%		3.6%	100.0%
NHS Wiltshire	92.0%	8.0%					100.0%
NHS Cornwall and Isles of Scilly	97.7%	2.3%					100.0%
NHS Plymouth Teaching	96.1%			2.0%	2.0%		100.0%
Devon PCT	92.3%	5.1%				2.6%	100.0%
NHS Somerset	93.1%	6.9%					100.0%
NHS Bournemouth and Poole	88.1%	9.0%		1.5%	1.5%		100.0%
All other South West men	94.9%	3.8%	1.3%				100.0%
Total	91.0%	5.6%	.2%	.7%	1.5%	.9%	100.0%

5. Highest education qualification (Q8)

% within PCT area of residence

	Highest education qualification (Q8)			Total
	Low	Medium	High	
NHS Gloucestershire	27.7%	40.4%	31.9%	100.0%
NHS Bristol	17.6%	23.2%	59.2%	100.0%
NHS Bath and North East Somerset	22.2%	40.7%	37.0%	100.0%
NHS Wiltshire	44.0%	12.0%	44.0%	100.0%
NHS Cornwall and Isles of Scilly	39.5%	32.6%	27.9%	100.0%
NHS Plymouth Teaching	37.3%	29.4%	33.3%	100.0%
Devon PCT	28.2%	41.0%	30.8%	100.0%
NHS Somerset	20.7%	41.4%	37.9%	100.0%
NHS Bournemouth and Poole	38.8%	23.9%	37.3%	100.0%
All other South West men	33.3%	30.8%	35.9%	100.0%
Total	29.6%	29.9%	40.5%	100.0%

6. Sexual identity(Q9)

% within PCT area of residence

	Sexual identity (Q9)				Total
	Gay	Bisexual	I don't usually use a term	Any other term	
NHS Gloucestershire	93.6%	2.1%	4.3%		100.0%
NHS Bristol	84.3%	5.5%	10.2%		100.0%
NHS Bath and North East Somerset	92.9%	3.6%	3.6%		100.0%
NHS Wiltshire	72.0%	24.0%	4.0%		100.0%
NHS Cornwall and Isles of Scilly	92.9%	2.4%	4.8%		100.0%
NHS Plymouth Teaching	76.5%	17.6%	5.9%		100.0%
Devon PCT	81.6%	18.4%			100.0%
NHS Somerset	62.1%	37.9%			100.0%
NHS Bournemouth and Poole	85.1%	7.5%	6.0%	1.5%	100.0%
All other South West men	84.6%	10.3%	5.1%		100.0%
Total	83.6%	10.5%	5.6%	.2%	100.0%

7. Trans male status (Q1)

% within PCT area of residence

	Trans male status (Q1)		Total
	No	Yes	
NHS Gloucestershire	97.8%	2.2%	100.0%
NHS Bristol	96.8%	3.2%	100.0%
NHS Bath and North East Somerset	100.0%		100.0%
NHS Wiltshire	100.0%		100.0%
NHS Cornwall and Isles of Scilly	97.6%	2.4%	100.0%
NHS Plymouth Teaching	100.0%		100.0%
Devon PCT	100.0%		100.0%
NHS Somerset	100.0%		100.0%
NHS Bournemouth and Poole	96.8%	3.2%	100.0%
All other South West men	100.0%		100.0%
Total	98.4%	1.6%	100.0%

8. Gender of sexual partners in the last year (Q23)

% within PCT area of residence

	Gender of sexual partners in the last year (Q23)				Total
	No one	Women only	Men only	Both men and women	
NHS Gloucestershire	10.6%		87.2%	2.1%	100.0%
NHS Bristol	4.7%	.8%	86.6%	7.9%	100.0%
NHS Bath and North East Somerset	14.3%		82.1%	3.6%	100.0%
NHS Wiltshire	4.0%	4.0%	80.0%	12.0%	100.0%
NHS Cornwall and Isles of Scilly	2.3%		93.0%	4.7%	100.0%
NHS Plymouth Teaching	9.8%		76.5%	13.7%	100.0%
Devon PCT	7.7%		79.5%	12.8%	100.0%
NHS Somerset	10.3%	6.9%	62.1%	20.7%	100.0%
NHS Bournemouth and Poole	6.0%	1.5%	91.0%	1.5%	100.0%
All other South West men	6.4%		85.9%	7.7%	100.0%
Total	6.9%	.9%	84.3%	7.9%	100.0%

9. Marriage / Civil partnership status (Q16)

% within PCT area of residence

	Marriage / Civil partnership status (Q16)			Total
	In a civil partnership with a man	In a marriage with a woman	Neither of these	
NHS Gloucestershire	19.1%		80.9%	100.0%
NHS Bristol	7.2%	1.6%	91.2%	100.0%
NHS Bath and North East Somerset	11.1%	3.7%	85.2%	100.0%
NHS Wiltshire	8.0%	16.0%	76.0%	100.0%
NHS Cornwall and Isles of Scilly	4.8%	2.4%	92.9%	100.0%
NHS Plymouth Teaching	6.0%	8.0%	86.0%	100.0%
Devon PCT	5.3%	15.8%	78.9%	100.0%
NHS Somerset	3.4%	27.6%	69.0%	100.0%
NHS Bournemouth and Poole	11.9%		88.1%	100.0%
All other South West men	17.3%	8.0%	74.7%	100.0%
Total	9.9%	6.1%	84.0%	100.0%

10. Sero-discordancy with male regular partner (Q11 & Q13)

% within PCT area of residence

	Sero-discordancy with male regular partner (Q11 & Q13)				Total
	single	concordant regular	unknown regular	discordant regular	
NHS Gloucestershire	42.6%	42.6%	12.8%	2.1%	100.0%
NHS Bristol	55.2%	35.2%	8.0%	1.6%	100.0%
NHS Bath and North East Somerset	46.4%	39.3%	7.1%	7.1%	100.0%
NHS Wiltshire	48.0%	32.0%	16.0%	4.0%	100.0%
NHS Cornwall and Isles of Scilly	46.5%	39.5%	14.0%		100.0%
NHS Plymouth Teaching	49.0%	43.1%	7.8%		100.0%
Devon PCT	52.6%	36.8%	7.9%	2.6%	100.0%
NHS Somerset	55.2%	34.5%		10.3%	100.0%
NHS Bournemouth and Poole	50.8%	32.3%	12.3%	4.6%	100.0%
All other South West men	40.3%	37.7%	19.5%	2.6%	100.0%
Total	49.1%	37.1%	11.0%	2.8%	100.0%

11. Sexuality disclosure (outness to family, friends & workmates) score average

Sexuality disclosure (outness) score average (Q10)

PCT area of residence	Median	Mean	Minimum	Maximum	Std. Deviation
NHS Gloucestershire	9.0000	8.5532	.00	12.00	3.66421
NHS Bristol	11.0000	9.3468	.00	12.00	3.66270
NHS Bath and North East Somerset	12.0000	9.3704	.00	12.00	3.83454
NHS Wiltshire	5.0000	5.7083	.00	12.00	4.62017
NHS Cornwall and Isles of Scilly	12.0000	9.5238	.00	12.00	4.10376
NHS Plymouth Teaching	10.0000	7.5882	.00	12.00	4.89153
Devon PCT	6.0000	6.2571	.00	12.00	4.90703
NHS Somerset	6.5000	6.0714	.00	12.00	5.12748
NHS Bournemouth and Poole	12.0000	9.0968	.00	12.00	4.19488
All other South West men	10.0000	8.0667	.00	12.00	4.57766
Total	10.0000	8.3417	.00	12.00	4.39487

12. Living arrangements (Q14)

% within PCT area of residence

	Living arrangements (Q14)			Total
	Live alone	Live with male partner	Live with others (not male partner)	
NHS Gloucestershire	23.4%	44.7%	31.9%	100.0%
NHS Bristol	22.2%	27.8%	50.0%	100.0%
NHS Bath and North East Somerset	39.3%	28.6%	32.1%	100.0%
NHS Wiltshire	24.0%	28.0%	48.0%	100.0%
NHS Cornwall and Isles of Scilly	36.6%	31.7%	31.7%	100.0%
NHS Plymouth Teaching	31.4%	17.6%	51.0%	100.0%
Devon PCT	28.2%	25.6%	46.2%	100.0%
NHS Somerset	14.3%	25.0%	60.7%	100.0%
NHS Bournemouth and Poole	39.4%	33.3%	27.3%	100.0%
All other South West men	34.6%	28.2%	37.2%	100.0%
Total	29.3%	29.1%	41.6%	100.0%

HIV INFECTION (AND TESTING INTERVENTION PERFORMANCE)

13. HIV testing history (Q17 & Q18)

% within PCT area of residence

	HIV test history (Q17 & Q18)				Total
	Never tested	Tested negative in last year	Tested negative over a year ago	Tested positive	
NHS Gloucestershire	31.1%	24.4%	42.2%	2.2%	100.0%
NHS Bristol	31.0%	38.1%	25.4%	5.6%	100.0%
NHS Bath and North East Somerset	21.4%	46.4%	28.6%	3.6%	100.0%
NHS Wiltshire	52.0%	24.0%	16.0%	8.0%	100.0%
NHS Cornwall and Isles of Scilly	31.0%	47.6%	16.7%	4.8%	100.0%
NHS Plymouth Teaching	37.3%	39.2%	19.6%	3.9%	100.0%
Devon PCT	43.6%	25.6%	23.1%	7.7%	100.0%
NHS Somerset	57.1%	25.0%	7.1%	10.7%	100.0%
NHS Bournemouth and Poole	33.3%	36.4%	21.2%	9.1%	100.0%
All other South West men	33.3%	42.3%	19.2%	5.1%	100.0%
Total	35.0%	36.4%	22.7%	5.9%	100.0%

14. Self rating of HIV transmission probability amongst homosexually active men in the last year(Q17 & Q42)

% within PCT area of residence

	Self rating of HIV transmission probability (Q17 & Q42) (Homosexually active men in the last year)					Total
	Very likely	Quite likely	Not sure	Quite unlikely	Very unlikely	
NHS Gloucestershire			16.7%	19.0%	64.3%	100.0%
NHS Bristol		2.5%	14.2%	19.2%	64.2%	100.0%
NHS Bath and North East Somerset	4.2%	4.2%	8.3%	12.5%	70.8%	100.0%
NHS Wiltshire			26.1%	17.4%	56.5%	100.0%
NHS Cornwall and Isles of Scilly	2.4%	2.4%	14.3%	23.8%	57.1%	100.0%
NHS Plymouth Teaching		2.2%	6.5%	19.6%	71.7%	100.0%
Devon PCT			8.3%	19.4%	72.2%	100.0%
NHS Somerset		4.2%	8.3%	25.0%	62.5%	100.0%
NHS Bournemouth and Poole	1.6%	4.9%	21.3%	14.8%	57.4%	100.0%
All other South West men	4.2%		15.3%	25.0%	55.6%	100.0%
Total	1.2%	2.0%	14.3%	19.8%	62.7%	100.0%

RISK BEHAVIOURS

15. Number of male sexual partners in the last year (Q24)

% within PCT area of residence

	Number of male sexual partners in the last year (Q24)						Total
	None	One	2,3 or 4	5 to 12	13 to 29	30 or more	
NHS Gloucestershire	10.6%	31.9%	34.0%	10.6%	6.4%	6.4%	100%
NHS Bristol	5.5%	20.5%	29.9%	26.8%	9.4%	7.9%	100%
NHS Bath and North East Somerset	14.3%	17.9%	28.6%	17.9%	3.6%	17.9%	100%
NHS Wiltshire	8.0%	28.0%	20.0%	40.0%		4.0%	100%
NHS Cornwall and Isles of Scilly	2.4%	16.7%	33.3%	21.4%	14.3%	11.9%	100%
NHS Plymouth Teaching	9.8%	19.6%	33.3%	23.5%	9.8%	3.9%	100%
Devon PCT	7.7%	20.5%	33.3%	28.2%	10.3%		100%
NHS Somerset	17.2%	24.1%	27.6%	20.7%	6.9%	3.4%	100%
NHS Bournemouth and Poole	7.8%	20.3%	29.7%	20.3%	17.2%	4.7%	100%
All other South West men	6.4%	10.3%	28.2%	26.9%	19.2%	9.0%	100%
Total	7.9%	20.0%	30.2%	23.8%	11.1%	7.0%	100%

16. Number of male unprotected anal intercourse partners amongst homosexually active men in the last year (Q26 & Q23)

% within PCT area of residence

	Number of male unprotected anal intercourse partners amongst homosexually active men (Q26 & Q23)					Total
	none	one	two	three or four	five or more	
NHS Gloucestershire	52.4%	28.6%	9.5%	7.1%	2.4%	100.0%
NHS Bristol	44.2%	33.3%	9.2%	7.5%	5.8%	100.0%
NHS Bath and North East Somerset	39.1%	43.5%	13.0%		4.3%	100.0%
NHS Wiltshire	34.8%	47.8%	4.3%	8.7%	4.3%	100.0%
NHS Cornwall and Isles of Scilly	35.7%	26.2%	21.4%	14.3%	2.4%	100.0%
NHS Plymouth Teaching	44.4%	33.3%	13.3%	2.2%	6.7%	100.0%
Devon PCT	44.4%	41.7%	5.6%	5.6%	2.8%	100.0%
NHS Somerset	54.2%	20.8%	8.3%	12.5%	4.2%	100.0%
NHS Bournemouth and Poole	42.6%	24.6%	18.0%	6.6%	8.2%	100.0%
All other South West men	42.5%	26.0%	6.8%	13.7%	11.0%	100.0%
Total	43.6%	31.3%	11.0%	8.2%	5.9%	100.0%

17. Use of Nitrite inhalants (poppers) (Q44 & Q45 & Q46 & Q47)

% within PCT area of residence

	Use of Nitrite inhalants (poppers) (Q44 & Q45 & Q46 & Q47)					Total
	No poppers	Use but not during RAI	Use during RAI but not URAI	Use during URAI but not with unknown / discordant partner	Use during URAI with an unknown / discordant partner	
NHS Gloucestershire	59.6%	19.1%	10.6%	6.4%	4.3%	100.0%
NHS Bristol	54.4%	22.4%	8.8%	7.2%	7.2%	100.0%
NHS Bath and North East Somerset	55.6%	22.2%	14.8%	3.7%	3.7%	100.0%
NHS Wiltshire	52.0%	24.0%	4.0%	8.0%	12.0%	100.0%
NHS Cornwall and Isles of Scilly	59.5%	11.9%	11.9%	7.1%	9.5%	100.0%
NHS Plymouth Teaching	45.1%	23.5%	13.7%	7.8%	9.8%	100.0%
Devon PCT	67.6%	8.1%	8.1%	10.8%	5.4%	100.0%
NHS Somerset	58.6%	17.2%	10.3%		13.8%	100.0%
NHS Bournemouth and Poole	48.5%	18.2%	12.1%	12.1%	9.1%	100.0%
All other South West men	50.6%	18.2%	10.4%	10.4%	10.4%	100.0%
Total	54.2%	19.0%	10.5%	8.0%	8.4%	100.0%

18. Use of anabolic steroids (Q49)

% within PCT area of residence

	Use of anabolic steroids (Q49)				Total
	Yes, I've taken them in the last month	Yes, I've taken them in the last 12 months	Yes, I've taken them but NOT in the last 12 months	No, I have never taken anabolic steroids	
NHS Gloucestershire				100.0%	100.0%
NHS Bristol	1.6%	.8%	1.6%	96.0%	100.0%
NHS Bath and North East Somerset				100.0%	100.0%
NHS Wiltshire				100.0%	100.0%
NHS Cornwall and Isles of Scilly			2.4%	97.6%	100.0%
NHS Plymouth Teaching				100.0%	100.0%
Devon PCT	2.6%			97.4%	100.0%
NHS Somerset				100.0%	100.0%
NHS Bournemouth and Poole	1.5%	1.5%	3.0%	93.9%	100.0%
All other South West men		1.3%		98.7%	100.0%
Total	.8%	.6%	.9%	97.7%	100.0%

PREVENTION NEEDS

19. Sexual behavioural intention on partner's positive disclosure (Q43 & Q17) (not tested positive)

% within PCT area of residence

	Sexual behavioural intention on partners positive disclosure (Q43 & Q17) (not tested positive)				Total
	Not want to have sex with him	Still want to have sex with him but be extra careful	Have the kind of sex you would have had anyway	Other	
NHS Gloucestershire	51.1%	48.9%			100.0%
NHS Bristol	55.9%	36.4%	4.2%	3.4%	100.0%
NHS Bath and North East Somerset	50.0%	38.5%	7.7%	3.8%	100.0%
NHS Wiltshire	65.2%	30.4%		4.3%	100.0%
NHS Cornwall and Isles of Scilly	47.5%	37.5%	12.5%	2.5%	100.0%
NHS Plymouth Teaching	64.6%	27.1%	4.2%	4.2%	100.0%
Devon PCT	57.1%	37.1%	2.9%	2.9%	100.0%
NHS Somerset	56.0%	32.0%	8.0%	4.0%	100.0%
NHS Bournemouth and Poole	53.4%	37.9%	5.2%	3.4%	100.0%
All other South West men	45.9%	43.2%	5.4%	5.4%	100.0%
Total	54.1%	37.6%	4.9%	3.5%	100.0%

20. Knowledge that poppers increase transmission probability (Q48)

% within PCT area of residence

	Knowledge that poppers increase transmission probability (Q48)				Total
	I knew this already	I didn't know this already	I wasn't sure about this	I don't understand this	
NHS Gloucestershire	34.0%	53.2%	8.5%	4.3%	100.0%
NHS Bristol	46.0%	37.3%	13.5%	3.2%	100.0%
NHS Bath and North East Somerset	35.7%	39.3%	17.9%	7.1%	100.0%
NHS Wiltshire	20.0%	60.0%	16.0%	4.0%	100.0%
NHS Cornwall and Isles of Scilly	34.9%	48.8%	11.6%	4.7%	100.0%
NHS Plymouth Teaching	47.1%	35.3%	9.8%	7.8%	100.0%
Devon PCT	20.5%	43.6%	23.1%	12.8%	100.0%
NHS Somerset	34.5%	58.6%	6.9%		100.0%
NHS Bournemouth and Poole	44.8%	40.3%	10.4%	4.5%	100.0%
All other South West men	41.3%	44.0%	12.0%	2.7%	100.0%
Total	39.1%	43.6%	12.6%	4.7%	100.0%

21. Knowledge that HIV, Hep B & C may be transmitted from shared injecting equipment when using anabolic steroids (Q52a)

% within PCT area of residence

	Knowledge that HIV, Hep B & C may be transmitted from shared injecting equipment when using anabolic steroids (Q52a)				Total
	I knew this already	I didn't know this already	I wasn't sure about this	I don't understand this	
NHS Gloucestershire	84.8%	13.0%		2.2%	100.0%
NHS Bristol	77.8%	16.7%	4.0%	1.6%	100.0%
NHS Bath and North East Somerset	81.5%	11.1%	7.4%		100.0%
NHS Wiltshire	76.0%	20.0%	4.0%		100.0%
NHS Cornwall and Isles of Scilly	76.7%	18.6%	2.3%	2.3%	100.0%
NHS Plymouth Teaching	68.8%	10.4%	8.3%	12.5%	100.0%
Devon PCT	71.8%	17.9%	7.7%	2.6%	100.0%
NHS Somerset	88.9%	7.4%	3.7%		100.0%
NHS Bournemouth and Poole	89.1%	9.4%		1.6%	100.0%
All other South West men	68.0%	18.7%	8.0%	5.3%	100.0%
Total	77.7%	14.8%	4.4%	3.1%	100.0%

22. Knowledge that anabolic steroid use is linked to heart disease (Q52b)

% within PCT area of residence

	Knowledge that anabolic steroid use is linked to heart disease (Q52b)				Total
	I knew this already	I didn't know this already	I wasn't sure about this	I don't understand this	
NHS Gloucestershire	48.9%	35.6%	15.6%		100.0%
NHS Bristol	54.8%	30.2%	14.3%	.8%	100.0%
NHS Bath and North East Somerset	55.6%	25.9%	18.5%		100.0%
NHS Wiltshire	56.0%	32.0%	8.0%	4.0%	100.0%
NHS Cornwall and Isles of Scilly	46.5%	44.2%	7.0%	2.3%	100.0%
NHS Plymouth Teaching	57.1%	26.5%	10.2%	6.1%	100.0%
Devon PCT	46.2%	41.0%	10.3%	2.6%	100.0%
NHS Somerset	63.0%	29.6%	7.4%		100.0%
NHS Bournemouth and Poole	53.8%	29.2%	15.4%	1.5%	100.0%
All other South West men	51.4%	31.1%	14.9%	2.7%	100.0%
Total	53.1%	32.1%	12.9%	1.9%	100.0%

23. Knowledge that concurrent stimulant and anabolic steroid use increases heart attack risk (q52c)

% within PCT area of residence

	Knowledge that concurrent stimulant and anabolic steroid use increases heart attack risk (q52c)				Total
	I knew this already	I didn't know this already	I wasn't sure about this	I don't understand this	
NHS Gloucestershire	41.3%	45.7%	13.0%		100.0%
NHS Bristol	51.6%	34.9%	12.7%	.8%	100.0%
NHS Bath and North East Somerset	66.7%	25.9%	7.4%		100.0%
NHS Wiltshire	60.0%	32.0%	4.0%	4.0%	100.0%
NHS Cornwall and Isles of Scilly	39.5%	44.2%	14.0%	2.3%	100.0%
NHS Plymouth Teaching	61.2%	22.4%	10.2%	6.1%	100.0%
Devon PCT	48.7%	41.0%	7.7%	2.6%	100.0%
NHS Somerset	66.7%	29.6%	3.7%		100.0%
NHS Bournemouth and Poole	54.7%	37.5%	7.8%		100.0%
All other South West men	42.7%	44.0%	12.0%	1.3%	100.0%
Total	51.4%	36.7%	10.4%	1.5%	100.0%

24. Knowledge that non-prescribed anabolic steroids dosage may vary from that labelled (Q52d)

% within PCT area of residence

	Knowledge that non-prescribed anabolic steroids dosage may vary from that labeled (Q52d)				Total
	I knew this already	I didn't know this already	I wasn't sure about this	I don't understand this	
NHS Gloucestershire	47.8%	43.5%	6.5%	2.2%	100.0%
NHS Bristol	53.2%	31.7%	14.3%	.8%	100.0%
NHS Bath and North East Somerset	48.1%	33.3%	18.5%		100.0%
NHS Wiltshire	56.0%	32.0%	8.0%	4.0%	100.0%
NHS Cornwall and Isles of Scilly	41.9%	46.5%	9.3%	2.3%	100.0%
NHS Plymouth Teaching	63.3%	18.4%	8.2%	10.2%	100.0%
Devon PCT	48.7%	38.5%	10.3%	2.6%	100.0%
NHS Somerset	51.9%	29.6%	18.5%		100.0%
NHS Bournemouth and Poole	38.5%	47.7%	12.3%	1.5%	100.0%
All other South West men	34.7%	48.0%	13.3%	4.0%	100.0%
Total	47.7%	37.5%	12.1%	2.7%	100.0%

ENDS