

### The UK [Gay Men's Sex Survey](#) (part of EMIS - the European MSM Internet Sex survey)

#### [South West](#) of England region of residence data report (March 2011)

This report contains data from the UK *Gay Men's Sex Survey* 2010, which was part of the European MSM Internet Sex Survey (EMIS), a pan-European survey about behaviours, prevention needs and interventions related to HIV and sexual health. The survey ran simultaneously in twenty-five European languages, and was promoted by over 200 websites across Europe. The survey was developed by academic researchers, public health officials and community-based organisations in these countries. More information on the survey can be found at [www.emis-project.eu](http://www.emis-project.eu)

EMIS has already released two documents reporting key variables for men resident in 38 countries across Europe, the *EMIS Community Report #1* and the *EMIS UNGASS Indicators Report*. Both can be found in the [Publications](#) section at [www.emis-project.eu](http://www.emis-project.eu). The indicators provided in this report are the same as those provided in these two reports.

This current report is prepared for health promotion planners with information about their local population of gay men and bisexual men. This report supplements the main UK survey report which will be published in September 2011. Survey methods and interpretation of the variables will be outlined in that report.

There are data reports for each of the ten Strategic Health Authorities (SHA) in England, with men grouped according to their Primary Care Trust (PCT) of residence, and separate reports for England, Scotland, Northern Ireland and Wales, with men grouped according to their region of residence. These 2010 reports, and similar reports for previous years, are available at [www.gmss.org.uk](http://www.gmss.org.uk)

#### **The data**

The survey used a single data collection method via a specific website promoted via links on gay and HIV-related websites. The EMIS survey was available from 4<sup>th</sup> June to 31<sup>st</sup> August 2010, in 25 languages. Overall, 184,470 gay men and bisexual men took part.

To be included in this report respondents had to: be male; be aged between 16 and 89; be living in the South West of England; have had sex with a man in the last year or have a gay, bisexual or other 'queer' identity.

Respondents with two or more inconsistent answers in six key areas were removed to improve data validity. Differences between the number of surveys returned and the number of men who appear in the sample are due to these exclusions.

### **The tables**

Groups of men living in the same PCT area for which there are 20 or more respondents appear as a row (horizontal line) in the tables. Those PCT areas with fewer than 20 responses are joined together into "All other South West SHA men". The bottom row of each table gives the result for all men living in the South West region. The first table shows the number of men recruited to the survey living in PCTs within the South West region and the size of the sub-samples in the rest of the tables. The tables show the proportions (%) of each sub-sample for that variable (less missing data). Rows add up to 100%. The only exceptions to this layout are table 3, 'Age averages' and table 16, 'Knowledge on HIV testing'.

### **Questionnaires**

The contents page identifies the survey question number (Q) each table is derived from. The questionnaire used in the survey is available to download in the [Publications](#) section at [www.emis-project.eu](http://www.emis-project.eu)

### **Funding**

EMIS was 60% funded by the Executive Agency for Health and Consumers of the European Commission and 40% funded by the five EMIS Associate Partners for their respective work-packages. In the UK the survey was part-funded by the Terrence Higgins Trust on behalf of CHAPS, the national HIV prevention programme funded by the English Department of Health.



David Reid <[david.reid@sigmaresearch.org.uk](mailto:david.reid@sigmaresearch.org.uk)>  
Research Fellow, Sigma Research  
Department of Social and Environmental Health Research  
London School of Hygiene and Tropical Medicine  
15-17 Tavistock Place  
London. WC1H 9SH  
T: +44 (0)20 7927 2792  
[www.sigmaresearch.org.uk](http://www.sigmaresearch.org.uk)  
[www.lshtm.ac.uk](http://www.lshtm.ac.uk)

## Table Contents

### **SAMPLE DESCRIPTION**

1. Sample size by PCT area of residence.
2. Language survey completed in.
3. Age groups; Q2 grouped into ten year age bands.
4. Age averages; from Q2; the median age (line them up by size and pick the one in the middle), the minimum (youngest) and maximum (oldest) ages, the mean age (add them up and divide by how many there are), and the standard deviation (a measure of how spread out along the range they are). (EMIS Community Report 1)
5. Born in country of residence; Q6.
6. Sexual identity; Q10.
7. 'Being Out'; Proportion of family, friends and work or study colleagues who know about same sex attraction; Q11. (EMIS Community Report 1)

### **SATISFACTION WITH SEX LIFE**

8. 'Happy with their sex life'; Q15. (EMIS Community Report 1)

### **HIV and STI TESTING**

9. HIV testing history and recency of HIV testing; Q71 & Q72 & Q72a & Q104. (EMIS Community Report 1)
10. Percentage of MSM that have received an HIV test in the last 12 months and who know the results amongst men of all ages. (UNGASS indicator 8); Q71 & Q72 & Q72a & Q104. (EMIS UNGASS indicators Report)
11. Percentage of men diagnosed positive among those who have ever been tested for HIV. (UNGASS indicator 23); Q71. (EMIS UNGASS indicators Report)
12. STI testing history and recency of STI testing; Q122 & Q123.

### **HEALTH NEEDS**

13. Confidence in accessing HIV testing (amongst men not diagnosed HIV positive); Q112 & Q113.
14. Perception of availability of free HIV testing (amongst men not diagnosed HIV positive); Q114.
15. Perception of availability of free STI testing (amongst men who had worn condoms); Q117.
16. 'Knowledge on HIV-testing' the average score of respondents knowledge of five statements on HIV transmission testing and treatment; Q61 & Q63 & Q65 & Q66 & Q67. (EMIS Community Report 1)

## **HEALTH NEEDS continued**

17. Percentage of MSM who both correctly identify ways of preventing the sexual transmission of HIV and who reject major misconceptions (UNGASS indicator 14); Q62 & Q68 & Q241 & Q242 & Q243. (EMIS UNGASS indicators Report)
18. Recency of not having a condom when desired; Q206.
19. Concern about alcohol consumption; Q222.
20. Concern about recreational drug use; Q223.

## **SEXUAL BEHAVIOUR**

21. Recency of any sex with male partners; Q148.
22. Condom failure (tearing or slipping) in the previous 12 months; Q219.
23. Communication of HIV status prior to or during sex with last non-steady male sexual partner; Q184.
24. Percentage of MSM aged 15-49 who have had anal or vaginal intercourse with more than one partner in the last 12 months. (UNGASS indicator 16); Q2 & 148 & Q155 & Q163 & Q157 & Q165 & Q208 & Q209.
25. Percentage of MSM reporting the use of a condom: the last time they had anal sex with a male partner within the last 6 months amongst men of all ages. (UNGASS indicator 19); Q148 & Q150 & Q152 & Q153. (EMIS UNGASS indicators Report)

## **HATE CRIME**

26. Experience of homophobic stares and intimidation; Q264.
27. Experience of homophobic verbal abuse; Q265.
28. Experience of homophobic physical abuse; Q266.

## **INTERVENTION PERFORMANCE**

29. Recency of hearing any information about HIV or STIs specifically for men who have sex with men; Q144.
30. Percentage of MSM reached with HIV prevention programmes amongst men of all ages. (UNGASS indicator 9); Q71 & Q82 & Q112 & Q113 & Q144 & Q147 & Q207. (EMIS UNGASS indicators Report)

## SAMPLE DESCRIPTION

### 1. Sample size by Strategic Health Authority area of residence.

	Frequency	Percent
NHS Bristol	186	17.3
NHS Gloucestershire	164	15.3
NHS Devon	142	13.2
NHS Bournemouth and Poole	104	9.7
NHS Somerset	81	7.5
NHS Wiltshire	80	7.4
NHS Cornwall and Isles of Scilly	79	7.4
NHS Dorset	68	6.3
NHS Plymouth Teaching	42	3.9
NHS Bath and North East Somerset	36	3.4
NHS North Somerset	28	2.6
NHS South Gloucestershire	24	2.2
NHS Swindon	22	2.0
Torbay Care Trust	18	1.7
Total	1074	100.0

**2.Language survey completed in.**

% within PCT area of residence

	Survey language								
	Czech	Dutch	English	Estonian	German	Hungarian	Latvian	Lithuanian	Norwegian
NHS Gloucestershire			98.8%						
NHS South Gloucestershire			100.0%						
NHS Bristol			95.2%	.5%	.5%	.5%			
NHS North Somerset			100.0%						
NHS Bath and North East Somerset			100.0%						
NHS Swindon			100.0%						
NHS Wiltshire		2.5%	97.5%						
NHS Cornwall and Isles of Scilly			98.7%						1.3%
NHS Plymouth Teaching			92.9%				2.4%	2.4%	
NHS Devon	1.4%		93.0%		1.4%				
NHS Somerset			96.3%					1.2%	
NHS Dorset			92.6%						
NHS Bournemouth and Poole			97.1%						
All other South West Men			100.0%						
Total	.2%	.2%	96.5%	.1%	.3%	.1%	.1%	.2%	.1%

## 2. Language survey completed in.

% within PCT area of residence

	Survey language						Total
	Polish	Portugeuse	Romanian	Russian	Serbian	Spanish	
NHS Gloucestershire	.6%			.6%			100.0%
NHS South Gloucestershire							100.0%
NHS Bristol	1.6%	.5%				1.1%	100.0%
NHS North Somerset							100.0%
NHS Bath and North East Somerset							100.0%
NHS Swindon							100.0%
NHS Wiltshire							100.0%
NHS Cornwall and Isles of Scilly							100.0%
NHS Plymouth Teaching			2.4%				100.0%
NHS Devon	2.1%	.7%	.7%	.7%			100.0%
NHS Somerset			1.2%			1.2%	100.0%
NHS Dorset		4.4%				2.9%	100.0%
NHS Bournemouth and Poole		1.0%	1.0%		1.0%		100.0%
All other South West Men							100.0%
Total	.7%	.6%	.4%	.2%	.1%	.5%	100.0%

### 3.Age groups; Q2 grouped into ten year age bands.

% within PCT area of residence

	Age Groups					Total
	<20	20s	30s	40s	50+	
NHS Gloucestershire	6.1%	25.6%	25.0%	23.8%	19.5%	100.0%
NHS South Gloucestershire	4.2%	25.0%	37.5%	20.8%	12.5%	100.0%
NHS Bristol	3.2%	38.2%	28.5%	14.0%	16.1%	100.0%
NHS North Somerset	3.6%	10.7%	32.1%	46.4%	7.1%	100.0%
NHS Bath and North East Somerset	8.3%	55.6%	16.7%	5.6%	13.9%	100.0%
NHS Swindon		22.7%	36.4%	18.2%	22.7%	100.0%
NHS Wiltshire	1.3%	21.3%	26.3%	27.5%	23.8%	100.0%
NHS Cornwall and Isles of Scilly	3.8%	25.3%	13.9%	26.6%	30.4%	100.0%
NHS Plymouth Teaching		35.7%	26.2%	31.0%	7.1%	100.0%
NHS Devon	10.6%	26.1%	22.5%	21.8%	19.0%	100.0%
NHS Somerset	7.4%	24.7%	11.1%	22.2%	34.6%	100.0%
NHS Dorset	2.9%	23.5%	32.4%	26.5%	14.7%	100.0%
NHS Bournemouth and Poole	1.0%	30.8%	16.3%	27.9%	24.0%	100.0%
All other South West Men	5.6%	5.6%	11.1%	22.2%	55.6%	100.0%
Total	4.7%	28.4%	23.4%	22.8%	20.8%	100.0%



#### 4.Age averages

How old are you?

PCT area of residence	Median	Mean	Minimum	Maximum	Std. Deviation
NHS Gloucestershire	38.00	38.20	16	77	13.641
NHS South Gloucestershire	37.00	36.71	19	60	12.099
NHS Bristol	32.00	35.04	15	71	12.399
NHS North Somerset	41.00	41.00	19	80	13.294
NHS Bath and North East Somerset	26.50	30.33	18	64	12.515
NHS Swindon	38.00	38.32	22	58	11.349
NHS Wiltshire	40.00	41.36	19	71	13.108
NHS Cornwall and Isles of Scilly	41.00	40.39	17	70	14.383
NHS Plymouth Teaching	35.00	35.74	21	59	9.882
NHS Devon	35.50	36.68	16	73	14.291
NHS Somerset	44.00	41.48	17	73	15.242
NHS Dorset	37.50	37.35	18	67	12.684
NHS Bournemouth and Poole	40.50	39.40	16	66	13.139
All other South West Men	53.50	50.83	18	70	15.042
Total	37.00	38.05	15	80	13.606

**5. Born in country of residence.**

% within PCT area of residence

	Were you born in your country of residence?		Total
	No	Yes	
NHS Gloucestershire	9.9%	90.1%	100.0%
NHS South Gloucestershire	8.3%	91.7%	100.0%
NHS Bristol	24.0%	76.0%	100.0%
NHS North Somerset	7.1%	92.9%	100.0%
NHS Bath and North East Somerset	30.6%	69.4%	100.0%
NHS Swindon	31.8%	68.2%	100.0%
NHS Wiltshire	21.5%	78.5%	100.0%
NHS Cornwall and Isles of Scilly	7.6%	92.4%	100.0%
NHS Plymouth Teaching	23.8%	76.2%	100.0%
NHS Devon	22.0%	78.0%	100.0%
NHS Somerset	11.3%	88.8%	100.0%
NHS Dorset	14.7%	85.3%	100.0%
NHS Bournemouth and Poole	22.1%	77.9%	100.0%
All other South West Men	5.6%	94.4%	100.0%
Total	17.7%	82.3%	100.0%

## 6. Sexual identity

% within PCT area of residence

	Which of the following options best describes how you think of yourself?					Total
	Gay or homosexual	Bisexual	Straight or heterosexual	Any other term	I don't usually use a term	
NHS Gloucestershire	78.7%	16.5%			4.9%	100.0%
NHS South Gloucestershire	62.5%	29.2%			8.3%	100.0%
NHS Bristol	84.4%	11.8%			3.8%	100.0%
NHS North Somerset	82.1%	14.3%			3.6%	100.0%
NHS Bath and North East Somerset	86.1%	13.9%				100.0%
NHS Swindon	77.3%	18.2%			4.5%	100.0%
NHS Wiltshire	71.3%	22.5%			6.3%	100.0%
NHS Cornwall and Isles of Scilly	83.5%	10.1%			6.3%	100.0%
NHS Plymouth Teaching	81.0%	14.3%			4.8%	100.0%
NHS Devon	82.4%	10.6%	.7%	3.5%	2.8%	100.0%
NHS Somerset	74.1%	17.3%			8.6%	100.0%
NHS Dorset	75.0%	20.6%			4.4%	100.0%
NHS Bournemouth and Poole	90.4%	4.8%		1.0%	3.8%	100.0%
All other South West Men	94.4%	5.6%				100.0%
Total	80.8%	14.0%	.1%	.6%	4.6%	100.0%

**7. 'Being Out'; Proportion of family, friends and work or study colleagues who know about same sex attraction.**

% within PCT area of residence

	Proportion of respondents who are out to most of those who know the person		Total
	All other answers	Out to most people I know	
NHS Gloucestershire	43.9%	56.1%	100.0%
NHS South Gloucestershire	33.3%	66.7%	100.0%
NHS Bristol	31.2%	68.8%	100.0%
NHS North Somerset	32.1%	67.9%	100.0%
NHS Bath and North East Somerset	31.4%	68.6%	100.0%
NHS Swindon	40.9%	59.1%	100.0%
NHS Wiltshire	50.0%	50.0%	100.0%
NHS Cornwall and Isles of Scilly	34.2%	65.8%	100.0%
NHS Plymouth Teaching	35.7%	64.3%	100.0%
NHS Devon	34.0%	66.0%	100.0%
NHS Somerset	42.0%	58.0%	100.0%
NHS Dorset	39.7%	60.3%	100.0%
NHS Bournemouth and Poole	26.9%	73.1%	100.0%
All other South West Men	27.8%	72.2%	100.0%
Total	36.5%	63.5%	100.0%

## SATISFACTION WITH SEX LIFE

### 8. 'Happy with their sex life'

% within PCT area of residence

	Are you happy with your sex life?		Total
	No	Yes	
NHS Gloucestershire	43.2%	56.8%	100.0%
NHS South Gloucestershire	36.4%	63.6%	100.0%
NHS Bristol	38.9%	61.1%	100.0%
NHS North Somerset	50.0%	50.0%	100.0%
NHS Bath and North East Somerset	50.0%	50.0%	100.0%
NHS Swindon	61.9%	38.1%	100.0%
NHS Wiltshire	43.2%	56.8%	100.0%
NHS Cornwall and Isles of Scilly	36.1%	63.9%	100.0%
NHS Plymouth Teaching	60.0%	40.0%	100.0%
NHS Devon	48.9%	51.1%	100.0%
NHS Somerset	43.6%	56.4%	100.0%
NHS Dorset	51.6%	48.4%	100.0%
NHS Bournemouth and Poole	35.4%	64.6%	100.0%
All other South West Men	29.4%	70.6%	100.0%
Total	43.6%	56.4%	100.0%

## HIV and STI TESTING

### 9.HIV testing history and recency of HIV testing.

% within PCT area of residence

	HIV testing history				Total
	Never tested	Tested negative in the last year	Tested negative over a year ago	Tested positive	
NHS Gloucestershire	41.4%	31.7%	21.4%	5.5%	100.0%
NHS South Gloucestershire	63.2%	31.6%	5.3%		100.0%
NHS Bristol	27.7%	42.2%	24.7%	5.4%	100.0%
NHS North Somerset	30.4%	26.1%	30.4%	13.0%	100.0%
NHS Bath and North East Somerset	46.7%	36.7%	16.7%		100.0%
NHS Swindon	50.0%	35.0%	10.0%	5.0%	100.0%
NHS Wiltshire	47.2%	33.3%	13.9%	5.6%	100.0%
NHS Cornwall and Isles of Scilly	32.9%	40.0%	20.0%	7.1%	100.0%
NHS Plymouth Teaching	28.9%	28.9%	36.8%	5.3%	100.0%
NHS Devon	38.5%	33.1%	18.5%	10.0%	100.0%
NHS Somerset	52.2%	26.1%	13.0%	8.7%	100.0%
NHS Dorset	39.1%	28.1%	25.0%	7.8%	100.0%
NHS Bournemouth and Poole	30.0%	40.0%	21.1%	8.9%	100.0%
All other South West Men	20.0%	40.0%	33.3%	6.7%	100.0%
Total	37.6%	34.7%	20.8%	6.8%	100.0%

**10. Percentage of MSM that have received an HIV test in the last 12 months and who know the results amongst men of all ages.**

% within PCT area of residence

	Percent of respondents who have been tested for HIV and received results in last 12 months (excluding those who have been already diagnosed positive)		Total
	Did not receive HIV test result (last 12m)	Received HIV test result (last 12m)	
NHS Gloucestershire	70.4%	29.6%	100.0%
NHS South Gloucestershire	75.0%	25.0%	100.0%
NHS Bristol	59.9%	40.1%	100.0%
NHS North Somerset	75.0%	25.0%	100.0%
NHS Bath and North East Somerset	69.4%	30.6%	100.0%
NHS Swindon	68.2%	31.8%	100.0%
NHS Wiltshire	67.5%	32.5%	100.0%
NHS Cornwall and Isles of Scilly	60.5%	39.5%	100.0%
NHS Plymouth Teaching	71.4%	28.6%	100.0%
NHS Devon	67.2%	32.8%	100.0%
NHS Somerset	76.0%	24.0%	100.0%
NHS Dorset	71.2%	28.8%	100.0%
NHS Bournemouth and Poole	61.5%	38.5%	100.0%
All other South West Men	64.7%	35.3%	100.0%
Total	66.9%	33.1%	100.0%

**11. Percentage of men diagnosed positive among those who have ever been tested for HIV.**

% within PCT area of residence

	Proportion of respondents who tested positive for HIV among those with known HIV test result		Total
	Last test negative	Diagnosed positive	
NHS Gloucestershire	92.3%	7.7%	100.0%
NHS South Gloucestershire	100.0%		100.0%
NHS Bristol	93.5%	6.5%	100.0%
NHS North Somerset	85.0%	15.0%	100.0%
NHS Bath and North East Somerset	100.0%		100.0%
NHS Swindon	91.7%	8.3%	100.0%
NHS Wiltshire	91.3%	8.7%	100.0%
NHS Cornwall and Isles of Scilly	91.1%	8.9%	100.0%
NHS Plymouth Teaching	93.5%	6.5%	100.0%
NHS Devon	85.9%	14.1%	100.0%
NHS Somerset	86.4%	13.6%	100.0%
NHS Dorset	88.4%	11.6%	100.0%
NHS Bournemouth and Poole	89.5%	10.5%	100.0%
All other South West Men	93.3%	6.7%	100.0%
Total	90.9%	9.1%	100.0%



## 12. STI testing history and recency of STI testing.

% within PCT area of residence

	STI testing history			Total
	Never tested or don't know if tested	STI test in the last year	STI test over a year ago	
NHS Gloucestershire	36.6%	34.8%	28.6%	100.0%
NHS South Gloucestershire	37.5%	41.7%	20.8%	100.0%
NHS Bristol	24.2%	46.8%	29.0%	100.0%
NHS North Somerset	32.1%	28.6%	39.3%	100.0%
NHS Bath and North East Somerset	38.9%	41.7%	19.4%	100.0%
NHS Swindon	36.4%	40.9%	22.7%	100.0%
NHS Wiltshire	43.8%	33.8%	22.5%	100.0%
NHS Cornwall and Isles of Scilly	29.9%	37.7%	32.5%	100.0%
NHS Plymouth Teaching	38.1%	35.7%	26.2%	100.0%
NHS Devon	39.4%	39.4%	21.1%	100.0%
NHS Somerset	39.5%	33.3%	27.2%	100.0%
NHS Dorset	31.8%	31.8%	36.4%	100.0%
NHS Bournemouth and Poole	25.0%	39.4%	35.6%	100.0%
All other South West Men	11.1%	44.4%	44.4%	100.0%
Total	33.3%	38.3%	28.4%	100.0%

## HEALTH NEEDS

### 13. Confidence in accessing HIV testing (amongst men not diagnosed HIV positive).

% within PCT area of residence

	How confident are you that you could get an/another test for HIV if you wanted one?					Total
	Very confident	Quite confident	A little confident	Not at all confident	I don't know	
NHS Gloucestershire	76.9%	16.0%	6.4%	.6%		100.0%
NHS South Gloucestershire	66.7%	20.8%	8.3%	4.2%		100.0%
NHS Bristol	80.6%	15.4%	2.3%	.6%	1.1%	100.0%
NHS North Somerset	70.8%	20.8%	8.3%			100.0%
NHS Bath and North East Somerset	77.8%	11.1%	5.6%	5.6%		100.0%
NHS Swindon	85.7%	9.5%		4.8%		100.0%
NHS Wiltshire	67.1%	18.4%	5.3%	1.3%	7.9%	100.0%
NHS Cornwall and Isles of Scilly	73.0%	17.6%	5.4%	2.7%	1.4%	100.0%
NHS Plymouth Teaching	90.0%	2.5%	2.5%	5.0%		100.0%
NHS Devon	68.2%	23.3%	4.7%	1.6%	2.3%	100.0%
NHS Somerset	68.9%	17.6%	6.8%	5.4%	1.4%	100.0%
NHS Dorset	79.4%	15.9%	1.6%	1.6%	1.6%	100.0%
NHS Bournemouth and Poole	79.8%	16.0%	2.1%	1.1%	1.1%	100.0%
All other South West Men	88.2%			5.9%	5.9%	100.0%
Total	75.8%	16.4%	4.3%	2.0%	1.6%	100.0%

**14.Perception of availability of free HIV testing (amongst men not diagnosed HIV positive).**

% within PCT area of residence

	Can you personally get free HIV testing in the country you live in?		Total
	No / don't know	Yes	
NHS Gloucestershire	16.7%	83.3%	100.0%
NHS South Gloucestershire	12.5%	87.5%	100.0%
NHS Bristol	10.9%	89.1%	100.0%
NHS North Somerset	20.8%	79.2%	100.0%
NHS Bath and North East Somerset	16.7%	83.3%	100.0%
NHS Swindon	23.8%	76.2%	100.0%
NHS Wiltshire	19.7%	80.3%	100.0%
NHS Cornwall and Isles of Scilly	12.2%	87.8%	100.0%
NHS Plymouth Teaching	17.5%	82.5%	100.0%
NHS Devon	20.9%	79.1%	100.0%
NHS Somerset	24.3%	75.7%	100.0%
NHS Dorset	28.6%	71.4%	100.0%
NHS Bournemouth and Poole	9.6%	90.4%	100.0%
All other South West Men	29.4%	70.6%	100.0%
Total	17.2%	82.8%	100.0%

**15.Perception of availability of free STI testing (amongst men who had worn condoms).**

% within PCT area of residence

	Can you personally get free STI testing in the country you live in?		Total
	No / don't know	Yes	
NHS Gloucestershire	11.0%	89.0%	100.0%
NHS South Gloucestershire	4.2%	95.8%	100.0%
NHS Bristol	7.5%	92.5%	100.0%
NHS North Somerset	10.7%	89.3%	100.0%
NHS Bath and North East Somerset	5.6%	94.4%	100.0%
NHS Swindon	18.2%	81.8%	100.0%
NHS Wiltshire	13.8%	86.3%	100.0%
NHS Cornwall and Isles of Scilly	2.6%	97.4%	100.0%
NHS Plymouth Teaching	14.3%	85.7%	100.0%
NHS Devon	18.4%	81.6%	100.0%
NHS Somerset	12.5%	87.5%	100.0%
NHS Dorset	17.6%	82.4%	100.0%
NHS Bournemouth and Poole	5.8%	94.2%	100.0%
All other South West Men	5.6%	94.4%	100.0%
Total	10.8%	89.2%	100.0%

**16. 'Knowledge on HIV-testing' the average score of respondents knowledge of five statements on HIV transmission testing and treatment.**

Mean

PCT area of residence	The mean of respondents' scores on basic knowledge about HIV and testing
NHS Gloucestershire	95.0000
NHS South Gloucestershire	95.0000
NHS Bristol	95.4839
NHS North Somerset	93.5714
NHS Bath and North East Somerset	95.0000
NHS Swindon	97.2727
NHS Wiltshire	94.0000
NHS Cornwall and Isles of Scilly	97.7215
NHS Plymouth Teaching	95.7143
NHS Devon	93.9437
NHS Somerset	94.0741
NHS Dorset	95.2941
NHS Bournemouth and Poole	97.3077
All other South West Men	96.6667
Total	95.3073

**17. Percentage of MSM who both correctly identify ways of preventing the sexual transmission of HIV and who reject major misconceptions amongst men of all ages.**

% within PCT area of residence

	UNGASS 14: Percentage correctly identifying ways of HIV transmission		Total
	Correctly identifies 0-4 respective items	Correctly identifies 5 respective items	
NHS Gloucestershire	53.7%	46.3%	100.0%
NHS South Gloucestershire	54.2%	45.8%	100.0%
NHS Bristol	51.6%	48.4%	100.0%
NHS North Somerset	46.4%	53.6%	100.0%
NHS Bath and North East Somerset	69.4%	30.6%	100.0%
NHS Swindon	50.0%	50.0%	100.0%
NHS Wiltshire	57.5%	42.5%	100.0%
NHS Cornwall and Isles of Scilly	51.9%	48.1%	100.0%
NHS Plymouth Teaching	50.0%	50.0%	100.0%
NHS Devon	55.6%	44.4%	100.0%
NHS Somerset	64.2%	35.8%	100.0%
NHS Dorset	55.9%	44.1%	100.0%
NHS Bournemouth and Poole	63.5%	36.5%	100.0%
All other South West Men	55.6%	44.4%	100.0%
Total	55.8%	44.2%	100.0%

**18.Recency of not having a condom when desired.**

% within PCT area of residence

	When was the last time you wanted a condom but did not have one?						Total
	Within the last 7 days	Within the last 4 weeks	Within the last 6 months	Within the last 12 months	Within the last 5 years	More than 5 years ago or Never	
NHS Gloucestershire	2.4%	4.9%	4.3%	6.7%	6.7%	75.0%	100.0%
NHS South Gloucestershire	13.0%	4.3%	4.3%	4.3%	13.0%	60.9%	100.0%
NHS Bristol	2.2%	3.8%	6.6%	6.6%	10.9%	69.9%	100.0%
NHS North Somerset		3.6%		3.6%	3.6%	89.3%	100.0%
NHS Bath and North East Somerset	5.6%	2.8%	8.3%	13.9%	8.3%	61.1%	100.0%
NHS Swindon			4.5%	9.1%	9.1%	77.3%	100.0%
NHS Wiltshire	7.6%		1.3%	6.3%	7.6%	77.2%	100.0%
NHS Cornwall and Isles of Scilly	3.8%	2.5%	7.6%	3.8%	3.8%	78.5%	100.0%
NHS Plymouth Teaching		7.7%	2.6%	2.6%		87.2%	100.0%
NHS Devon	.7%	2.1%	7.8%	9.2%	9.9%	70.2%	100.0%
NHS Somerset	2.5%	1.2%	1.2%	9.9%	2.5%	82.7%	100.0%
NHS Dorset	2.9%	5.9%	10.3%	2.9%	11.8%	66.2%	100.0%
NHS Bournemouth and Poole	2.9%	3.8%	7.7%	6.7%	12.5%	66.3%	100.0%
All other South West Men	5.9%		11.8%		17.6%	64.7%	100.0%
Total	2.9%	3.3%	5.7%	6.7%	8.4%	73.0%	100.0%

**19.Concern about alcohol consumption.**

% within PCT area of residence

	Any concern about alcohol use		Total
	No	Yes	
NHS Gloucestershire	84.1%	15.9%	100.0%
NHS South Gloucestershire	91.7%	8.3%	100.0%
NHS Bristol	81.6%	18.4%	100.0%
NHS North Somerset	82.1%	17.9%	100.0%
NHS Bath and North East Somerset	75.0%	25.0%	100.0%
NHS Swindon	81.8%	18.2%	100.0%
NHS Wiltshire	75.0%	25.0%	100.0%
NHS Cornwall and Isles of Scilly	83.3%	16.7%	100.0%
NHS Plymouth Teaching	85.4%	14.6%	100.0%
NHS Devon	83.0%	17.0%	100.0%
NHS Somerset	88.9%	11.1%	100.0%
NHS Dorset	89.7%	10.3%	100.0%
NHS Bournemouth and Poole	82.5%	17.5%	100.0%
All other South West Men	72.2%	27.8%	100.0%
Total	83.0%	17.0%	100.0%



**20.Concern about recreational drug use.**

% within PCT area of residence

	Any concern about drug use		Total
	No	Yes	
NHS Gloucestershire	96.9%	3.1%	100.0%
NHS South Gloucestershire	100.0%		100.0%
NHS Bristol	95.7%	4.3%	100.0%
NHS North Somerset	92.9%	7.1%	100.0%
NHS Bath and North East Somerset	97.2%	2.8%	100.0%
NHS Swindon	81.8%	18.2%	100.0%
NHS Wiltshire	93.7%	6.3%	100.0%
NHS Cornwall and Isles of Scilly	97.4%	2.6%	100.0%
NHS Plymouth Teaching	90.0%	10.0%	100.0%
NHS Devon	94.3%	5.7%	100.0%
NHS Somerset	97.5%	2.5%	100.0%
NHS Dorset	94.1%	5.9%	100.0%
NHS Bournemouth and Poole	98.1%	1.9%	100.0%
All other South West Men	100.0%		100.0%
Total	95.6%	4.4%	100.0%

## SEXUALBEHAVIOUR

### 21.Recency of any sex with male partners.

% within PCT area of residence

	When did you last have any kind of sex with a man (please include any sexual contact, not just anal intercourse)?						Total
	Within the last 7 days	Within the last 4 weeks	Within the last 6 months	Within the last 12 months	Within the last 5 years	More than 5 years ago	
NHS Gloucestershire	53.0%	17.1%	16.5%	4.9%	3.7%	4.9%	100.0%
NHS South Gloucestershire	70.8%	12.5%	4.2%		4.2%	8.3%	100.0%
NHS Bristol	59.5%	17.8%	14.1%	3.8%	3.2%	1.6%	100.0%
NHS North Somerset	67.9%	14.3%	7.1%	10.7%			100.0%
NHS Bath and North East Somerset	55.6%	27.8%	5.6%	5.6%	2.8%	2.8%	100.0%
NHS Swindon	54.5%	13.6%	18.2%	9.1%		4.5%	100.0%
NHS Wiltshire	57.5%	18.8%	10.0%	6.3%	5.0%	2.5%	100.0%
NHS Cornwall and Isles of Scilly	59.5%	20.3%	7.6%	6.3%	3.8%	2.5%	100.0%
NHS Plymouth Teaching	48.8%	22.0%	12.2%	4.9%	9.8%	2.4%	100.0%
NHS Devon	50.7%	21.1%	14.1%	4.2%	4.9%	4.9%	100.0%
NHS Somerset	49.4%	28.4%	12.3%	1.2%	6.2%	2.5%	100.0%
NHS Dorset	50.0%	24.2%	12.1%	4.5%	6.1%	3.0%	100.0%
NHS Bournemouth and Poole	63.5%	22.1%	9.6%	2.9%	1.0%	1.0%	100.0%
All other South West Men	61.1%	22.2%	11.1%	5.6%			100.0%
Total	56.1%	20.3%	12.2%	4.5%	3.9%	3.0%	100.0%

**22. Condom failure (tearing or slipping) in the previous 12 months.**

% within PCT area of residence

	In the last 12 months has a condom you were wearing torn or slipped off during intercourse?				Total
	No	Yes, one time	Yes, more than one time	I don't know	
NHS Gloucestershire	88.5%	9.4%	1.0%	1.0%	100.0%
NHS South Gloucestershire	81.8%		18.2%		100.0%
NHS Bristol	84.7%	8.9%	5.6%	.8%	100.0%
NHS North Somerset	100.0%				100.0%
NHS Bath and North East Somerset	70.0%	20.0%	10.0%		100.0%
NHS Swindon	84.6%	7.7%		7.7%	100.0%
NHS Wiltshire	92.9%	4.8%	2.4%		100.0%
NHS Cornwall and Isles of Scilly	83.0%	12.8%	2.1%	2.1%	100.0%
NHS Plymouth Teaching	66.7%	23.8%	9.5%		100.0%
NHS Devon	77.4%	16.7%	4.8%	1.2%	100.0%
NHS Somerset	83.0%	12.8%		4.3%	100.0%
NHS Dorset	87.2%	10.3%	2.6%		100.0%
NHS Bournemouth and Poole	86.3%	8.2%	4.1%	1.4%	100.0%
All other South West Men	62.5%	12.5%	25.0%		100.0%
Total	83.9%	10.8%	4.1%	1.3%	100.0%

**23.Communication of HIV status prior to or during sex with last non-steady male sexual partner.**

% within PCT area of residence

	What did you tell him about your HIV status before or during sex?					Total
	I told him I didn't know my HIV status	I told him I was HIV negative	I told him I was HIV positive	I said nothing about my HIV status	I don't remember	
NHS Gloucestershire	2.6%	15.4%	2.6%	76.1%	3.4%	100.0%
NHS South Gloucestershire		23.5%		76.5%		100.0%
NHS Bristol		24.4%	.7%	72.6%	2.2%	100.0%
NHS North Somerset		16.7%	4.2%	75.0%	4.2%	100.0%
NHS Bath and North East Somerset		14.3%		82.1%	3.6%	100.0%
NHS Swindon		29.4%		64.7%	5.9%	100.0%
NHS Wiltshire	3.4%	15.5%	3.4%	70.7%	6.9%	100.0%
NHS Cornwall and Isles of Scilly	5.0%	20.0%	1.7%	68.3%	5.0%	100.0%
NHS Plymouth Teaching	4.0%	20.0%	4.0%	68.0%	4.0%	100.0%
NHS Devon	1.1%	17.9%	2.1%	73.7%	5.3%	100.0%
NHS Somerset	3.5%	22.8%		68.4%	5.3%	100.0%
NHS Dorset	4.5%	29.5%	4.5%	59.1%	2.3%	100.0%
NHS Bournemouth and Poole	1.3%	17.7%	2.5%	73.4%	5.1%	100.0%
All other South West Men		33.3%		60.0%	6.7%	100.0%
Total	1.9%	20.2%	1.9%	71.7%	4.2%	100.0%

**24. Percentage of MSM aged 15-49 who have had anal or vaginal intercourse with more than one partner in the last 12 months.**

% within PCT area of residence

	UNGASS 16: Percentage of adults aged 15-49 who have had anal or vaginal intercourse with more than one partner in the last 12 months		Total
	none or one anal/vaginal intercourse partner in the last 12 months	more than one anal/vaginal intercourse partner in the last 12 months	
NHS Gloucestershire	44.2%	55.8%	100.0%
NHS South Gloucestershire	20.0%	80.0%	100.0%
NHS Bristol	35.1%	64.9%	100.0%
NHS North Somerset	43.5%	56.5%	100.0%
NHS Bath and North East Somerset	42.9%	57.1%	100.0%
NHS Swindon	46.2%	53.8%	100.0%
NHS Wiltshire	42.6%	57.4%	100.0%
NHS Cornwall and Isles of Scilly	36.8%	63.2%	100.0%
NHS Plymouth Teaching	47.1%	52.9%	100.0%
NHS Devon	44.2%	55.8%	100.0%
NHS Somerset	37.8%	62.2%	100.0%
NHS Dorset	48.8%	51.2%	100.0%
NHS Bournemouth and Poole	31.1%	68.9%	100.0%
All other South West Men	42.9%	57.1%	100.0%
Total	40.2%	59.8%	100.0%

**25. Percentage of MSM reporting the use of a condom: the last time they had anal sex with a male partner within the last 6 months amongst men of all ages.**

% within PCT area of residence

	UNGASS 19: Percentage of MSM reporting condom use the last time they had anal sex with a male partner (within last 6 months)		Total
	Last anal sex without a condom	Used condom during last anal sex	
NHS Gloucestershire	47.9%	52.1%	100.0%
NHS South Gloucestershire	38.1%	61.9%	100.0%
NHS Bristol	41.0%	59.0%	100.0%
NHS North Somerset	55.6%	44.4%	100.0%
NHS Bath and North East Somerset	43.5%	56.5%	100.0%
NHS Swindon	50.0%	50.0%	100.0%
NHS Wiltshire	58.1%	41.9%	100.0%
NHS Cornwall and Isles of Scilly	48.1%	51.9%	100.0%
NHS Plymouth Teaching	51.7%	48.3%	100.0%
NHS Devon	40.9%	59.1%	100.0%
NHS Somerset	55.9%	44.1%	100.0%
NHS Dorset	54.2%	45.8%	100.0%
NHS Bournemouth and Poole	47.6%	52.4%	100.0%
All other South West Men	71.4%	28.6%	100.0%
Total	48.0%	52.0%	100.0%

## HATE CRIME

### 26.Experience of homophobic stares and intimidation.

% within PCT area of residence

	When was the last time you were stared at or intimidated because someone knew or presumed you are attracted to men?						Total
	Within the last 7 days	Within the last 4 weeks	Within the last 6 months	Within the last 12 months	Within the last 5 years	More than 5 years ago or Never	
NHS Gloucestershire	9.2%	5.5%	9.8%	10.4%	12.3%	52.8%	100.0%
NHS South Gloucestershire	16.7%	4.2%	12.5%	8.3%	20.8%	37.5%	100.0%
NHS Bristol	11.4%	6.5%	10.3%	11.4%	15.2%	45.1%	100.0%
NHS North Somerset	7.1%	7.1%	10.7%	17.9%	10.7%	46.4%	100.0%
NHS Bath and North East Somerset	14.3%	8.6%	11.4%	11.4%	25.7%	28.6%	100.0%
NHS Swindon	9.1%	4.5%	9.1%	13.6%	18.2%	45.5%	100.0%
NHS Wiltshire	12.5%	5.0%	7.5%	11.3%	7.5%	56.3%	100.0%
NHS Cornwall and Isles of Scilly	11.4%	6.3%	10.1%	13.9%	16.5%	41.8%	100.0%
NHS Plymouth Teaching	5.0%	7.5%	5.0%	10.0%	10.0%	62.5%	100.0%
NHS Devon	12.0%	10.6%	12.0%	11.3%	16.2%	38.0%	100.0%
NHS Somerset	8.6%	2.5%	12.3%	11.1%	11.1%	54.3%	100.0%
NHS Dorset	8.8%	10.3%	16.2%	7.4%	8.8%	48.5%	100.0%
NHS Bournemouth and Poole	5.8%	8.7%	13.5%	15.4%	16.3%	40.4%	100.0%
All other South West Men	5.6%	5.6%	22.2%	22.2%	11.1%	33.3%	100.0%
Total	10.0%	6.9%	11.1%	11.8%	14.0%	46.2%	100.0%

**27.Experience of homophobic verbal abuse.**

% within PCT area of residence

	When was the last time you had verbal insults directed at you, because someone knew or presumed you are attracted to men?						Total
	Within the last 7 days	Within the last 4 weeks	Within the last 6 months	Within the last 12 months	Within the last 5 years	More than 5 years ago or Never	
NHS Gloucestershire	7.9%	4.3%	9.1%	7.9%	18.3%	52.4%	100.0%
NHS South Gloucestershire	4.2%		20.8%	12.5%	29.2%	33.3%	100.0%
NHS Bristol	4.3%	4.9%	8.2%	14.1%	17.4%	51.1%	100.0%
NHS North Somerset			7.1%	10.7%	25.0%	57.1%	100.0%
NHS Bath and North East Somerset	2.9%	8.6%	14.3%	14.3%	31.4%	28.6%	100.0%
NHS Swindon	9.1%		9.1%	9.1%	13.6%	59.1%	100.0%
NHS Wiltshire		6.3%	6.3%	21.3%	8.8%	57.5%	100.0%
NHS Cornwall and Isles of Scilly	8.9%	3.8%	13.9%	7.6%	19.0%	46.8%	100.0%
NHS Plymouth Teaching	2.5%	2.5%	5.0%	10.0%	17.5%	62.5%	100.0%
NHS Devon	8.5%	9.2%	12.1%	9.9%	19.1%	41.1%	100.0%
NHS Somerset	4.9%	4.9%	2.5%	13.6%	14.8%	59.3%	100.0%
NHS Dorset	2.9%	7.4%	17.6%	4.4%	19.1%	48.5%	100.0%
NHS Bournemouth and Poole	3.8%	3.8%	9.6%	12.5%	23.1%	47.1%	100.0%
All other South West Men	5.6%	5.6%	16.7%	11.1%	16.7%	44.4%	100.0%
Total	5.2%	5.1%	9.9%	11.4%	18.5%	49.7%	100.0%



**28.Experience of homophobic physical abuse.**

% within PCT area of residence

	When was the last time you were punched, hit, kicked, or beaten because someone knew or presumed you are attracted to men?						Total
	Within the last 7 days	Within the last 4 weeks	Within the last 6 months	Within the last 12 months	Within the last 5 years	More than 5 years ago or Never	
NHS Gloucestershire		.6%	.6%	1.8%	2.4%	94.5%	100.0%
NHS South Gloucestershire					4.3%	95.7%	100.0%
NHS Bristol		.5%	1.1%	1.1%	5.4%	91.8%	100.0%
NHS North Somerset					10.7%	89.3%	100.0%
NHS Bath and North East Somerset			2.9%		5.7%	91.4%	100.0%
NHS Swindon				4.5%		95.5%	100.0%
NHS Wiltshire			1.3%		10.0%	88.8%	100.0%
NHS Cornwall and Isles of Scilly	1.3%			2.6%	7.7%	88.5%	100.0%
NHS Plymouth Teaching			2.4%			97.6%	100.0%
NHS Devon	.7%		1.4%	4.3%	9.2%	84.4%	100.0%
NHS Somerset		1.2%	1.2%	2.5%	2.5%	92.6%	100.0%
NHS Dorset				2.9%	8.8%	88.2%	100.0%
NHS Bournemouth and Poole				1.9%	2.9%	95.1%	100.0%
All other South West Men			5.6%		5.6%	88.9%	100.0%
Total	.2%	.3%	.9%	1.9%	5.5%	91.2%	100.0%

## INTERVENTION PERFORMANCE

### 29.Recency of hearing any information about HIV or STIs specifically for men who have sex with men.

% within PCT area of residence

	When was the last time you saw or heard any information about HIV or STIs specifically for men who have sex with men?						Total
	Within the last 7 days	Within the last 4 weeks	Within the last 6 months	Within the last 12 months	Within the last 5 years	More than 5 years ago or Never	
NHS Gloucestershire	22.2%	20.4%	23.5%	15.4%	9.9%	8.6%	100.0%
NHS South Gloucestershire	20.8%	37.5%	20.8%	4.2%	12.5%	4.2%	100.0%
NHS Bristol	35.7%	20.5%	25.4%	7.6%	6.5%	4.3%	100.0%
NHS North Somerset	28.6%	25.0%	14.3%	14.3%	7.1%	10.7%	100.0%
NHS Bath and North East Somerset	22.2%	19.4%	27.8%	19.4%	11.1%		100.0%
NHS Swindon	22.7%	27.3%	31.8%		9.1%	9.1%	100.0%
NHS Wiltshire	26.6%	17.7%	24.1%	17.7%	7.6%	6.3%	100.0%
NHS Cornwall and Isles of Scilly	22.8%	10.1%	30.4%	11.4%	13.9%	11.4%	100.0%
NHS Plymouth Teaching	39.0%	19.5%	22.0%	4.9%	12.2%	2.4%	100.0%
NHS Devon	22.5%	20.4%	25.4%	16.2%	6.3%	9.2%	100.0%
NHS Somerset	25.0%	12.5%	23.8%	25.0%	2.5%	11.3%	100.0%
NHS Dorset	26.5%	16.2%	22.1%	17.6%	11.8%	5.9%	100.0%
NHS Bournemouth and Poole	26.0%	25.0%	21.2%	15.4%	7.7%	4.8%	100.0%
All other South West Men	22.2%	22.2%	16.7%	22.2%	11.1%	5.6%	100.0%
Total	26.6%	19.7%	24.2%	14.1%	8.4%	7.0%	100.0%

**30. Percentage of MSM reached with HIV prevention programmes amongst men of all ages.**

% within PCT area of residence

	UNGASS 9: Reached with (targeted) HIV prevention programmes		Total
	EMIS-criteria for UNGASS 9 not met	EMIS-criteria for UNGASS 9 met	
NHS Gloucestershire	34.8%	65.2%	100.0%
NHS South Gloucestershire	25.0%	75.0%	100.0%
NHS Bristol	25.8%	74.2%	100.0%
NHS North Somerset	25.0%	75.0%	100.0%
NHS Bath and North East Somerset	27.8%	72.2%	100.0%
NHS Swindon	27.3%	72.7%	100.0%
NHS Wiltshire	37.5%	62.5%	100.0%
NHS Cornwall and Isles of Scilly	39.2%	60.8%	100.0%
NHS Plymouth Teaching	26.2%	73.8%	100.0%
NHS Devon	31.0%	69.0%	100.0%
NHS Somerset	33.3%	66.7%	100.0%
NHS Dorset	32.4%	67.6%	100.0%
NHS Bournemouth and Poole	26.0%	74.0%	100.0%
All other South West Men	44.4%	55.6%	100.0%
Total	31.1%	68.9%	100.0%

**END**